



Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

[www.hi-tecoils.com.au](http://www.hi-tecoils.com.au)

## PRODUCT DATA SHEET

### PREMIER SJ/CF SAE 15W40

#### DESCRIPTION

**PREMIER SJ/CF SAE 15W40** is premium quality engine oil meeting the latest specifications and is suitable for all types of four stroke engines under the most severe and varied operating conditions.

**PREMIER SJ/CF SAE 15W40** provides increased engine life since the wear rates associated with quality SG engine oils are decreased by approximately 20% for cams and 13% for bearings.

**PREMIER SJ/CF SAE 15W40** contributes to 21% less oxidation and more protection from piston deposits compared to SG engine oils when tested under the Sequence III E test technique.

The level of dispersants and detergents in the **PREMIER SJ/CF SAE 15W40** maintains the engine much cleaner under all service conditions. These special additives inhibit formation of sludge development especially under the constant cold temperature operation of urban motoring.

**PREMIER SJ/CF SAE 15W40** high temperature performance is enhanced by the selection of thermally stable base oils, oxidation inhibitors, viscosity improvers and detergents.

#### SPECIFICATIONS

**PREMIER SJ/CF SAE 15W40** meets or exceeds the following demanding performance requirements:

**API:** SJ, SH, CF, CD



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

## PRODUCT DATA SHEET

<u>TYPICAL TESTS</u>	<u>ASTM METHOD</u>	<u>RESULTS</u>
Appearance	-	Natural
Density, Kg/Lat 15.0°C	D.1298	0.884
Viscosity, at 100°C cSt	D.445	14.5
at 40°C cSt	D.445	105
Viscosity Index	D.2270	142
Pour Point, °C	D.97	-25
Carbon Residue, Conradson, %		
Mass	D.524	0.05
Flash Point COC, °C	D.92	238
Foaming Characteristics -		
All Sequences, After Standing	D.892	Nil
Rust Prevention Characteristics	D.665	Pass
Total Base Number, mg KOH/g	D.2896	6.0
Magnesium	A/A	0.11
Nitrogen, % wt	A/A	0.06
Phosphorus, % wt	A/A	0.08
Zinc, % wt	A/A	0.09

"The facts stated and the recommendations made herein are believed to be accurate. No guarantee of their accuracy is made however, and unless otherwise expressly provided in written contract, the products are sold without conditions or warranties, expressed or implied. Purchasers should determine the suitability of such products for their particular purposes".

Item Code: 2094

Effective: August 2012

Effective: August 2014

EH218007/1



AUSTRALIAN FAMILY OWNED SINCE 1989

