



Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

PRODUCT DATA SHEET

POWER STEERING PLUS

DESCRIPTION

Hi-Tec **POWER STEERING PLUS** is a new generation premium power steering fluid fulfilling a number of power steering specifications, including Ford ESN-M2C41-B.

BENEFITS

Some of the benefits of using **Hi-Tec POWER STEERING PLUS** are:

- Meets requirements of many car manufacturers.
- Suitable for most passenger car & light commercial power steering systems.
- Effective anti-wear properties help minimise wear & maximise system life.
- Compatible with wide range of seals, reducing oil leakage and increasing seal life.
- Effective foam control & oxidation provides smooth operation and longevity of fluid.
- Viscosity characteristics provide suitable all year round protection in all climates.
- Seal swell properties control squeal and shudder.

Note: Hi-Tec **POWER STEERING PLUS** is likely to be incompatible with other power steering fluids. Please ensure the system is drained well before filling.

TYPICAL TESTS

LIMITS

Power Steering Plus

Viscosity, cSt at 100°C	9.0 - 10.0	9.41
at 40°C	Report	55.5
Viscosity Index	140 Min	153
Pour Point, °C	- 30 Max	-36
Flash Point, COC, °C	180 Min	216
Copper Strip Corrosion, 3 hrs at 150°C	1b Max	1a
Foaming Characteristics, 1% H ₂ O -		
Sequence I	30 Max	10/0
Sequence II	50 Max	40/0
Sequence III	50 Max	10/0

"The facts stated and the recommendations made herein are believed to be accurate. No guarantee of their accuracy is made however, and unless otherwise expressly provided in written contract, the products are sold without conditions or warranties, expressed or implied. Purchasers should determine the suitability of such products for their particular purposes".

Product Code: HI8-2694C
Effective: October 2014
Expires: October 2016
EH410192/1



AUSTRALIAN FAMILY OWNED SINCE 1989

