

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# SAFETY DATA SHEET

Page 1 of 6
Issue Date: 5 February 2013
Fire Resistant Hydraulic Fluid QA720
Version: 1

Product name: Fire Resistant Hydraulic Fluid QA720

#### 1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765

5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Fire Resistant Hydraulic Fluid QA720

OTHER NAMES: FR Hydraulic Fluid QA720

MANUFACTURER'S PRODUCT CODE: HI8-3383-

USE: Water Glycol based fire resistant hydraulic fluid

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au
Email: hitecoils@hi-tecoils.com.au

### 2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION: NON-HAZARDOUS SUBSTANCE

NON-DANGEROUS GOODS

Hazard classification according to criteria of NOHSC.

Dangerous goods classification according to Australian Dangerous Goods Code.

RISK PHRASE (S):

IRRITANCY OF PRODUCT: Not classified as an irritant.

SENSITISATION OF PRODUCT: Not known to be a sensitiser.

TERATOGENICITY: No teratogenic effects known.

OTHER INFORMATION: Used oils may contain harmful impurities that have accumulated during use. The

concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and

skin contact avoided as far as possible.







Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

## SAFETY DATA SHEET

Page 2 of 6 Issue Date: 5 February 2013 Fire Resistant Hydraulic Fluid QA720 Version: 1

## 3. IDENTIFICATION / COMPOSITION OF INGREDIENTS

CHEMICAL CHARACTERISTICS: Liquid

CHEMICAL ENTITY: CAS No. PROPORTION

Morpholine110-91-80-1%Propylene Glycol57-55-630-60%Ingredients determined not to be hazardousMixtureTo 100%

#### 4. FIRST AID MEASURES

INHALATION: Remove the source of contamination or move the victim to fresh air. Ensure airways are clear

and have a qualified person give oxygen through a face mask if breathing is difficult. If

irritation develops seek medical attention.

INGESTION: DO NOT induce vomiting. Immediately wash out mouth with water. If symptoms develop seek

medical attention.

SKIN: Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing

is washed before re-use or discard. If irritation develops seek medical attention.

EYE: If contact with the eye(s) occur, wash with copious amounts of water holding eyelid(s) open.

Take care not to rinse contaminated water into the non-affected eye. If irritation persists seek

medical attention.

FIRST AID FACILITIES: Eye wash and normal washroom facilities. Advice to Doctor Treat symptomatically.

ADVICE TO DOCTOR: Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding environment.

Hazards from Combustion Products: Non-flammable, non-combustible however if involved in a fire once all the water has been

driven off, residue is combustible. May release toxic gases.

Precautions in connection with Fire: Wear Self-Contained Breathing Apparatus and full protective clothing to minimise exposure.

### 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Increase ventilation. Evacuate all unnecessary personnel. Wear Self-Contained Breathing

Apparatus and full protective clothing to minimise exposure. Contain spillage by damming and cover with inert, non combustible absorbent material. Use clean tools to collect the material and place into suitable labelled containers ready for disposal. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste

Management Authority.







Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# DATA SH

Page 3 of 6 Issue Date: 5 February 2013 Fire Resistant Hydraulic Fluid QA720 Version: 1

### 7. HANDLING AND STORAGE

Precautions for Safe Handling: Avoid contact with skin and eyes. Avoid inhalation. Repeated or prolonged exposure without

> protection should be prevented in order to lessen the possibility of disorders. It is essential that all who come into contact with this material, maintain high standards of personal hygiene

ie. Washing hands prior to eating, drinking, smoking or going to the toilet.

Conditions for Safe Storage: The product should be stored in a cool, dry, well ventilated area, away from incompatible

materials. Keep containers tightly closed when not in use and protected against physical

damage. Inspect regularly for deficiencies such as damage or leaks.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National Exposure STEL (mgm3) STEL (ppm) TWA (mgm3) Name TWA (ppm) Standards Propylene glycol 150 474 71 Morpholine 20

Biological Limit Values No biological limit allocated.

Other Exposure Information No exposure standards have been established for this material by the Australian National Occupational

> Health & Safety Commission (NOHSC). However, exposure standards for ingredients are stated above: As published by the National Occupational Health and Safety Commission (NOHSC): TWA the Time-Weighted Average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday. According to current knowledge these concentrations should neither impair the

health of, nor cause undue discomfort to, nearly all workers.

Use only in a well ventilated area. Where vapours or mists are generated, particularly in enclosed **Engineering Controls** 

areas, and/or natural ventilation is inadequate, a local exhaust ventilation system is recommended.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then respiratory protective

> equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory

Protective Devices.

Eye Protection Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice

of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial

Applications.







Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# Y DATA SH

Page 4 of 6 Issue Date: 5 February 2013 Fire Resistant Hydraulic Fluid QA720

Version: 1

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT.)

Hand Protection Wear gloves of impervious material. Final choice of appropriate gloves will vary according to

> individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and

maintenance.

**Body Protection** Wear appropriate clothing including chemical resistant apron where clothing is likely to be

contaminated. It is advisable that a local supplier of personal protective clothing is consulted regarding

the choice of material.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Red Liquid
-------------	------------

COLOUR: Red

ODOUR: Not available

**MELTING POINT:** Not available

**BOILING POINT:** Not available

1.05 @25°C DENSITY @ 15°C (kg/L):

FLASHPOINT (ASTM D-93), Closed Cup: Not applicable

FLAMMABILITY: Combustible Liquid C2 according to AS 1940.

SOLUBILITY IN WATER: Soluble.

SOLUBILITY IN ORGANIC SOLVENTS: Not available

VAPOUR PRESSURE: Not available

VAPOUR DENSITY (Air = 1): Not available

Not available **EVAPORATION RATE:** 

**AUTO-IGNITION TEMPERATURE:** Not available

**EXPLOSION PROPERTIES:** Not considered an explosion risk under normal conditions of use.

OTHER INFORMATION: These physical data and other properties do not constitute a specification.







Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# DATA SH

Page 5 of 6 Issue Date: 5 February 2013 Fire Resistant Hydraulic Fluid QA720

Version: 1

### 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions of use.

**INCOMPATIBLE MATERIALS:** Strong oxidising agents.

**HAZARDOUS REACTIONS:** Thermal decomposition may result in the release of toxic and/or irritating fumes.

HAZARDOUS POLYMERISTION: Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

TOXICOLOGY INFORMATION: No toxicology data available for this product.

INHALATION: Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

**INGESTION:** Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

SKIN: May cause irritating in contact with skin. Symptoms may include redness and itchiness.

EYE: May cause irritation to eyes. Symptoms may include redness, tearing, stinging and blurred

vision.

REPRODUCTIVE TOXICITY: Product is not a known to have damaging reproductive effects.

CHRONIC EFFECTS: Prolonged or repeated skin contact may lead to irritant contact dermatitis.

**MUTAGENICITY:** Mutagenic effects not known.

CARCINOGENICITY: Product is not a known carcinogen.

## 12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Do not allow material to enter drains or watercourses.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL CONSIDERATIONS:** Dispose of according to federal, E.P.A. and state regulations.

#### 14. TRANSPORT INFORMATION

TRANSPORT INFORMATION: Not classified as a Dangerous Good according to the Australian Code for the Transport of

Dangerous Goods by Road and Rail.







Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# Y DATA SH

Page 6 of 6 Issue Date: 5 February 2013 Fire Resistant Hydraulic Fluid QA720 Version: 1

#### 15. REGULATORY INFORMATION

POISON SCHEDULE: Not scheduled.

PACKING & LABELLING: No special packaging or labelling requirements.

AUSTRALIAN INVENTORY STATUS: All components are listed or exempted.

#### 16. OTHER INFORMATION

CONTACT PERSON/POINT: General Manager 1300 796 009

> This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES: \* NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.

\* NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.

\* NOHSC: 10005 List of Designated Hazardous Substances.

\* NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice. \* NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.

\* NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment,

National Exposure Standards.

## 16. OTHER INFORMATION (CONT)

- \* NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- \* NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- \* NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- \* SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- \* ADG: Australian Dangerous Goods Code
- \* SDS of component materials.

LAST CHANGE: Supersedes document issued: New

Reason/s for revision: Alignment to NOHSC.

EH312050/1

**END OF SDS** 



