



Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 1 of 9
Issue Date:22nd May 2015
Heavy Duty Degreaser
Version: 2

Product name: Heavy Duty Degreaser

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765

5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Heavy Duty Degreaser

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: HI8-3200

USE: Solvent based degreaser/cleaning product

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au

Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION: HAZARDOUS SUBSTANCE Hazchem Code 3(Y)

DANGEROUS GOODS Class 3 Flammable Liquids

Hazard classification according to criteria of NOHSC.

Dangerous goods classification according to Australian Dangerous Goods Code.

SYMBOL(S): X(n) Harmful

N Dangerous for the environment

RISK PHRASE (R): R51/53 Toxic to aquatic organisms, may cause long term adverse effects in the

aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

SAFETY PHRASE (S): S2 Keep out of reach of children

S23 Do not breathe vapour. S24 Avoid contact with skin.

 $S61\ Avoid\ release$ to the environment. Refer to special instructions/Safety sheets.

S62 If swallowed, do not induce vomiting: seek medical immediately and show this

container or label.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 2 of 9 Issue Date:22nd May 2015 Heavy Duty Degreaser Version: 2

2. HAZARDS IDENTIFICATION (CONT)

IRRITANCY OF PRODUCT: Not classified as an irritant.

SENSITISATION OF PRODUCT: Not known to be a sensitiser.

TERATOGENICITY: Not known to have teratogenic effects.

OTHER INFORMATION: Used oils may contain harmful impurities that have accumulated during use. The

concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and

To 100%

skin contact avoided as far as possible.

3. IDENTIFICATION / COMPOSITION OF INGREDIENTS

CHEMICAL CHARACTERISTICS: Liquid

Ingredients determined not to be hazardous

INGREDIENTS:-

CHEMICAL ENTITY:	CAS No.	EINECS	SYMBOL	R PHRASE	PROPORTION
1,2,4-Trimethy benzene	95-63-6	202-436-9	Xn, N	R10 R20 R36/37/38 R51/53	<10.00%
1,3,5-Trimethyl benzene	108-67-8	203-604-4	Xi, N	R10 R37 R51/53	<10.00%
Xylene, Mixed Isomers	1330-20-7	215-535-7	Xn	R10: R20/21 R38	<10.00%
Mineral Oil	64742-82-1				70% - 90%

OTHER INFORMATION:

The petroleum oils in this product contain less than 3% DMSO extract as measured

1. IP 246 to the petroleum oils in this product contain less than 3% DMSO extract as measured

by IP 346 test method.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 3 of 9 Issue Date:22nd May 2015 Heavy Duty Degreaser Version: 2

4. FIRST AID MEASURES

HEALTH EFFECTS

SWALLOWED: If a large quantity is ingested seek immediate medical attention. Give water to drink. DO NOT induce

vomiting. If vomiting occurs get immediate medical attention due to aspiration into lungs risk.

EYE: Immediately irrigate with copious amounts of water for at least 15 minutes. Eyelids to be held open. In

all cases of eye contamination it is a sensible precaution to seek medical advice.

SKIN: Remove contaminated clothing and wash skin thoroughly with plenty of soap and water. High pressure

injection through the skin requires **URGENT** medical attention for possible incision, irrigation and/or debridement. Contact with molten material will require treatment by a physician for burns (Do not

remove material).

INHALED: Remove victim from exposure to fresh air – avoid becoming a casualty. Allow patient to assume most

comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist. If breathing laboured and patient cyanotic (blue), ensure airways are clear and have qualified person give oxygen through face mask. If breathing has stopped apply artificial respiration at once. In

the event of cardiac arrest, apply external cardiac massage and seek urgent medical aid.

FIRST AID FACILITIES: Normal washroom facilities are generally suitable. Ensure an eye wash station and safety shower is

available and ready for use.

ADVICE TO DOCTOR: Causes central nervous system depression. Dermatitis may result from prolonged or repeated exposure.

Potential for chemical pneumonitis. Consider: gastric lavage with protected airway, administration of

activated charcoal.

OTHER INFORMATION: Keep water and mild soap near work site.

5. FIRE FIGHTING MEASURES

FIRE-FIGHTING RECOMMENDATIONS:

FIRE/EXPLOSION HAZARD

HAZARDS OF USE/STORAGE: Will float and can be reignited on surface water. The vapour is heavier than air,

spreads along the ground and distant ignition is possible.

HAZARDS FROM COMBUSTION PRODUCTS: Carbon monoxide may be evolved if incomplete combustion occurs. Combustion

products may include: oxides of carbon, nitrogen and sulphur, a complex mixture of

airborne unidentified organic and inorganic solid and liquid particulates.

If safe to so, remove containers from path of fire. Keep storage tanks, pipelines, containers, fire exposed surfaces, etc. cool with water spray. Avoid spreading liquid

and fire by water flooding.

PRECAUTION: Water jet may cause splattering.

SUITABLE EXTINGUISHING MEDIA: Use water spray or fog, foam, carbon dioxide or dry chemical.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

Y DATA SH

Page 4 of 9 Issue Date: 22nd May 2015 Heavy Duty Degreaser Version: 2

5. FIRE FIGHTING MEASURES (CONT)

PROTECTIVE MEASURES: Fire fighters should wear self-contained breathing apparatus if risk of exposure to

products of combustion.

REACTIVITY: May react with strong oxidising agents.

6. ACCIDENTAL RELEASE MEASURES

SPILLS & DISPOSAL:

Slippery when spilt. Avoid accidents, clean up immediately. The vapour is heavier than air, spreads along the ground and distant ignition is possible.

CLEAN-UP PROCEDURE - SMALL SPILLS (20L or less): Absorb or contain liquid with sand, earth or spill control material. Shovel up using non-sparking tools and place in a sound labelled sealable container for subsequent safe disposal. Place leaking containers in a sound labelled drum. Scrub contaminated surfaces with detergent solution. Retain washings as contaminated waste.

CLEAN-UP PROCEDURES - LARGE SPILLS (Greater than 20L): Transfer to a sound labelled, sealable container for product recovery or safe disposal. Treat residues as for small

PERSONAL PRECAUTIONS: Extinguish naked flames. Remove ignition sources. No smoking. Avoid sparks. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothing. Evacuate the area of non-essential personnel. Shut off leaks, if possible without personal risk. Do not breathe vapours. Ventilate contaminated area thoroughly. Dispose of according to local regulations.

OTHER INFORMATION:

PROCEDURES IN CASES OF LEAKAGE OR BREAKAGE: Stop the source of the leak or release and contain spill if possible. Ventilate area. Use respirator and protective clothing outlined in this MSDS. Allow spill to evaporate or cover with inert absorbent or earth. Use a stiff brush to mix thoroughly. Sweep up and place in a sound labelled disposable container. Scrub contaminated area with detergent and water using a stiff brush. Pick up liquid with additional absorbent material and place in a sound labelled disposable container. Prevent contamination of groundwater or surface water.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Take precautionary measures against static discharge. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Restrict line velocity during pumping in order to avoid generation of electrostatic discharge (<=1 m/sec until fill pipe submerged to twice its diameter, then <=7 m/sec). Avoid splash filling. DO NOT use compressed air for filling, discharging, or handling operations.

> When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Prevent spillages. Ensure the appropriate personal protective equipment is used when handling this product. Ensure high level of personal hygiene is maintained when using this product. That is; always wash hands before eating, drinking smoking or using the toilet.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 5 of 9 Issue Date:22nd May 2015 Heavy Duty Degreaser Version: 2

7. HANDLING AND STORAGE (CONT)

SAFE STORAGE CONDITIONS: For containers, or container linings use mild steel, stainless steel. Avoid prolonged contact

with natural, butyl or nitrile rubbers. Keep containers closed at all times. Store in a cool place

out of direct sunlight. Store away from oxidising agents and other flammables. Check

containers regularly for leaks.

CORROSIVENESS: Not corrosive.

STORAGE REGULATIONS: Store in a well ventilated place away from ignition sources, oxidising agents, foodstuffs and

clothing.

Keep containers closed when not in use.

Refer to AS 1940 – The Storage and Handling of Flammable Liquids, and NOHSC: 1015 – National Standard for Storage and Handling of Workplace Dangerous Goods for further

information.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

NATIONAL EXPOSURE STANDARDS: No exposure standard has been established for this product. NOHSC Exposure Standard: Oil

mists – time weighted average (TWA) 5 mg/m³ is recommended.

OTHER EXPOSURE INFORMATION: Exposure Standard means the average concentration of a particular substance in the worker's

breathing zone, exposure to which, according to current knowledge, should not cause adverse health effects nor cause undue discomfort to nearly all workers. It can be of three forms; time-

weighted average (TWA), peak limitation, or short term exposure limit (STEL).

ENGINEERING CONTROLS: Maintain concentration below recommended exposure limit. Special ventilation is not

normally required. However, in the operation of certain equipment or at elevated temperatures mists or vapour may be generated and localised exhaust ventilation should be provided to maintain airborne concentration levels below the exposure standard or the Manufacturer's

recommended exposure standard.

RESPIRATORY PROTECTION: Airborne concentrations should be kept at lowest level possible. If vapours, mists or dusts are

generated and the recommended exposure limit for the product is exceeded, use appropriate AS/NZS 1715/1716 approved half –face filter respirator suitable for organic vapours or air supplied respirator are worn. Air supplied respirators should always be worn when the airborne concentration of the contaminant or the oxygen content of the air is unknown

EYE PROTECTION: Safety glasses, goggles or face shield as appropriate.

HAND PROTECTION: Nitrile gloves recommended for long term use.

FOOTWEAR: Enclosed footwear.

BODY PROTECTION: Overalls or similar protective apparel.









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

DATA SH

Page 6 of 9 Issue Date: 22nd May 2015 Heavy Duty Degreaser Version: 2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT)

HYGIENE MEASURES: Always wash hands before eating, drinking, smoking or using the toilet. If contamination

occurs, change clothing. Launder contaminated clothing before reuse. Discard internally

contaminated gloves.

Liquid

SPECIAL PROTECTIVE MEASURES: Isolate from sources of heat, naked flames or sparks.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear
COLOUR:	Blue
ODOUR:	Paraffinic
MELTING POINT:	Less than 0°C
BOILING POINT:	162 - 192°C
DENSITY @ 15°C (kg/L):	0.78 typical
FLASHPOINT (Abel) :	42°C
FLAMMABILITY LIMITS -LOWER:	Approximately 0.7%
FLAMMABILITY LIMITS -UPPER:	Approximately 6.5%
FLAMMABILITY:	Flammable.
SOLUBILITY IN WATER:	Not soluble.
SOLUBILITY IN ORGANIC SOLVENTS:	Soluble in petroleum solvents.



FORM:

370 Pa @20 °C

Data not available

VISCOSITY @ 25 0 C (mm 2 /s):

Approximately 1.08

EVAPORATION RATE:

VAPOUR PRESSURE:

Data not available

AUTO-IGNITION TEMPERATURE:

296°C

OTHER INFORMATION:

These physical data and other properties do not constitute a specification.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 7 of 9 Issue Date:22nd May 2015 Heavy Duty Degreaser Version: 2

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions of use.

CONDITIONS TO AVOID: Heat, direct sunlight, open flames or other sources of ignition.

INCOMPATIBLE MATERIALS: Strong oxidising agents.

HAZARDOUS REACTIONS: Will react with strong oxidising agents.

HAZARDOUS POLYMERISTION: Will not occur.

11. TOXICOLOGICAL INFORMATION

TOXICOLOGY INFORMATION: This product contains petroleum base oils, which may be refined by various processes

including severe solvent extraction, hydro cracking and hydro treating. These oils have not been listed in the U.S. National Toxicology Program (NTP) Annual Report nor have they been classified by the International Agency for Research on Cancer (IARC) as carcinogenic or probably carcinogenic to humans. Oral LD50 ({UDO1}):{ UDO2} mg/kg. Information given

is based on similar products and / or components.

INHALATION: Inhalation of mists or aerosols can produce respiratory irritation. High concentrations may

cause central nervous system depression resulting in headaches, dizziness and nausea. Continued inhalation may result in unconsciousness or death. Acute Inhalation Toxicity is

Low: LC50 greater than near saturated vapour concentration / 4 hours rat.

INGESTION: May cause mild irritation of the mouth, throat and stomach with nausea and mild diarrhoea.

Aspiration into the lungs when swallowed may cause chemical pneumonitis which can be fatal.

Ingestion of large amounts can cause vomiting which can lead to aspiration of vomited material into the lungs and possible chemical pneumonitis. Acute Oral Toxicity is Low: LD50

> 2000 mg/kg rat.

SKIN: May cause moderate irritation with a de-fatting effect on the skin. Acute Dermal Toxicity is

Low: LD50 > 2000 mg/kg rat.

EYE: May cause watering of eyes.

REPRODUCTIVE TOXICITY: Reproductive effects not known.

CHRONIC EFFECTS: Prolonged or repeated exposure may result in irritation, defatting and with the possibility of

dermatitis.

MUTAGENICITY: Not expected to be mutagenic.

CARCINOGENICITY: Limited evidence of carcinogenic effects (ethyl benzene).









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

Y DATA SH

Page 8 of 9 Issue Date: 22nd May 2015 Heavy Duty Degreaser Version: 2

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Leaching and penetration through soils is generally regarded as resulting in long-term

persistence. Fresh or used product may be harmful to aquatic life.

Do not allow material to enter drains or watercourses.

Fish: Harmful: 10 < LC/EC/IC50 <= 100 mg/lACUTE TOXICITY:

Aquatic Invertebrates: Harmful: 10 < LC/EC/IC50 <= 100 mg/l

Algae: Toxic: 1 < LC/EC/IC50 <= 10 mg/l

Microorganisms: Expected to be Harmful: 10 < LC/EC/IC50 <= 100 mg/l

MOBILITY: Floats on water

PERSISTENCE/BIODEGRADABILITY: Readily biodegradable. Oxidises rapidly by photochemical reactions

BIO-ACCUMULATION: Has potential to bioaccumulate

13. DISPOSAL CONSIDERATIONS

DISPOSAL CONSIDERATIONS: Dispose of according to federal, E.P.A. and state regulations.

Containers, even those that have been emptied, can contain explosive vapours. Do not cut,

drill, grind, weld or perform similar operations on or near containers.

14. TRANSPORT INFORMATION

TRANSPORT INFORMATION: Classified as a Dangerous Good according to the Australian Code for the Transport of

> Dangerous Goods by Road and Rail. UN Number: 1300 Turpentine Substitute

15. REGULATORY INFORMATION

POISON SCHEDULE: **S**2

PACKING & LABELLING: Dangerous Goods Class 3

Packaging Group III Hazchem Code 3(Y)

X(n) Harmful

AUSTRALIAN INVENTORY STATUS: All components are listed or exempted.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 9 of 9 Issue Date:22nd May 2015 Heavy Duty Degreaser Version: 2

16. OTHER INFORMATION

CONTACT PERSON/POINT: General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES:

- * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- * NOHSC: 10005 List of Designated Hazardous Substances.
- * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- * NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- * ADG: Australian Dangerous Goods Code
- * MSDS of component materials.

LAST CHANGE:

Supersedes document issued: 4th November 2010 Reason/s for revision: Minor editorial adjustments.

MH515022/1

END OF SDS



