



**AGRICULTURE  
PRODUCTS**



AUSTRALIAN  
OWNED AND MADE

***Engineered To Perform***  
***hi-tecoils.com.au***



## **FIRST CHOICE FOR OILS**

**Hi-Tec Oils** is an Australian owned company with more than 200 years of total workforce experience in lubricants. We are one of Australia's largest independent oil manufacturers, with warehouses in every state and territory of Australia, and have now launched into the New Zealand market!

Our state of the art blending plant produces a range of high quality oil products based on our ongoing partnership with leading international base oil and additive suppliers. We only use products that meet or exceed the relevant API, OEM and SAE standards.

The product range includes oils for a wide range of automotive, industrial, agricultural, transport and heavy equipment applications (diesel and petrol engine oils, gear oils, automatic transmission oils, coolants, brake fluids and specialty products).

Our lubricant range of over 450 line items consists of full synthetic, semi-synthetic and mineral oils, greases, specialty products, solvent degreasers, hand cleaners, emergency spill kits and dispensing equipment such as grease guns and oil pumps.

## DIESEL ENGINE OILS

**FARM OIL 15W/40**

Hi-Tec Farm Oil 15W/40 is a premium Super Tractor Oil Universal (STOU) specifically formulated to service tractors with just one lubricant where formerly up to four or more oils were required.

**Product Sizes:** 5L, 20L, 200L, 1000L and Bulk

**FLEETMASTER™ XTREME 15W/40 CK-4**

Hi-Tec Fleetmaster™ Xtreme 15W/40 CK-4 is a heavy duty diesel engine oil formulated using the latest synthetic technology base oils for use in severe duty high speed four stroke diesel engines with DPF, cooled EGR and other exhaust treatment systems, both turbo-charged and normally aspirated. It is designed to offer greater durability and protection due to its increased shear stability and reduction of oxidative thickening, abrasive wear, bore polishing and piston deposits. Fleetmaster Xtreme 5W/40 CK-4 can be used in 2017 model vehicles as well as those requiring Euro VI emission standards.

**Product Sizes:** 5L, 20L, 200L, 1000L and Bulk

**HTO CJ-4 15W/40**

Hi-Tec HTO CJ-4 15W/40 is a premium heavy duty diesel engine oil formulated using highly refined base oils for severe duty high speed four stroke diesel engines, both turbo-charged and normally aspirated. It is specifically designed to meet the requirements of modern low emission US engines with DPF, cooled EGR and other exhaust treatment systems. It is ideal for multifleet applications covering prime movers, medium and light diesels as well as 2 and 4WD vehicles.

**Product Sizes:** 5L, 20L, 200L, 1000L and Bulk

**FLEETMASTER™ 15W/40 CI-4**

Hi-Tec Fleetmaster™ 15W/40 CI-4 is a heavy duty diesel engine oil for use in multifleet diesel applications in normally aspirated and turbocharged engines. It is especially effective at sustaining engine durability where cooled EGR and other exhaust emission componentry is used. It meets the performance requirements of many American and European OEMs and associations.

**Product Sizes:** 1L, 5L, 20L, 200L, 1000L and Bulk

**FLEETMASTER™ EURO 10W/40**

Hi-Tec Fleetmaster™ Euro 10W/40 is a full synthetic high performance diesel engine oil designed to meet the ACEA E6 and Euro VI emission requirements. It is ideal for truck, bus and coach operators looking for substantial long term cost savings in running the fleet, particularly in extended oil drain applications.

**Product Sizes:** 20L, 200L, 1000L and Bulk

## UNIVERSAL TRACTOR TRANSMISSION OILS

**UNIVERSAL TRANS 10W/30**

Hi-Tec Universal Trans is an SAE 10W/30 new generation hydraulic/transmission Universal Tractor Transmission Oil (UTTO) designed for a wide range of power-driven agricultural equipment fitted with gears, transmission, differentials, final drives, hydraulic pumps, hydraulic bearings, wet brakes, and power take-off (PTO) clutches.

**Product Sizes:** 1L, 5L, 20L, 200L, 1000L and Bulk

**UNIVERSAL TRANS 10W/20**

Hi-Tec Universal Trans 10W/20 is a new generation hydraulic/transmission Universal Tractor Transmission Oil (UTTO) designed for a wide range of power-driven agricultural equipment fitted with gears, transmissions, differentials, final drives, hydraulic pumps, hydraulic bearings, wet brakes, and power take-off (PTO) clutches.

**Product Sizes:** 20L, 200L, 1000L and Bulk

**UNIVERSAL TRANS PLUS 10W/30**

Hi-Tec Universal Trans Plus 10W/30 is a new generation Universal Tractor Transmission Oil (UTTO) specially designed to meet the Case MAT 3540 performance level required by many modern CVT equipped tractors. It is also suitable for use in a wide range of power-driven agricultural equipment fitted with gears, transmissions, differentials, final drives, hydraulic pumps, hydraulic bearings, wet brakes, and power take-off (PTO) clutches. It is suitable for use in a large range of equipment produced by major OEMs including John Deere, Massey Ferguson, New Holland, Case, Allison, Caterpillar, Komatsu, Kubota, Denison, Sperry Vickers, Plessey and Sundstrand. Please contact your Hi-Tec Oils Representative for the relevant performance levels.

**Product Sizes:** 5L, 20L, 200L, 1000L and Bulk

## HYDRAULIC OILS

**HYDRAULIC OILS**

Hi-Tec Hydraulic Oils are blended from superior, high quality mineral oils possessing a high viscosity index and low pour point. These oils provide a long trouble free service life and will be chemically stable under severe operating conditions. They provide excellent protection against corrosion; resist emulsification, and any formation of unwanted stable foam.

**Product Sizes:** 5L, 10L, 20L, 200L, 1000L and Bulk

**HVI HYDRAULIC OILS**

Hi-Tec HVI Hydraulic oils are premium hydraulic oils with high viscosity indices that have been formulated to handle the high range of operating temperatures, associated with high horsepower hydraulic systems. These oils provide unique, long life operating service characteristics with proven rust, oxidation, corrosion and foam inhibitors.

**Product Sizes:** 20L, 200L, 1000L and Bulk



## **XHVI** HYDRAULIC OILS

Hi-Tec XHVI Hydraulic oils are top of the range hydraulic oils that have been formulated to handle extreme ranges of operating temperature, pressure, power densities and fluid flow rates associated with higher horsepower hydraulic systems. The combination of anti-wear, detergent and viscosity-improving additives with proven rust, oxidation, corrosion and foam inhibitors provides unique, maximum service life.

**Product Sizes:** 20L, 200L, 1000L and Bulk



## **ZF** HYDRAULIC OILS

Hi-Tec ZF Hydraulic Oils are zinc free, ashless, anti-wear lubricants blended from high quality mineral oils possessing a high viscosity index and low pour point. These oils will provide a long trouble free service life and are chemically stable under severe operating conditions.

**Product Sizes:** 20L, 200L, 1000L and Bulk



## **LHM** PLUS BRAKE FLUID

Hi-Tec LHM Plus Brake Fluid is a premium mineral oil based fluid specifically designed to meet the ISO 7308 standard for use in automotive hydraulic, suspension, power steering and braking systems.

**Product Sizes:** 500ml, 4L, 20L, 200L



## **BRAKE FLUID DOT 3 & 4**

Hi-Tec Brake Fluid DOT 3 is a yellow premium quality brake fluid that meets or exceeds all the requirements of the DOT 3 specification. It is suitable for use in hydraulic brake and clutch systems.

Hi-Tec Brake Fluid DOT 4 is a premium quality, high boiling point Brake Fluid that meets or exceeds all the requirements of the DOT 4 specification. For help in identification it is dyed blue in colour.

**Product Sizes:** 5L, 20L, 200L, 1000L and Bulk

### FULL SYNTHETIC ATF FLUIDS



## **MULTITRANS** ATF

Hi-Tec Multitrans ATF is a premium full synthetic automatic transmission fluid with exceptional oxidative resistance, antiwear performance and frictional stability. It provides excellent antirust properties, and sludge & varnish control. It is designed for use in North American, European and Asian vehicles.

**Product Sizes:** 1L, 5L, 20L, 60L, 200L, 1000L and Bulk

### PREMIUM MINERAL ATF FLUIDS



## **ATF** DX3

Hi-Tec ATF DX3 is an automatic transmission fluid for use in older automatic transmissions requiring GM Dexron® III or Ford Mercon® performance. It is also suitable for use in other transmissions, where the Allison C4 and TES-389 performance levels are called for as well as various power steering, pump and hydraulic applications.

**Product Sizes:** 1L, 20L, 60L, 200L, 1000L and Bulk

## PREMIUM GEAR OILS


**LIMITED SLIP GEAR OILS**  
**LS90 & 85W/140**

Hi-Tec LS Gear Oils SAE 90 and SAE 85W/140 are premium gear oils with superior limited slip differential performance. LS Gear Oils SAE 90 and SAE 85W/140 are specifically designed to provide improved: oil seal life, durability (Gear surface life), and corrosion protection to yellow metals under both wet and dry conditions.

**Product Sizes:** (LS90) 1L, 20L, 60L, 200L, 1000L and Bulk, (LS85W/90) 20L, 60L, 200L, 1000L and Bulk


**GEAR OIL 85W/140 GL-5**

Hi-Tec Gear Oil 85W/140 GL-5 is a superior GL-5 gear oil designed to provide excellent thermal stability, improved oil seal life, gear surface life and corrosion protection to yellow metals.

Recommended for heavy duty applications which call for an SAE 85W/140 viscosity, such as initial and service fill and top-up of truck differentials, final drives and some transfer and steering gearboxes.

**Product Sizes:** 4L, 10L, 20L, 200L, 1000L and Bulk


**GEAR OIL 80W/90 GL-5**

Hi-Tec Gear Oil 80W90 GL-5 is a superior GL-5 gear oil designed to provide excellent thermal stability, improved oil seal life, gear surface life and corrosion protection to yellow metals. Gear Oil 80W90 GL-5 is recommended for initial and service fill and top-up of car, truck and tractor manual transmissions, differentials, final drives and transfer and steering gearboxes.

**Product Sizes:** 1L, 4L, 20L, 60L, 200L, 1000L and Bulk

## SYNTHETIC GEAR OILS


**SYNGEAR™ 75W/90 GL-5**

Hi-Tec Syngear 75W/90 GL-5 is a full synthetic limited slip gear oil which offers outstanding high temperature and high load performance properties combined with excellent low temperature fluidity and cold flow properties, exceptional corrosion protection and superior seal compatibility.

**Product Sizes:** 1L, 4L, 20L, 60L, 200L, 1000L and Bulk


**SYNSHIFT 75W/140 GL-5**

Hi-Tec Synshift 75W/140 GL-5 is a full synthetic gear/limited slip differential oil which offers outstanding high temperature and high load carrying performance combined with excellent low temperature fluidity, cold flow properties, exceptional corrosion protection and superior seal compatibility.

**Product Sizes:** 1L, 4L, 20L, 60L, 200L, 1000L and Bulk

## PREMIX COOLANTS


**DD50 COOLANT GREEN**

Hi-Tec DD50 Coolant Green is a premixed heavy duty Hybrid technology diesel engine coolant. This low silicate, phosphate and amine free product is recommended for use in automotive, light duty and heavy-duty on-road truck, off-road, farm and marine diesel applications. It provides excellent high temperature aluminium protection and is suitable for use in hard water. It is compatible with both conventional and OAT coolants. It has an extended life of 6 years; 12,000 hours or 1,000,000 km whichever comes first.

**Product Sizes:** 20L, 200L, 1000L and Bulk



## DD50 COOLANT *BLUE*

Hi-Tec DD50 Coolant Blue is an ethylene glycol based antifreeze/coolant premix containing no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It has an advanced formula with virtually non-depleting organic acid corrosion inhibitors and is silicate free for improved pump life. It is recommended for heavy duty diesel, natural gas mobile and stationary engines and also petrol automotive engines with alloy heads. For heavy duty trucks, it has a service life of 6 years/1,000,000 km; for passenger car/light duty commercial vehicles, 5 years/250,000 km.

**Product Sizes:** 20L, 200L



## DD50 COOLANT *RED*

Hi-Tec DD50 Coolant Red is an ethylene glycol based antifreeze/coolant premix with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and can be used in heavy duty diesel engines. For passenger car/light duty commercial vehicles, it has a service life of 5 years/250,000 km; for heavy-duty diesel vehicles, 6 years/1,000,000 km which ever comes first.

**Product Sizes:** 20L, 200L, 1000L

## CONCENTRATE COOLANTS



## LONG LIFE COOLANT *GREEN*

Hi-Tec Long Life Coolant Green is a general purpose ethylene glycol based antifreeze/coolant concentrate incorporating an advanced formula technology with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and heavy duty diesel and natural gas mobile and stationary engines.

**Product Sizes:** 1L, 5L, 20L, 200L, 1000L and Bulk



## LONG LIFE COOLANT *RED*

Hi-Tec Long Life Coolant Red is an ethylene glycol based antifreeze/coolant concentrate with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and can be used in heavy duty diesel engines.

**Product Sizes:** 20L, 200L, 1000L



## HD COOLANT *CONCENTRATE*

Hi-Tec HD Coolant Concentrate Green is a heavy duty Hybrid technology diesel engine coolant concentrate. This low silicate, phosphate and amine free product is recommended for use in automotive, light duty and heavy-duty on-road truck, off-road, farm and marine diesel applications. It provides excellent high temperature aluminium protection and is suitable for use in hard water. It is compatible with both conventional and OAT coolants.

**Product Sizes:** 20L, 200L, 1000L



## RADIATOR *TREATMENT*

Hi-Tec Radiator Treatment is a general purpose automotive cooling system corrosion inhibitor concentrate. It is suitable for passenger cars and light commercial vehicles. It contains a mixture of highly efficient corrosion and rust inhibitors developed for the newest generation of modern vehicles. It provides long-life corrosion protection for aluminium and ferrous alloys.

**Product Sizes:** 20L, 200L

## CLEANING PRODUCTS

**FLEET WASH**

Hi-Tec Fleetwash is a coconut oil based detergent formulation containing inorganic phosphates for the purpose of removing dirt, mud, oil film and road grime from all washable surfaces. It can be used on all road, commercial and recreational vehicles, engines, and under bodies as well as on magnesium and alloy wheels, tyres and rubber inserts.

**Product Sizes:** 5L, 20L, 200L, 1000L

**WATER BASED DEGREASER**

Hi-Tec Water Based (WB) Degreaser is a biodegradable, alkaline cleaner that can be used in a wide variety of industrial and commercial applications. It is formulated to provide a powerful emulsifying action to remove dirt, greases and oils from a range of surfaces.

**Product Sizes:** 5L, 20L, 200L, 1000L and Bulk

**SUPER SCRUBA HAND CLEANER**

Hi-Tec Super Scruba Hand Cleaner is a yellow coloured, naturally formulated, citrus-based, waterless hand cleaner containing grit. It removes grease, oil, industrial grime and dirt.

**Product Sizes:** 5L, 20L, 200L, 1000L and Bulk

**CLEANING RAGS**

Hi-Tec cleaning rags can be used for many different services and applications. The product is ideal for wiping and cleaning excess oil and spills in the warehouse and workshop.

**Product Sizes:** 10Kg and 20Kg bags

**EUCALYPTUS DISINFECTANT**

Hi-Tec Eucalyptus Disinfectant is a general purpose liquid concentrate designed for cleaning, disinfecting, and sanitising surfaces. It leaves a clean fresh eucalyptus fragrance.

**Product Sizes:** 20L, 200L

## AD BLUE

**BLUE AIR**

Hi-Tec Blue Air is an aqueous urea solution, designed to be used with the Selective Catalytic Reduction technology (SCR) of heavy-duty diesel vehicles to reduce emissions of oxides of nitrogen (NOx) from the exhaust system.

**Product Sizes:** 15L, 200L, 1000L



**SOLVENT BASED CHEMICALS**

**DIESEL FUEL  
TREATMENT**

Hi-Tec Diesel Fuel Treatment is a multifunctional diesel fuel maintenance additive. It is specifically designed to give an overall improvement on most aspects of fuel efficiency.

**Product Sizes:** 5L, 20L, 200L

**HEAVY DUTY  
DEGREASER**

Hi-Tec Heavy Duty Degreaser is formulated with petroleum solvents and a detergent emulsifier. The cleaning action of the solvents is enhanced by the presence of aromatic components which improve penetration and solvency. It can be used for cleaning machinery, workshop floors and other surfaces heavily contaminated with grease and oil. Apply liberally, work in with a brush and simply hose off.

**Product Sizes:** 20L, 200L, 1000L

**PARTS WASH  
SOLVENT**

Hi-Tec Parts Wash Solvent offers an effective solution for washing or soaking machine parts. Alternatively it can be sprayed onto oily and greasy surfaces. For heavy build up agitate with a brush and allow to penetrate for a few minutes and wash off.

**Product Sizes:** 5L, 20L, 200L

**BRAKE  
CLEANER**

Hi-Tec Brake Cleaner is a solvent based fluid for cleaning brakes, brake discs, drums, calipers, chains, wire ropes, bearings and other metal parts requiring the removal of heavy grease and contaminants.

**Product Sizes:** 5L, 20L, 200L

**KEROSENE**

Hi-Tec Kerosene is a petroleum product miscible with many industrial liquids. It can be used as a solvent, able to remove other petroleum products, such as chain grease and also as a lubricant with less risk of combustion when compared to petrol. It can also be used as a cooling agent in metal production and treatment (oxygen-free conditions).

**Product Sizes:** 20L, 200L



**AEROSOLS**

**MECHANICS DEGREASER  
EVERYDAY DEGREASER  
DE-RUST LUBRICANT**



350g or 400g

**BRAKE & PARTS CLEANER  
CARBY CLEANER  
TYRE SHINE**

## GREASES

**LITHPLEX TAC EP-2 GREASE**

Hi-Tec Lithplex TAC EP-2 Grease is a superior, multi-purpose grease possessing excellent lubrication characteristics for a wide range of anti-friction and plain bearings, gears and couplings in automotive, marine, agricultural and industrial applications.

**Product Sizes:** 400g, 450g, 500g, 2.5kg, 55kg, 180kg

**SUPER RED EP-2 GREASE**

Hi-Tec Super Red Grease is an NLGI 2 grease possessing superior lubrication characteristics.

It is recommended for bearing lubrication under operating service conditions from normal to unusually severe.

**Product Sizes:** 400g, 450g, 500g, 2.5kg, 55kg, 180kg

**SUPER MOLYTAC EP-2 GREASE**

Hi-Tec Super Molytac is a superior, multi-purpose, molybdenum disulphide containing grease possessing excellent lubrication characteristics suitable for use in a wide range of anti-friction and plain bearings, ball joints, CV joints, kingpins, and gears and couplings in automotive, marine, agricultural and industrial applications.

**Product Sizes:** 400g, 2.5kg, 20kg, 55kg, 180kg

**ULTRALIFE EPM-2 GREASE**

Hi-Tec Ultralife EPM-2 is a smooth, grey coloured grease with exceptional load carrying capabilities. It is made from a blend of multi-complex calcium sulphonate soap thickeners and 460cst high purity brightstock mineral base oils with performance enhancing additives and Molybdenum Disulphide. It is suitable for industrial, off-highway plant and other high intensity production sectors with a high demand to lubricate plain and anti-friction bearings in high load and pressure applications.

**Product Sizes:** 450kg, 20k, 180kg

**LITHIUM BFT 2 GREASE**

Hi-Tec Lithium BFT 2 Grease is a superior Lithium Complex thickened, NLGI 2, heavy duty, extreme pressure, anti-wear, anti-corrosion multi-purpose grease possessing excellent lubrication characteristics for a wide range of applications. It is especially suited for high load and/or high temperature applications due to its heavy base oil and being a highly adhesive grease it has excellent sealing properties to reduce damage due to the ingress of moisture, dust and dirt in off-road conditions. Lithium BFT 2 Grease is recommended for use in automotive, agricultural, marine, truck and heavy earth moving equipment operated under arduous conditions.

**Product Sizes:** 450kg, 20k, 180kg

**COTTON PICKER SPINDLE GREASE**

Hi-Tec Cotton Picker Spindle Grease is formulated with corrosion and oxidation inhibitors and polymers to protect against mechanical wear, thermal degradation, bearing leakage and water washout. Formulated for use in the picker spindles, picker bars and chassis bearings of most mechanical cotton pickers including John Deere and Case Mechanical cotton pickers. Meets John Deere JDN 360/380.

**Product Sizes:** 180kg

HEAVY DUTY GREASE PUMPING EQUIPMENT



**LEVER ACTION GREASE GUN**

**Features**

- Adjustments for high pressure or high volume operation.
- Develops grease pressure up to 12,000PSI.
- Rigid outlet with 4 jaw coupler.
- 3 way loading option.



**PISTOL GRIP GREASE GUN**

**Features**

- Cast aluminium pump head for durability and long life.
- Develops grease pressure up to 8,000PSI.
- Bleeder valve for purging air pockets.
- C/W flexible outlet.

MANUAL OIL PUMPING EQUIPMENT



**20KG GREASE KIT**

**Features**

- Adjustments for high pressure or high volume operation.
- Air operated grease kit.
- Develops grease pressure up to 12,000PSI.
- 58:1 High pressure pump
- 3 way loading option.



**ROTARY & LEVER OIL PUMP**

**Features**

- Approx. 3 revolutions P/litre.
- Solid cast iron construction with lever.
- 3pc steel suction pipe
- 2" bung adapter.
- Suitable for most motor oils & diesel.



**HIGH FLOW ROTARY DRUM PUMP**

**Features**

- Flow rates up to 100LPM.
- Solid aluminium construction.
- Steel suction pipe & foot strainer.
- 2" bung adapter.
- Rotary high flow drum pump.
- Fast efficient transfer of diesel, petrol or kerosene.
- Suitable for oils up to SAE30.

## AIR OPERATED OIL PUMP EQUIPMENT



### 1:1 RATIO OIL PUMP

#### Features

- Capable of delivery flow rates of up to 40L/min.
- Ideal for low viscosity transfer of fluids, oils & lubricants.
- Fluid outlet 3/4" BSP(f) Inlet" BSP(f).
- Air outlet 1/4" BSP(f).

### 3:1 RATIO OIL PUMP

#### Features

- For medium size systems which may involve multiple hose reels & metered guns.
- Flow rates up to 14L/min.
- Available in stub or 205L drum pump sizes.
- Fluid outlet 1/2" BSP(f) Air outlet 1/4" BSP (f)

### 5:1 RATIO OIL PUMP

#### Features

- For medium size systems which may involve multiple hose reels & metered guns.
- Flow rates up to 14L/min.
- Available in stub or 205L drum pump sizes.
- Fluid outlet 1/2" BSP(f) Air outlet 1/4" BSP (f)

## HOSE REELS

### 10M & 15M GREASE REEL

#### Features

- Steel spring retractable hose reel
- Complete with 10m or 15m of hose

### 10M & 15M OIL REEL

#### Features

- Steel spring retractable hose reel
- Complete with 10m or 15m of hose



**MULTIFIT SOFT WIPERS AND REFILLS**

Hi-Tec Multi Fit Soft Wipers are engineered for highly curved windshields, combining aerodynamic design with less windlift. They are manufactured for maximum performance and durability.

Hi-Tec Multi Fit Soft Wipers are lower profile and out-of-view. They are designed for all-weather and all-season performance with advanced visibility protection for European, American & Asian vehicles.



**Find Hi-Tec Oils  
near you!**

Hi-Tec Oils is available Australia Wide and now in New Zealand,  
locate your nearest retailer on our website store locator



Hi-Tec Batteries offers the smallest portable



### AUTOMOTIVE BATTERIES

Hi-Tec Automotive range of batteries to suit every model.

Popular models include:  
 NS40ZL, NS60LS, 55D23LX, DIN55L,  
 DIN66LH - Stop-start AGM and EFB



### COMMERCIAL BATTERIES

Hi-Tec Commercial range of batteries are built tough to withstand extreme conditions.

Popular models include:  
 NS70, N70ZZ, N120, N150, N200



### MARINE AND LEISURE BATTERIES

Hi-Tec Marine range includes, Maintenance Free, AGM, Gel and Lithium.

Popular models include:  
 M24, M27, N150, N200, Dual Purpose AGM



### LAWN MOWER BATTERIES

Hi-Tec Lawn mower batteries to suit all mowers, key start and ride on.

Popular models:  
 12V 7AH, U1-300, U1R-300



### OPTIMA AGM BATTERIES

Hi-Tec OPTIMA range to suit all applications, Red, Yellow and Blue models available.

Applications include:  
**Red: Starting, Blue: Marine, Yellow: Dual purpose**

s batteries for all applications ranging from  
e batteries to the largest industrial batteries.

## ODYSSEY AGM BATTERIES

Hi-Tec ODYSSEY range suitable for extreme applications. Applications include Racing, Marine, and Diesel Generators.

Popular models include:

PC1500, PC1700 , PC680, PC925, PC1200



## BRILLE LITHIUM BATTERIES

The number 1 Motorsport battery in the world. Suitable for race applications including 16v drag cars. Available in both Lithium and AGM.

Popular Models include:

B128L, B168L, B3121, B2015



## HI-POWER AGM BATTERIES

Hi-Tec Hi-power AGM is suitable for Motorhomes, Caravans, Generators, Fire pumps, Mobility scooters.

Popular models include:

12v85, 12v105, 12v125



## HI-POWER LITHIUM BATTERIES

Hi-Tec Hi-Power Lithium is the latest technology suitable for Caravans, motorhomes, bass fishing boats, 4x4 aux, etc. 10 year+ life.

Popular models include:

12v100 & 24v200ah



## BATTERY ACCESSORIES

Hi-Tec have a full range of battery accessories.

- Battery chargers
- Jump starters
- Testing equipment





[www.hi-tecoils.com.au](http://www.hi-tecoils.com.au)

### Hi-Tec Oils (Head Office)

5 Tarlington Place Smithfield NSW 2164

Ph: 1300 796 009 | (02) 9616 5700

Fax: (02) 9604 1611



### Hi-Tec Oils (Victoria)

1/ 41-45 Burns Road  
Altona VIC 3018

Ph: (03) 9369 5512  
Fax: (03) 9369 5682

### Hi-Tec Oils (TAS Distributor)

125 Swanston Street  
New Town TAS 7008

Ph: 1300 914 616

### Hi-Tec Oils (Queensland)

37 Nealdon Drive  
Meadowbrook QLD 4131

Ph: (07) 3200 3492  
Fax: (07) 3200 7136

### Hi-Tec Oils (ACT Distributor)

86 Bayldon Road  
Queanbeyan NSW 2620

Ph: (02) 6232 9515  
Fax: (02) 6232 9511

### Hi-Tec Oils (Bohle Queensland)

Northern Logistics & Warehousing - Dealer  
27-33 Toll Street  
Bohle QLD 4818

Ph: (07) 4774 3507

### Hi-Tec Oils (Newcastle)

1/ 71 Mitchell Road  
Cardiff NSW 2285

Ph: (02) 4956 6000  
Fax: (02) 4956 6888

### Hi-Tec Oils (South Australia)

6-7/ 3A Newcastle Crescent  
Cavan SA 5094

Ph: (08) 8162 5807  
Fax: (08) 8359 7849

### Hi-Tec Oils (Port Lincoln)

Pine Freezers Road  
Port Lincoln SA 5606

Ph: 0409 162 582

### Hi-Tec Oils (Western Australia)

1/ 46 Baile Road  
Canning Vale WA 6155

Ph: (08) 9256 4528  
Fax: (08) 9455 2129

### Hi-Tec Oils (North Geelong)

M & R Distributors - Dealer  
6 Freedman Street  
North Geelong VIC 3215

Ph: (03) 5277 1107

### Hi-Tec Oils (Northern Territory)

15 Bishop Street  
Woolner NT 0820

Ph: (08) 8931 4857  
Fax: (08) 8931 4981

### Hi-Tec Oils (Wodonga)

North East Oil Distributors - Dealer  
74 Church Street  
Wodonga VIC 3690

Ph: (02) 6056 5055

### Distributed By:

**Quality Assurance** Hi-Tec Oil Traders Pty Ltd has been assessed by QAS International and confirmed as meeting the quality management systems. The accreditation applies to the following: Manufacture of finished lubricants for automotive, commercial and industrial applications. These products also include mineral, semi-synthetic and full synthetic variants. Should you require a copy of our Quality Assurance certificate please don't hesitate to ask.

**Hi-Tec Oils Oil Sampling** - We offer clients an oil condition monitoring service. The benefits of this include extended drain intervals and equipment breakdown prevention.

Although every care is taken to ensure accuracy and completeness in compiling this data, no liability can be accepted by Hi-Tec Oils for damage or loss caused by any errors or omissions in the information given, directly or indirectly. Suitability of products referred to in this catalogue is the customers sole responsibility. Always refer to technical data to confirm suitability which is available on request from Hi-Tec Oils.



**LUBE SEARCH**  
[www.hi-tecoils.com.au](http://www.hi-tecoils.com.au)