



**FLEET AND
CONSTRUCTION**

PRODUCTS



AUSTRALIAN
OWNED AND MADE

Engineered To Perform

hi-tecoils.com.au



FIRST CHOICE FOR OILS

Hi-Tec Oils is an Australian owned company with more than 200 years of total workforce experience in lubricants. We are one of Australia's largest independent oil manufacturers, with warehouses in every state and territory of Australia, and have now launched into the New Zealand market!

Our state of the art blending plant produces a range of high quality oil products based on our ongoing partnership with leading international base oil and additive suppliers. We only use products that meet or exceed the relevant API, OEM and SAE standards.

The product range includes oils for a wide range of automotive, industrial, agricultural, transport and heavy equipment applications (diesel and petrol engine oils, gear oils, automatic transmission oils, coolants, brake fluids and specialty products).

Our lubricant range of over 450 line items consists of full synthetic, semi-synthetic and mineral oils, greases, specialty products, solvent degreasers, hand cleaners, emergency spill kits and dispensing equipment such as grease guns and oil pumps.

MULTIGRADE DIESEL ENGINE OILS



FLEETMASTER™ XTREME 15W/40 CK-4

Hi-Tec Fleetmaster™ Xtreme 15W/40 CK-4 is a heavy duty diesel oil formulated using the latest synthetic technology base oils for use in severe duty high speed four stroke diesel engines with DPF, cooled EGR and other exhaust treatment systems, both turbo-charged and normally aspirated. It is designed to offer greater durability and protection due to its increased shear stability and reduction of oxidative thickening, abrasive wear, bore polishing and piston deposits. Fleetmaster Xtreme 15W/40 CK-4 can be used in 2017 model vehicles as well as those requiring Euro VI emission standards.

Product Sizes: 5L, 10L, 20L, 200L, 1000L and Bulk



FLEETMASTER™ EURO 10W/40

Hi-Tec Fleetmaster™ Euro 10W/40 is a full synthetic high performance diesel engine oil designed to meet the ACEA E6 and Euro VI emission requirements. It is ideal for truck, bus and coach operators looking for substantial long term cost savings in running the fleet, particularly in extended oil drain applications.

Product Sizes: 20L, 200L, 1000L and Bulk



HTO CJ-4 15W/40

Hi-Tec HTO CJ-4 15W/40 is a premium heavy duty diesel engine oil formulated using highly refined base oils for severe duty high speed four stroke diesel engines, both turbo-charged and normally aspirated. It is specifically designed to meet the requirements of modern low emission US engines with DPF, cooled EGR and other exhaust treatment systems. It is ideal for multifleet applications covering prime movers, medium and light diesels as well as 2 and 4WD vehicles.

Product Size: 5L, 20L, 200L, 1000L and Bulk



FLEETMASTER™ 15W/40 CI-4

Hi-Tec Fleetmaster™ 15W/40 CI-4 is a heavy duty diesel engine oil for use in multifleet diesel applications in normally aspirated and turbocharged engines. It is especially effective at sustaining engine durability where cooled EGR and other exhaust emission componentry is used. It meets the performance requirements of many American and European OEMs and associations.

Product Sizes: 1L, 5L, 10L, 20L, 200L, 1000L and Bulk



FLEETMASTER™ 5W/30 ACEA E4

Hi-Tec Fleetmaster™ 5W/30 ACEA E4 is a full synthetic heavy duty diesel engine oil designed specifically to meet the UHPD (Ultra High Performance Diesel) lubricant category for vehicles running under severe operating conditions, such as those requiring significantly extended oil drain intervals.

Product Sizes: 20L, 200L, 1000L and Bulk

MULTIGRADE DIESEL ENGINE OILS



FLEETMASTER™ 15W/40 J-TEC

Hi-Tec Fleetmaster™ 15W/40 J-Tec is a shear stable multigrade diesel engine oil designed specifically to meet the JASO DH-1 performance level for use in modern Japanese diesel engines. It is suitable for both normally aspirated and turbocharged engines.

Product Sizes: 20L, 200L, 1000L and Bulk



FLEETMASTER™ 15W/40 CNG

Hi-Tec Fleetmaster™ 15W/40 CNG is a shear stable multigrade 15W/40 oil designed specifically to meet the requirements of compressed natural gas (CNG) engines powering modern commercial vehicles and buses.

Product Sizes: 20L, 200L, 1000L and Bulk

DIESEL MONOGRADE OILS



FLEETMASTER™ 10W, SAE 30, 40 & 50

Hi-Tec Fleetmaster™ Monograde oils are available in SAE 10W, 30, 40 & 50 grades. They are high performance Monograde diesel engine oils suitable for either turbo-charged or normally aspirated applications.

Hi-Tec Fleetmaster™ Monograde oils are uniquely formulated to promote the highest standards of engine cleanliness in modern diesel engines requiring a monograde oil.

Product Sizes: 20L, 200L, 1000L and Bulk

AGRICULTURAL RANGE



FARM OIL 15W/40

Hi-Tec Farm Oil 15W/40 is a premium Super Tractor Oil Universal (STOU) specifically formulated to service tractors with just one lubricant where formerly up to four or more oils were required.

Product Sizes: 5L, 20L, 200L, 1000L and Bulk



UNIVERSAL TRANS 10W/30

Hi-Tec Universal Trans is an SAE 10W/30 new generation hydraulic/transmission Universal Tractor Transmission Oil (UTTO) designed for a wide range of power-driven agricultural equipment fitted with gears, transmission, differentials, final drives, hydraulic pumps, hydraulic bearings, wet brakes, and power take-off (PTO) clutches.

Product Sizes: 1L, 5L, 20L, 200L, 1000L and Bulk

FULL SYNTHETIC ATF FLUIDS

**MULTITRANS ATF**

Hi-Tec Multitrans ATF is a premium full synthetic automatic transmission fluid with exceptional oxidative resistance, antiwear performance and frictional stability. It provides excellent antirust properties, and sludge & varnish control. It is designed for use in North American, European and Asian vehicles.

Product Sizes: 1L, 5L, 20L, 60L, 200L, 1000L and Bulk

**MULTITRANS PLUS ATF (SYN ATF)**

Hi-Tec Multitrans Plus ATF is a premium full synthetic automatic transmission fluid designed and OEM approved to meet the long drain ZF TE-ML 14C and 20C performance standards, as well as being suitable for use in many North American, European and Asian vehicles.

Product Sizes: 20L, 60L and 200L

PREMIUM MINERAL ATF FLUIDS

**ATF DX3**

Hi-Tec ATF DX3 is an automatic transmission fluid for use in older automatic transmissions requiring GM Dexron® III or Ford Mercon® performance. It is also suitable for use in other transmissions, where the Allison C4 and TES-389 performance levels are called for as well as various power steering, pump and hydraulic applications.

Product Sizes: 1L, 5L, 20L, 60L, 200L, 1000L and Bulk

SYNTHETIC GEAR OILS

**SYNGEAR™ 75W/90 GL-5**

Hi-Tec Syngear 75W/90 GL-5 is a full synthetic limited slip gear oil which offers outstanding high temperature and high load performance properties combined with exceptional low temperature fluidity and cold flow properties, excellent corrosion protection and superior seal compatibility.

Product Sizes: 1L, 4L, 20L, 60L, 200L, 1000L and Bulk

**SYNSHIFT 75W/140 GL-5**

Hi-Tec Synshift 75W/140 GL-5 is a full synthetic gear/limited slip differential oil which offers outstanding high temperature and high load carrying performance combined with exceptional low temperature fluidity, cold flow properties, excellent corrosion protection and superior seal compatibility.

Product Sizes: 4L, 20L, 60L, 200L, 1000L and Bulk

SYNTHETIC GEAR OILS



SYN ROADRANGER SAE 50

Hi-Tec Syn Roadranger SAE 50 is formulated from premium full synthetic polyalphaolefin and ester base oils for use in Roadranger gearboxes and automotive and industrial applications, where extreme pressure properties are not required. The extremely high viscosity index and very low pour point provide a tough, highly adhesive film that provides superior protection against wear to gear-teeth and bearings.

Product Sizes: 20L, 60L, 200L, 1000L and Bulk



SYN ROADRANGER SAE 40-G

Hi-Tec Syn Road Ranger SAE 40-G is a specially formulated synthetic lubricant for use in Eaton Roadranger gearboxes. It can be used for automotive and industrial applications in high torque, high horse-power applications where extreme pressure performance is not required. It is suitable for use in transmissions, hubs and transfer cases in heavy duty situations such as long haul, vocational, off-road, and buses; and in some manual transmissions, spiral bevel axle assemblies and worm gear drives in commercial, farm and truck equipment.

Product Sizes: 20L and 200L



SYNGEAR M 75W/90 MB 235.20

Hi-Tec Syngear M 75W/90 MB 235.20 is a full synthetic gear oil with extended long drain performance of up to 500,000 km. It is particularly suitable for commercial vehicle axles where enhanced load carrying improved fuel economy, and thermal stability is required. Recommended for the lubrication of differentials, final drives, manual transmissions, transfer cases and other gear applications.

Product Sizes: 20L, 200L, 1000L and Bulk



SYNGEAR 75W/90 V EXTRA

Hi-Tec Syngear 75W/90 V Extra is a fully synthetic gear oil, particularly suitable for synchromesh transmissions and commercial vehicle axles where enhanced load carrying and thermal stability is required.

Hi-Tec Syngear 75W/90 V Extra offers outstanding high temperature and high load performance properties combined with low temperature fluidity, cold flow properties superior corrosion protection and excellent seal compatibility. It carries the Volvo 97312 performance level, with long-drain capability of up to 400,000km drain in Volvo axles.

Product Sizes: 4L, 20L, 200L and Bulk



SYNGEAR™ ECO-M 75W/80 GL-4

Hi-Tec Syngear ECO-M 75W/80 GL-4 is a premium full synthetic, heavy duty gear oil meeting the ZF TE-ML-02L performance level imparting up to a 360,000km / 2 year service interval. It provides exceptional high temperature performance as well as excellent corrosion protection and superior seal compatibility. It is suitable for both service fill and fleet operations.

Product Sizes: 4L, 20L and 200L

PREMIUM GEAR OILS

**SCANGEAR 85W/140 GL-5**

Scangear 85W/140 GL-5 is a mineral oil based gear lubricant specially designed to meet the Scania ST0 1:0 axle specification with extended long drain performance. It is particularly suitable for commercial vehicle axles where enhanced load carrying, improved fuel economy, and thermal stability is required. It is also recommended for the lubrication of differentials, final drives, and other gear applications.

Product Sizes: 20L, 200L and Bulk

**EP MULTIGEAR 80W/90 & 85W/140 GL-5**

Hi-Tec EP Multigear Oils are superior new generation XRM (Extra Range Multigear) gear oils designed to provide improved: Thermal stability - XHT (Extra High Temperature), oil seal life, durability (gear surface life), and corrosion protection to yellow metals under both wet and dry conditions. EP Multigear Oils are suitable for the lubrication of car, truck & tractor differentials, final drives, transfer & steering gearboxes & manual transmissions, under both heavy & light service conditions.

Product Sizes: 4L, 20L, 60L, 200L, 1000L and Bulk

**GEAR OIL 75W/90 GL-4 & GL-5**

Hi-Tec Gear Oils 75W/90 GL-4 and GL-5 are API GL-4/ GL-5 gear lubricants specially recommended for synchronised manual transmissions, front wheel drive transaxle gear boxes, automotive hypoid and spiral bevel axles operating at low to moderate loads.

Product Sizes: GL-4: 1L, 4L, 20L, 60L, 200L, 1000L and Bulk. GL-5: 4L, 20L, 60L, 200L, 1000L and Bulk

**LIMITED SLIP GEAR OIL LS90 & 85W/140**

Hi-Tec LS Gear Oils SAE 90 and SAE 85W/140 are premium gear oils with superior limited slip differential performance. LS Gear Oils SAE 90 and SAE 85W/140 are specifically designed to provide improved: oil seal life, durability (Gear surface life), and corrosion protection to yellow metals under both wet and dry conditions.

Product Sizes: (LS90) 1L, 20L, 60L, 200L, 1000L and Bulk. (LS85W/140) 20L, 60L, 200L, 1000L and Bulk

**GEAR OIL 80W/90 GL-5**

Hi-Tec Gear Oil 80W90 GL-5 is a superior GL-5 gear oil designed to provide excellent thermal stability, improved oil seal life, gear surface life and corrosion protection to yellow metals.

Gear Oil 80W90 GL-5 is recommended for initial and service fill and top-up of car, truck and tractor manual transmissions, differentials, final drives and transfer and steering gearboxes.

Product Sizes: 1L, 4L, 20L, 60L, 200L, 1000L and Bulk

PREMIUM GEAR OILS



GEAR OIL 85W/140 GL-5

Hi-Tec Gear Oil 85W/140 GL-5 is a superior GL-5 gear oil designed to provide excellent thermal stability, improved oil seal life, gear surface life and corrosion protection to yellow metals.

Recommended for heavy duty applications which call for an SAE 85W/140 viscosity, such as initial and service fill and top-up of truck differentials, final drives and some transfer and steering gearboxes.

Product Sizes: 4L, 20L, 60L, 200L, 1000L and Bulk



ROAD RANGER SAE 50

Hi-Tec Road Ranger SAE 50 is a mineral oil based gear lubricant blended for use in Road Ranger gearboxes and automotive and industrial applications where extreme pressure properties are not required. The high viscosity index and low pour point provide a tough, highly adhesive film to protect gear teeth and bearings against wear.

Product Sizes: 20L, 60L, 200L, 1000L and Bulk

PREMIX COOLANTS



DD50 COOLANT GREEN

Hi-Tec DD50 Coolant Green is a premixed heavy duty Hybrid technology diesel engine coolant. This low silicate, phosphate and amine free product is recommended for use in automotive, light duty and heavy-duty on-road truck, off-road, farm and marine diesel applications. It provides excellent high temperature aluminium protection and is suitable for use in hard water. It is compatible with both conventional and OAT coolants. It has an extended life of 6 years; 12,000 hours or 1,000,000 km whichever comes first.

Product Sizes: 20L, 200L, 1000L and Bulk



DD50 COOLANT RED

Hi-Tec DD50 Coolant Red is an ethylene glycol based antifreeze/coolant premix with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and can be used in heavy duty diesel engines. For passenger car/light duty commercial vehicles, it has a service life of 5 years/250,000 km; for heavy-duty diesel vehicles, 6 years/1,000,000 km which ever comes first.

Product Sizes: 0L, 200L and 1000L



DD50 COOLANT BLUE

Hi-Tec DD50 Coolant Blue is an ethylene glycol based antifreeze/coolant premix containing no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It has an advanced formula with virtually non-depleting organic acid corrosion inhibitors and is silicate free for improved pump life. It is recommended for heavy duty diesel, natural gas mobile and stationary engines and also petrol automotive engines with alloy heads. For heavy duty trucks, it has a service life of 6 years/1,000,000 km; for passenger car/light duty commercial vehicles, 5 years/ 250,000 km.

Product Sizes: 20L and 200L



PG XL-50 **COOLANT**

Hi-Tec PG XL-50 is a superior, fully formulated Hybrid technology premixed propylene glycol based engine coolant, which is more robust than both conventional and organic acid technology (OAT) engine coolants. This silicate, phosphate and amine free product is specially formulated to protect heavy duty diesel wet sleeve liners and provides excellent high temperature aluminium protection. It is recommended for use in automotive, light duty and heavy-duty diesel applications: on-road truck, off-road mining, farm and marine. Provides protection for up to 4 years/ 6000hours/ 500,000 km.

Product Sizes: 20L, 200L and 1000L

CONCENTRATE COOLANTS



LONG LIFE COOLANT **GREEN**

Hi-Tec Long Life Coolant Green is a general purpose ethylene glycol based antifreeze/coolant concentrate incorporating an advanced formula technology with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and heavy duty diesel and natural gas mobile and stationary engines.

Product Sizes: 1L, 5L, 20L, 200L, 1000L and Bulk



LONG LIFE COOLANT **RED**

Hi-Tec Long Life Coolant Red is an ethylene glycol based antifreeze/coolant concentrate with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and can be used in heavy duty diesel engines.

Product Sizes: 1L, 5L, 20L, 200L, 1000L and Bulk



LONG LIFE COOLANT **BLUE**

Hi-Tec Long Life Coolant Blue is an ethylene glycol based antifreeze/coolant premix containing no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It has an advanced formula with virtually non-depleting organic acid corrosion inhibitors and is silicate free for improved pump life. It is recommended for heavy duty diesel, natural gas mobile and stationary engines and also petrol automotive engines with alloy heads. For heavy duty trucks, it has a service life of 6 years/1,000,000 km; for passenger car/light duty commercial vehicles, 5 years/250,000 km.

Product Sizes: 1L, 5L, 20L, 200L, 1000L and Bulk



HD COOLANT **CONCENTRATE**

Hi-Tec HD Coolant Concentrate Green is a heavy duty Hybrid technology diesel engine coolant concentrate. This low silicate, phosphate and amine free product is recommended for use in automotive, light duty and heavy-duty on-road truck, off-road, farm and marine diesel applications. It provides excellent high temperature aluminium protection and is suitable for use in hard water. It is compatible with both conventional and OAT coolants.

Product Sizes: 20L, 200L and 1000L



RADIATOR **TREATMENT**

Hi-Tec Radiator Treatment is a general purpose automotive cooling system corrosion inhibitor concentrate. It is suitable for passenger cars and light commercial vehicles. It contains a mixture of highly efficient corrosion and rust inhibitors developed for the newest generation of modern vehicles. It provides long-life corrosion protection for aluminium and ferrous alloys.

Product Sizes: 20L and 200L

CONCENTRATE COOLANTS




BRAKE FLUID DOT 3 & 4

Hi-Tec Brake Fluid DOT 3 is a yellow premium quality brake fluid that meets or exceeds all the requirements of the DOT 3 specification. It is suitable for use in hydraulic brake and clutch systems.


Hi-Tec Brake Fluid DOT 4 is a premium quality, high boiling point Brake Fluid that meets or exceeds all the requirements of the DOT 4 specification. For help in identification it is dyed blue in colour.

Product Sizes: 500ml, 4L, 20L and 200L



HI-TEC OILS IS THE PROUD SPONSOR of The Bathurst 6 Hour held annually over the Easter long weekend and continues the tradition of Easter racing dating back to 1938.

The Bathurst 6 Hour is an endurance race for production vehicles with annual grids exceeding 60 cars. Supported by five race categories, multiple races and nonstop action during the three-day motor fest.



CLEANING DETERGENTS

**FLEET WASH**

Hi-Tec Fleetwash is a coconut oil based detergent formulation containing inorganic phosphates for the purpose of removing dirt, mud, oil film and road grime from all washable surfaces.

It can be used on all road, commercial and recreational vehicles, engines, and under bodies as well as on magnesium and alloy wheels, tyres and rubber inserts.

Product Sizes: 5L, 20L, 200L and 1000L

**WATER BASED DEGREASER**

Hi-Tec Water Based (WB) Degreaser is a biodegradable, alkaline cleaner that can be used in a wide variety of industrial and commercial applications.

It is formulated to provide a powerful emulsifying action to remove dirt, greases and oils from a range of surfaces.

Product Sizes: 5L, 20L, 200L and 1000L

**ULTRA MAGIC**

Hi-Tec Ultra Magic is a concentrated multipurpose cleaner with no phosphates added. It effectively removes dirt, oil and grime from all washable surfaces. It is non-toxic and does not contain solvents or caustic chemicals and is non-irritating to skin and completely safe to use on all washable surfaces.

Product Sizes: 5L, 20L, 200L and 1000L

**SUPER SCRUBA HAND CLEANER**

Hi-Tec Super Scruba Hand Cleaner is a yellow coloured, naturally formulated, citrus-based, waterless hand cleaner containing grit. It removes grease, oil, industrial grime and dirt.

Product Sizes: 5L, 20L, 200L and 1000L

**WINDOW CLEANER**

Hi-Tec Window Cleaner is a non hazardous, light duty, biodegradable, slightly alkaline cleaner that can be used in a wide variety of industrial, commercial and household window cleaning applications. It is safe to use on most hard surfaces.

Product Sizes: 5L, 20L and 1000L

AEROSOLS

BRAKE & PARTS CLEANER
CARBY CLEANER
TYRE SHINE



350g or 400g

MECHANICS DEGREASER
EVERYDAY DEGREASER
DE-RUST LUBRICANT

SOLVENT BASED CHEMICALS



HEAVY DUTY DEGREASER

Hi-Tec Heavy Duty Degreaser is formulated with petroleum solvents and a detergent emulsifier. The cleaning action of the solvents is enhanced by the presence of aromatic components which improve penetration and solvency. It can be used for cleaning machinery workshop floors and other surfaces heavily contaminated with grease and oil. Apply liberally, work in with a brush and simply hose off.

Product Sizes: 5L, 20L, 200L and 1000L



X55 SOLVENT

Hi-Tec X55 Solvent is a wide boiling range, rapidly evaporating, residue free solvent used for processing, cleaning and degreasing in many industries including printing, paints, adhesives and rubber manufacture.

Product Sizes: 20L and 200L



PARTS WASH SOLVENT

Hi-Tec Parts Wash Solvent offers an effective solution for washing or soaking machine parts. Alternatively it can be sprayed onto oily and greasy surfaces. For heavy build up agitate with a brush and allow to penetrate for a few minutes and wash off.

Product Sizes: 20L, 200L and 1000L



BRAKE CLEANER

Hi-Tec Brake Cleaner is a solvent based fluid for cleaning brakes, brake discs, drums, calipers, chains, wire ropes, bearings and other metal parts requiring the removal of heavy grease and contaminants.

Product Sizes: 20L and 200L



DE-RUST OIL

Hi-Tec De-Rust Oil is a multi-functional water displacing fluid, possessing effective rust preventative, fingerprint suppressant, penetrating and lubricating properties.

De-Rust Oil is a very effective rust preventative for short-term indoor applications. It forms a protective film to inhibit rust and corrosion to many items, such as metal components, tools, sporting equipment, locks, hinges, lawn mowers, outboard motors to name a few.

Product Sizes: 20L and 200L



TYRE SHINE

Hi-Tec Tyre Shine is a silicone based tyre and bumper shine. It leaves surfaces looking glossy and new. Wash tyres and bumpers or any surface that requires treatment. Allow to dry, then simply spray on Tyre Shine. Some surfaces may need a wipe with a clean cloth after spraying.

Product Sizes: 20L and 200L



DIESEL FUEL TREATMENT

Hi-Tec Diesel Fuel Treatment is a multifunctional diesel fuel maintenance additive. It is specifically designed to give an overall improvement on most aspects of fuel efficiency.

Product Sizes: 5L, 20L and 200L

SOLVENT BASED CHEMICALS



PETROL INJECTOR CLEANER

Hi-Tec Petrol Injector Cleaner is an advanced gasoline performance additive specifically formulated to control port fuel injector, intake valve and combustion chamber deposits.

Product Sizes: 20L and 200L



KEROSENE

Hi-Tec Kerosene is a petroleum product miscible with many industrial liquids. Kerosene can be used as a solvent, able to remove other petroleum products, such as chain grease and also as a lubricant with less risk of combustion when compared to petrol.

It can also be used as a cooling agent in metal production and treatment (oxygen-free conditions).

Product Sizes: 20L and 200L



BUG RID

Hi-Tec Bug Rid is a potent biocide for killing and preventing re-growth of most types of organisms which grow in fuels. Bug Rid also acts as a fuel tank corrosion inhibitor and fuel system lubricant improver.

Product Sizes: 4L, 20L and 200L

CLEANING ACCESSORIES



CLEANING RAGS

Hi-Tec cleaning rags can be used for many different services and applications. The product is ideal for wiping and cleaning excess oil and spills in the warehouse and workshop.

Product Sizes: 10kg or 20kg bag



SUPER ZORB

Hi-Tec Super Zorb is a lightweight oil absorbent material. It will rapidly absorb liquid and retain the liquid against leaching. It does not break down and does not become slippery when wet as do some other absorbent materials.

Super Zorb is made from crushed zeolite rock containing no free crystalline silica. It is not carcinogenic. The crushed rock retains the original sponge structure ensuring that it retains its lightweight, highly porous, super absorbent character.

Product Size: 22L



BLUE AIR

Hi-Tec Blue Air is an aqueous urea solution, designed to be used with the Selective Catalytic Reduction technology (SCR) of heavy-duty diesel vehicles to reduce emissions of oxides of nitrogen (NOx) from the exhaust system.

Product Sizes: 15L, 200L and 1000L

GREASES



VXP-2 GREASE

Hi-Tec VXP-2 is a superior, state of the art lithium complex extra heavy duty grease. It is a high temperature, high extreme pressure (EP) grease designed to meet the demands of the most severe and hostile industrial and off highway automotive applications and conditions.

Product Sizes: 400g, 450g, 2.5kg, 20kg, 55kg and 180kg



LITHPLEX TAC EP-2 GREASE

Hi-Tec Lithplex TAC EP-2 Grease is a superior, multi-purpose grease possessing excellent lubrication characteristics for a wide range of anti-friction and plain bearings, gears and couplings in automotive, marine, agricultural and industrial applications.

Product Sizes: 400g, 450g, 500g, 2.5kg, 20kg, 55kg and 180kg



SUPER MOLYTAC EP-2 GREASE

Hi-Tec Super Molytac is a superior, multi-purpose, molybdenum disulphide containing grease possessing excellent lubrication characteristics suitable for use in a wide range of anti-friction and plain bearings, ball joints, CV joints, kingpins, and gears and couplings in automotive, marine, agricultural and industrial applications.

Product Sizes: 450g, 2.5kg, 20kg, 55kg and 180kg



SUPER RED EP-2 GREASE

Hi-Tec Super Red Grease is an NLGI 2 grease possessing superior lubrication characteristics.

It is recommended for bearing lubrication under operating service conditions from normal to unusually severe.

Product Sizes: 450g, 500g, 2.5kg, 20kg, 55kg and 180kg



TRUCK & FARM GREASE

Hi-Tec Truck and Farm Grease is a red, smooth, tacky grease recommended for use in bearings, chassis parts, gears and couplings in agricultural, marine and industrial applications.

Product Sizes: 450g, 20kg, 55kg and 180kg

GREASES

**LITH EP-2, 1, 0, 00, 000 GREASE**

Hi-Tec Lith EP Greases possess excellent lubrication characteristics. They are recommended for bearing lubrication under normal or severely loaded service conditions.

The NLGI semi fluid grades No. 000, No. 00 and No. 0, are recommended for "self leveling" applications.

Product Sizes: EP-000 - 20kg only. EP-0 - 450g and 20kg only.

**ULTRALIFE EPM-2 GREASE**

Hi-Tec Ultralife EPM-2 is a smooth, grey coloured grease with exceptional load carrying capabilities. It is made from a blend of multi-complex calcium sulphonate soap thickeners and 460cst high purity brightstock mineral base oils with performance enhancing additives and Molybdenum Disulphide. It is suitable for industrial, off-highway plant and other high intensity production sectors with a high demand to lubricate plain and anti-friction bearings in high load and pressure applications.

Product Sizes: 450g, 20kg and 180kg

**LITHIUM BFT 2 GREASE**

Hi-Tec Lithium BFT 2 Grease is a superior Lithium Complex thickened, NLGI 2, heavy duty, extreme pressure, anti-wear, anti-corrosion multi-purpose grease possessing excellent lubrication characteristics for a wide range of applications. It is especially suited for high load and/or high temperature applications due to its heavy base oil and being a highly adhesive grease it has excellent sealing properties to reduce damage due to the ingress of moisture, dust and dirt in off-road conditions. Lithium BFT 2 Grease is recommended for use in automotive, agricultural, marine, truck and heavy earth moving equipment operated under arduous conditions.

Product Sizes: 450g, 20kg and 180kg

**SUPER BLUE 3 GREASE**

Hi-Tec Super Blue 3 Grease is an NLGI 3 grease possessing superior lubrication characteristics. It is recommended for bearing lubrication from normal to unusually severe load service conditions.

Product Sizes: 450g, 20kg, 55kg and 180kg

**RUBBER GREASE**

Hi-Tec Rubber Grease is a premium quality clay thickened grease formulated with castor oil to provide outstanding performance in a wide range of automotive and industrial applications where contact with natural and/or synthetic rubber components is required or likely.

Product Sizes: 500g, 2.5kg and 20kg



COPPER COTE GREASE

Hi-Tec Copper Cote Grease is a unique, multi-purpose anti-seize compound designed to provide protection against corrosion and metal to metal contact in a wide range of automotive, marine, industrial, workshop and domestic applications, particularly where very high temperatures are encountered. It is effective up to 800°C.

Product Sizes: 500g, 2.5kg, 20kg and 180kg



PETROLEUM JELLY

Hi-Tec Petroleum Jelly meets the purity requirements of the 8th Edition of the European Pharmacopeia for white soft paraffin. Expected shelf life is three years provided the material is stored in closed containers and protected from heat, light and moisture.

Product Sizes: 500g, 2.5kg and 19kg



HD HAMMER CHISEL PASTE

Hi-Tec HD Hammer Chisel Paste is a grease formulated to provide lubrication of hydraulic hammers and is fortified with solids to prevent galling and seizing.

Product Sizes: 450g, 20kg and 180kg





Hi-Tec Batteries offers the smallest portable



AUTOMOTIVE BATTERIES

Hi-Tec Automotive range of batteries to suit every model.

Popular models include:
NS40ZL, NS60LS, 55D23LX, DIN55L, DIN66LH - Stop-start AGM and EFB



COMMERCIAL BATTERIES

Hi-Tec Commercial range of batteries are built tough to withstand extreme conditions.

Popular models include:
NS70, N70ZZ, N120, N150, N200



MARINE AND LEISURE BATTERIES

Hi-Tec Marine range includes, Maintenance Free, AGM, Gel and Lithium.

Popular models include:
M24, M27, N150, N200, Dual Purpose AGM



LAWN MOWER BATTERIES

Hi-Tec Lawn mower batteries to suit all mowers, key start and ride on.

Popular models:
12V 7AH, U1-300, U1R-300



OPTIMA AGM BATTERIES

Hi-Tec OPTIMA range to suit all applications, Red, Yellow and Blue models available.

Applications include:
Red: Starting, Blue: Marine, Yellow: Dual purpose

s batteries for all applications ranging from
e batteries to the largest industrial batteries.

ODYSSEY AGM BATTERIES

Hi-Tec ODYSSEY range suitable for extreme applications. Applications include Racing, Marine, and Diesel Generators.

Popular models include:

PC1500, PC1700, PC680, PC925, PC1200



BRILLE LITHIUM BATTERIES

The number 1 Motorsport battery in the world. Suitable for race applications including 16v drag cars. Available in both Lithium and AGM.

Popular Models include:

B128L, B168L, B3121, B2015



HI-POWER AGM BATTERIES

Hi-Tec Hi-power AGM is suitable for Motorhomes, Caravans, Generators, Fire pumps, Mobility scooters.

Popular models include:

12v85, 12v105, 12v125



HI-POWER LITHIUM BATTERIES

Hi-Tec Hi-Power Lithium is the latest technology suitable for Caravans, motorhomes, bass fishing boats, 4x4 aux, etc. 10 year+ life.

Popular models include:

12v100 & 24v200ah



BATTERY ACCESSORIES

Hi-Tec have a full range of battery accessories.

- Battery chargers
- Jump starters
- Testing equipment





www.hi-tecoils.com.au

Hi-Tec Oils (Head Office)

5 Tarlington Place Smithfield NSW 2164

Ph: 1300 796 009 | (02) 9616 5700

Fax: (02) 9604 1611



Hi-Tec Oils (Victoria)

1/ 41-45 Burns Road
Altona VIC 3018

Ph: (03) 9369 5512
Fax: (03) 9369 5682

Hi-Tec Oils (TAS Distributor)

125 Swanston Street
New Town TAS 7008

Ph: 1300 914 616

Hi-Tec Oils (Queensland)

37 Nealdon Drive
Meadowbrook QLD 4131

Ph: (07) 3200 3492
Fax: (07) 3200 7136

Hi-Tec Oils (ACT Distributor)

86 Bayldon Road
Queanbeyan NSW 2620

Ph: (02) 6232 9515
Fax: (02) 6232 9511

Hi-Tec Oils (Bohle Queensland)

Northern Logistics & Warehousing - Dealer
27-33 Toll Street
Bohle QLD 4818

Ph: (07) 4774 3507

Hi-Tec Oils (Newcastle)

1/ 71 Mitchell Road
Cardiff NSW 2285

Ph: (02) 4956 6000
Fax: (02) 4956 6888

Hi-Tec Oils (South Australia)

6-7/ 3A Newcastle Crescent
Cavan SA 5094

Ph: (08) 8162 5807
Fax: (08) 8359 7849

Hi-Tec Oils (Port Lincoln)

Pine Freezers Road
Port Lincoln SA 5606

Ph: 0409 162 582

Hi-Tec Oils (Western Australia)

1/ 46 Baile Road
Canning Vale WA 6155

Ph: (08) 9256 4528
Fax: (08) 9455 2129

Hi-Tec Oils (North Geelong)

M & R Distributors - Dealer
6 Freedman Street
North Geelong VIC 3215

Ph: (03) 5277 1107

Hi-Tec Oils (Northern Territory)

15 Bishop Street
Woolner NT 0820

Ph: (08) 8931 4857
Fax: (08) 8931 4981

Hi-Tec Oils (Wodonga)

North East Oil Distributors - Dealer
74 Church Street
Wodonga VIC 3690

Ph: (02) 6056 5055

Distributed By:

Quality Assurance Hi-Tec Oil Traders Pty Ltd has been assessed by QAS International and confirmed as meeting the quality management systems. The accreditation applies to the following: Manufacture of finished lubricants for automotive, commercial and industrial applications. These products also include mineral, semi-synthetic and full synthetic variants. Should you require a copy of our Quality Assurance certificate please don't hesitate to ask.

Hi-Tec Oils Oil Sampling - We offer clients an oil condition monitoring service. The benefits of this include extended drain intervals and equipment breakdown prevention.

Although every care is taken to ensure accuracy and completeness in compiling this data, no liability can be accepted by Hi-Tec Oils for damage or loss caused by any errors or omissions in the information given, directly or indirectly. Suitability of products referred to in this catalogue is the customers sole responsibility. Always refer to technical data to confirm suitability which is available on request from Hi-Tec Oils.

