



**WORKSHOP
PRODUCTS**



AUSTRALIAN
OWNED AND MADE

Engineered To Perform
hi-tecoils.com.au



FIRST CHOICE FOR OILS

Hi-Tec Oils is an Australian owned company with more than 200 years of total workforce experience in lubricants. We are one of Australia's largest independent oil manufacturers, with warehouses in every state and territory of Australia, and have now launched into the New Zealand market!

Our state of the art blending plant produces a range of high quality oil products based on our ongoing partnership with leading international base oil and additive suppliers. We only use products that meet or exceed the relevant API, OEM and SAE standards.

The product range includes oils for a wide range of automotive, industrial, agricultural, transport and heavy equipment applications (diesel and petrol engine oils, gear oils, automatic transmission oils, coolants, brake fluids and specialty products).

Our lubricant range of over 450 line items consists of full synthetic, semi-synthetic and mineral oils, greases, specialty products, solvent degreasers, hand cleaners, emergency spill kits and dispensing equipment such as grease guns and oil pumps.

FULL SYNTHETIC ENGINE OILS



SYNPLUS™ 5W/30 SN/CF

Hi-Tec Synplus™ 5W/30 SN/CF is a full synthetic, low SAPS next generation oil designed for the latest super high performance, multivalve, overhead cam, turbo and light diesel engines requiring a low viscosity lubricant for better fuel economy. It is especially suited for vehicles fitted with DPF and catalytic converters to assist in lower exhaust emissions.

Product sizes: 1L, 5L, 6L, 10L, 20L, 60L, 200L, 1000L and Bulk



SYNPLUS™ 5W/40 SN/CF

Hi-Tec Synplus™ 5W/40 SN/CF is a full synthetic, low SAPS next generation oil designed for the latest super high performance, multivalve, overhead cam, turbo and light diesel engines requiring a low viscosity lubricant for better fuel economy. It is especially suited for vehicles fitted with DPF and catalytic converters to assist in lower exhaust emissions.

Product sizes: 1L, 5L, 20L, 200L, 1000L and Bulk



SYNPLUS™ 5W/30 504/507

Hi-Tec Synplus 5W/30 504/507 is a full synthetic high performance engine oil designed for the latest Volkswagen petrol and turbo diesel engines, which combines the latest development in oil formulation and additive technology to provide an engine oil with the highest level of protection.

Product sizes: 1L, 5L, 200L, 1000L and Bulk



SYNPLUS™ DL-1 5W/30

Hi-Tec Synplus 5W/30, DL-1 is a full synthetic, low to mid SAPS, super high performance engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection whilst promoting fuel efficiency in modern low friction diesel engines.

Product sizes: 5L, 20L, 200L, 1000L and Bulk



SYNPLUS™ 5W/30 A5/B5

Hi-Tec Synplus 5W/30 A5/B5 is a full synthetic, full SAPS, super high performance engine oil which combines the latest developments in oil formulation and additive technology to provide a lubricating oil with the highest level of protection, whilst promoting fuel efficiency and lowering emissions in modern low friction engines. It is intended for use at extended drain intervals in gasoline engines and car and light van diesel engines. These engines will be designed to be capable of using this low friction, low viscosity oil with a high temperature/high shear rate (HTHS) viscosity of between 2.9 and 3.5 mPa.s.

Product sizes: 1L, 5L, 20L and 200L



SYNPLUS™ ACEA C1 5W/30

Hi-Tec Synplus ACEA C1 5W/30 is a full synthetic, low SAPS, super high performance engine oil providing the highest level of protection whilst promoting fuel efficiency in modern low friction petrol and diesel engines. It is a low viscosity oil providing longer drain intervals, better fuel economy and longer life for catalytic exhaust systems whilst preserving the performance of DPF and TWC filter systems.

Product sizes: 1L, 5L, 20L, 200L and Bulk

FULL SYNTHETIC ENGINE OILS

**SYNPLUS™ ULTRA 5W/30**

Hi-Tec Synplus Ultra 5W/30 is a full synthetic mid SAPS super high performance engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection. It meets the ACEA C2 and C3 performance specifications resulting in reduced friction in the engine, decreased fuel consumption, increased service intervals and extended operating life for the engine and exhaust.

Product sizes: 1L, 5L, 200L, 1000L and Bulk

**SYNPLUS™ 0W/20 SN GF-5**

Hi-Tec Synplus 0W/20 SN GF-5 is the ultimate full synthetic lubricant for engine protection and fuel efficiency in modern turbocharged petrol engines. It meets the API SN Plus performance level which has been specifically developed to address Low-Speed Pre-Ignition (LSPI) and timing chain wear in small turbocharged petrol engines. It has improved resistance to oxidation to extend oil life; increased detergency to reduce engine sludge, deposits and turbocharger coking; better handling of internal friction for better fuel economy and maintains catalyst performance whilst extending emission system life.

Product sizes: 5L, 20L and 200L

**SYNPLUS™ 5W/20 SN GF-5**

Hi-Tec Synplus 5W/20 SN GF-5 is the ultimate full synthetic lubricant for engine protection and fuel efficiency in modern turbocharged petrol engines. It meets the API SN Plus performance level which has been specifically developed to address Low-Speed Pre-Ignition (LSPI) and timing chain wear in small turbocharged petrol engines. It has improved resistance to oxidation to extend oil life; increased detergency to reduce engine sludge, deposits and turbocharger coking; better handling of internal friction for better fuel economy and maintains catalyst performance whilst extending emission system life.

Product sizes: 5L, 20L and 200L

**SYNPLUS™ 5W/30 LL-01**

Hi-Tec Synplus 5W/30 LL-01 is a full synthetic, full SAPS, super high performance engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection.

Product sizes: 1L, 5L, 10L, 20L and Bulk

**SYNPLUS™ 5W/40 LL-01**

Hi-Tec Synplus 5W/40 LL-01 is a full synthetic, full SAPS, super high performance engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection.

Product sizes: 1L, 5L, 10L, 20L, 200L and Bulk

**SYNPLUS™ 5W/30 ACEA C4**

Hi-Tec Synplus™ 5W/30 ACEA C4 is a full synthetic, low to mid SAPS, high performance engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection whilst promoting fuel efficiency in modern low friction diesel engines.

Product sizes: 5L, 20L and 200L



SYNPLUS™ 0W/30 ACEA C2

Hi-Tec Synplus™ 0W/30 ACEA C2 is a full synthetic, low to mid SAPS, super high performance engine oil meeting the ACEA C2 performance level. It combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection whilst promoting fuel efficiency in modern low friction engines in high performance car and light van diesel and gasoline vehicles.

Product sizes: 5L, 20L, 200L, 1000L and Bulk

SEMI SYNTHETIC ENGINE OILS



EVOLUTION 5W/30 SN GF-5

Hi-Tec Evolution 5W/30 SN GF-5 is the ultimate semi-synthetic lubricant for engine protection and fuel efficiency in new and turbocharged petrol engines. It meets the API SN Plus performance level which has been specifically developed to address Low-Speed Pre-Ignition (LSPI) and timing chain wear in small turbocharged petrol engines. It has improved resistance to oxidation to extend oil life; increased detergency to reduce engine sludge, deposits and turbocharger coking; better handling of internal friction for better fuel economy; and it maintains catalyst performance and extends emission system life. It is suitable for use with ethanol-containing fuel up to E85.

Product sizes: 20L, 200L and 1000L



EVOLUTION 10W/30 SN GF-5

Hi-Tec Evolution 10W/30 SN GF-5 is the ultimate semi-synthetic lubricant for engine protection and fuel efficiency in new and turbocharged petrol engines. It meets the API SN Plus performance level which has been specifically developed to address Low-Speed Pre-Ignition (LSPI) and timing chain wear in small turbocharged petrol engines. It has improved resistance to oxidation to extend oil life; increased detergency to reduce engine sludge, deposits and turbocharger coking; better handling of internal friction for better fuel economy; and it maintains catalyst performance and extends emission system life. It is suitable for use with ethanol-containing fuel up to E85.

Product sizes: 5L, 20L, 200L, 1000L and Bulk



EVOLUTION 10W/40 SN/CF A3/B4

Hi-Tec Evolution 10W/40 SN/CF A3/B4 is a semi-synthetic engine oil suitable for most types of four stroke petrol engines and car and light van diesel engines, especially those requiring protection from piston deposits. It provides improved wear protection, fast flow at cold temperature start up and enhanced protection at high temperatures.

Product sizes: 5L, 20L, 200L, 1000L and Bulk



EVOLUTION 15W/40 SN/CF A3/B4

Hi-Tec Evolution 15W/40 SN/CF A3/B4 is a semi-synthetic engine oil suitable for most types of four stroke petrol engines and car and light van diesel engines, especially those requiring protection from piston deposits. It provides improved wear protection, fast flow at cold temperature start up and enhanced protection at high temperatures.

Product sizes: 5L, 20L, 200L, 1000L and Bulk



SEMI SYN 10W/40 SN/CF

Hi-Tec Semi Syn 10W/40 SN/CF is a premium quality petrol and small diesel engine oil that provides increased engine protection through increased oxidation resistance. Engine cleanliness is promoted by the increased level of dispersant's, and the special additives inhibit the formation of sludge.

Product sizes: 1L, 5L, 20L, 200L, 1000L and Bulk

SEMI SYNTHETIC ENGINE OILS

**SEMI SYN 5W/30 SN/GF-5**

Hi-Tec Semi Syn 5W/30 SN GF-5 is the ultimate semi-synthetic lubricant for engine protection and fuel efficiency in new and turbocharged petrol engines. It meets the API SN Plus performance level which has been specifically developed to address Low-Speed Pre-Ignition (LSPI) and timing chain wear in small turbocharged petrol engines. It has improved resistance to oxidation to extend oil life; increased detergency to reduce engine sludge, deposits and turbocharger coking; better handling of internal friction for better fuel economy and it maintains catalyst performance whilst extending emission system life. It is suitable for use with ethanol-containing fuel up to E85.

Product sizes: 5L, 20L and 200L

MINERAL ENGINE OILS

**PREMIER LITE 10W/30 SN/CF**

Hi-Tec Premier Lite 10W/30 SN/CF is a premium engine oil suitable for most types of normally aspirated and turbocharged petrol and light diesel engines especially those with small clearances. It is strongly recommended for modern multivalve twin cam engines where a low temperature viscosity is required for cold starts, fuel economy and lower emissions.

Also available in SL/CF grade.

Product sizes: 1L, 5L, 6L, 20L, 200L, 1000L and Bulk

**PREMIER 15W/40 SN/CF**

Hi-Tec Premier 15W/40 SN/CF is a premium engine oil suitable for modern naturally aspirated, turbocharged petrol and light diesel engines. It covers a wide variety of vehicles providing excellent start up viscosity whilst maintaining protection at high temperatures.

Also available in SL/CF grade.

Product sizes: 1L, 5L, 20L, 200L and Bulk

**PREMIER 20W/50 SL/CF**

Hi-Tec Premier 20W/50 SL/CF is a premium engine oil suitable for most types of normally aspirated and turbocharged petrol and light diesel engines. It is an excellent choice where a thicker 20W/50 viscosity is required to provide protection at higher temperatures.

Also available in 20W/50 SJ grade - 4L size only.

Product sizes: 1L, 4L (SJ only), 5L, 6L, 20L, 200L, 1000L and Bulk

**PREMIER 15W/50 SM/CF**

Hi-Tec Premier 15W/50 SM/CF exceeds the API SM/CF performance level, and is strongly recommended for all multi-valve and modern engines where a low temperature viscosity is required by the engine manufacturer for cold crank starts, whilst still providing protection in the engine at high temperatures.

Product sizes: 5L, 20L, 200L, 1000L and Bulk



SUPER 60 SAE 25W/60

Hi-Tec Super 60 SAE 25W/60 is a very specialised engine oil for naturally aspirated and turbocharged four stroke gasoline passenger car and motorcycle engines. It provides vastly improved protection against engine wear, rust and corrosion, high temperature oxidation deposits and sludge formation.

Also available in Super 70 SAE 25W/70.

Product sizes: 5L, 20L and 200L

HIGH PERFORMANCE ENGINE OILS



SHP 20W/50 SL/CF

Hi-Tec Super High Performance (SHP) 20W/50 SL/CF engine oil is the ultimate in protection and performance. This premium quality engine oil is a complex blend of base oils and chemical additives designed to protect the engine and enhance its performance under extreme operating conditions such as high temperature motorway driving or low temperature stop and go driving.

Product sizes: 5L, 200L



SHP RACING 50, 60 & 70

Hi-Tec Super High Performance (SHP) Racing Oils are very specialised high performance four stroke racing engine oils, which are specially formulated with enhanced zinc levels to ensure trouble-free lubrication of all high stressed racetrack engines. Recommended where high octane gasolines and their mixtures and other high energy fuels such as methanol and nitromethane are employed.

Available in SHP Racing 50, SHP Racing 60 & SHP Racing 70.

Product sizes: 5L, 20L and 200L (50); 5L and 200L (60), 200L (70)

FULL SYNTHETIC HIGH PERFORMANCE ENGINE OILS



HTO 10W/50 SN/CF

Hi-Tec 10W/50 SN/CF is a full synthetic super high performance engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection.

Product sizes: 5L, 20L, 200L and Bulk



HTO 10W/60 SN/CF

Hi-Tec 10W/60 SN/CF is a full synthetic super high performance engine oil which combines the latest development in oil formulation and additive technology to provide a lubricating oil with the highest level of protection.

Product sizes: 5L, 20L, 200L and Bulk

CLEANERS AND TREATMENTS



ENGINE FLUSH

Product size: 300ml



PETROL INJECTOR CLEANER

Product size: 300ml



DIESEL FUEL CONDITIONER

Product size: 300ml



HI OCTANE BOOST & CLEAN

Product size: 300ml



STOP SMOKE TREATMENT

Product size: 300ml



RADIATOR FLUSH

Product size: 300ml



RADIATOR TREATMENT

Product size: 300ml



ENGINE STOP LEAK

Product size: 300ml



POWER STEERING STOP LEAK

Product size: 300ml



RADIATOR STOP LEAK

Product size: 300ml



AUTO TRANS STOP LEAK

Product size: 300ml

MULTI FIT SOFT WIPERS



MULTI FIT *SOFT WIPER*

Hi-Tec Multi Fit Soft Wipers are engineered for highly curved windshields, combining aerodynamic design with less windlift. They are manufactured for maximum performance and durability.

Hi-Tec Multi Fit Soft Wipers are lower profile and out-of-view. They are designed for all-weather and all-season performance with advanced visibility protection for European, American & Asian vehicles.

INTERCHANGEABLE OIL FILTERS



SPIN ON OIL FILTER

Hi-Tec superior quality, automotive spin on oil filters provide long oil filter life, protecting the engine between service intervals with improved flow, reducing the risk of oil starvation, whilst enhancing engine protection and efficiency. Hi-Tec oil filters are fully interchangeable with other leading oil filter brands.



CARTRIDGE ECO OIL FILTER

Hi-Tec superior quality, automotive cartridge eco oil filters provide long oil filter life, protecting the engine between service intervals with improved flow, reducing the risk of oil starvation, whilst enhancing engine protection and efficiency. Hi-Tec oil filters are fully interchangeable with other leading oil filter brands.

AEROSOLS



MECHANICS DEGREASER

Hi-Tec Mechanics Degreaser is a rapid action solvent based aerosol grease remover specially formulated for motor mechanics, trades people and consumers seeking extra cleaning power. It contains modern surfactants and solvents.

Hi-Tec Mechanics Degreaser can be used for cleaning oil, grease and grime from car, truck and motor cycle engines, mowers, outboard motors and other machinery. Applications also include cleaning concrete workshop floors, driveways and other surfaces that are heavily contaminated with oil and grease.

Product size: 400g



EVERYDAY DEGREASER

Hi-Tec Everyday Degreaser has been specially formulated to simply spray on and hose off in one application. Removes grease from engines, outboard motors, lawn mowers, trucks, trailers, metal parts, tools, work surfaces, walls, driveways - the uses are endless.

Product size: 400g



DE-RUST LUBRICANT

Hi-Tec De-Rust Lubricant is a multi-functional water displacing fluid, possessing effective rust preventative, fingerprint suppressant, penetrating and lubricating properties.

De-Rust Lubricant performs many everyday services in the home as well as industry, having rural, transport, automotive and marine applications, it will not stain.

Product size: 400g

AEROSOLS

**BRAKE & PARTS *CLEANER***

Hi-Tec Brake & Parts Cleaner is a solvent based fluid for cleaning brakes, brake discs, drums, calipers, chains, wire ropes, bearings and other metal parts requiring the removal of heavy grease and contaminants.

Product size: 350g

**CARBY *CLEANER***

Hi-Tec Carby Cleaner is a rapid action solvent based aerosol cleaner for carburettors and other fuel dispensing equipment.

It is designed to remove oil, gum, fuel, varnish and carbon deposits from the equipment and to restore the surface to an "as new" condition.

Product size: 400g

**TYRE *SHINE***

Hi-Tec Tyre Shine has been specially formulated to spray on tyres and bumpers for a brand new look.

Suitable for tyres, mudflaps, moulds and vinyl trims.

Product size: 350g



FULL SYNTHETIC MULTIGRADE DIESEL ENGINE OILS


**FLEETMASTER™ SYNTHETIC
CJ-4/SN 10W/40**

Hi-Tec Fleetmaster Synthetic CJ-4/SN 10W/40 is formulated using synthetic base oils for use in heavy duty diesel engines operating in the harsh Australia conditions. The very high dispersant, anti-wear formulation exceeds the requirements of the API CJ-4 specification. This lubricant is specifically designed to meet the requirements of engines with exhaust treatment systems especially DPF (diesel particulate filters) and cooled EGR (exhaust gas recirculation) using low sulphur fuels.

Product sizes: 20L, 200L, 1000L and Bulk


FLEETMASTER™ EURO 10W/40

Hi-Tec Fleetmaster™ Euro 10W/40 is a full synthetic high performance diesel engine oil designed to meet the ACEA E6 and Euro VI emission requirements. It is ideal for truck, bus and coach operators looking for substantial long term cost savings in running the fleet, particularly in extended oil drain applications.

Product sizes: 20L, 200L, 1000L and Bulk


FLEETMASTER™ 5W/30 ACEA E4

Hi-Tec Fleetmaster™ 5W/30 ACEA E4 is a full synthetic heavy duty diesel engine oil designed specifically to meet the UHPD (Ultra High Performance Diesel) lubricant category for vehicles running under severe operating conditions, such as those requiring significantly extended oil drain intervals.

Product sizes: 20L, 200L, 1000L and Bulk

MULTIGRADE DIESEL ENGINE OILS


**FLEETMASTER™ XTREME
15W/40 CK-4**

Hi-Tec Fleetmaster™ Xtreme 15W/40 CK-4 is a heavy duty diesel engine oil formulated using the latest synthetic technology base oils for use in severe duty high speed four stroke diesel engines with DPF, cooled EGR and other exhaust treatment systems, both turbo-charged and normally aspirated. It is designed to offer greater durability and protection due to its increased shear stability and reduction of oxidative thickening, abrasive wear, bore polishing and piston deposits. Fleetmaster Xtreme 15W/40 CK-4 can be used in 2017 model vehicles as well as those requiring Euro VI emission standards.

Product sizes: 5L, 10L, 20L, 200L, 1000L and Bulk


HTO CJ-4 15W/40

Hi-Tec HTO CJ-4 15W/40 is a premium heavy duty diesel engine oil formulated using highly refined base oils for severe duty high speed four stroke diesel engines, both turbo-charged and normally aspirated. It is specifically designed to meet the requirements of modern low emission US engines with DPF, cooled EGR and other exhaust treatment systems. It is ideal for multifleet applications covering prime movers, medium and light diesels as well as 2 and 4WD vehicles.

Product size: 5L, 20L, 200L, 1000L and Bulk



FLEETMASTER™ 15W/40 CI-4

Hi-Tec Fleetmaster™ 15W/40 CI-4 is a heavy duty diesel engine oil for use in multifleet diesel applications in normally aspirated and turbocharged engines. It is especially effective at sustaining engine durability where cooled EGR and other exhaust emission componentry is used. It meets the performance requirements of many American and European OEMs and associations.

Product sizes: 1L, 5L, 10L, 20L, 200L, 1000L and Bulk



FLEETMASTER™ 15W/40 J-TEC

Hi-Tec Fleetmaster™ 15W/40 J-Tec is a shear stable multigrade diesel engine oil designed specifically to meet the JASO DH-1 performance level for use in modern Japanese diesel engines. It is suitable for both normally aspirated and turbocharged engines.

Product sizes: 20L, 200L, 1000L and Bulk



FLEETMASTER™ SEMI SYN CJ-4 10W/40

Hi-Tec Fleetmaster Semi Syn CJ-4 10W/40 is formulated using the latest technology mineral and synthetic base oils for use in heavy duty diesel engines operating in the harsh Australian conditions. The very high dispersant, anti-wear formulation exceeds the requirements of the API CJ-4 specification. This lubricant is specifically designed to meet the requirements of engines with exhaust treatment systems especially DPF (diesel particulate filters) and cooled EGR (exhaust gas recirculation) using low sulphur fuels.

Product sizes: 20L, 200L, 1000L and Bulk

FULL SYNTHETIC ATF FLUIDS



MULTITRANS ATF

Hi-Tec Multitrans ATF is a premium full synthetic automatic transmission fluid with exceptional oxidative resistance, antiwear performance and frictional stability. It provides excellent antirust properties, and sludge & varnish control. It is specifically designed for use in North American, European and Asian vehicles.

Product sizes: 1L, 5L, 20L, 60L, 200L, 1000L and Bulk



MULTITRANS PLUS ATF (SYN ATF)

Hi-Tec Multitrans Plus ATF is a premium full synthetic automatic transmission fluid designed and OEM approved to meet the long drain ZF TE-ML 14C and 20C performance standards, as well as being suitable for use in many North American, European and Asian vehicles.

Product sizes: 20L, 60L and 200L

FULL SYNTHETIC ATF FLUIDS

**ATF DX6**

Hi-Tec ATF D6 is a premium full synthetic automatic transmission fluid specially formulated to meet the requirements of the General Motors Dexron® VI specification.

Product sizes: 5L, 20L, 60L, 200L, 1000L and Bulk

**UNIVERSAL CVT**

Hi-Tec Universal CVT Transmission Fluid is a premium full synthetic Continuously Variable Transmission (CVT) fluid, with excellent anti-foaming, anti-shudder, anti-scuffing and shear stability properties. It has been successfully demonstrated in varying types of CVTs with road tests in numerous vehicles. It is suitable for use in many CVT transmissions especially Audi/ VW, Honda, Mini Cooper and Subaru.

Product sizes: 1L, 5L, 20L, 60L and 200L

**DCT FLUID**

Hi-Tec DCT Fluid is an advanced lubricant for dual clutch transmissions (DSG Direct Shift Gearboxes). This synthetic oil provides smooth shifting, anti-shudder performance resulting in fuel economy benefits and superior transmission response due to its optimized frictional characteristics and wear protection. It can be used in DCT transmissions of passenger cars and vans which use Getrag and ZF equipment including Audi, BMW, Citroen, Ferrari, Fiat, Ford, Mercedes-Benz, Mitsubishi, Nissan, Peugeot, Porsche, Renault, Seat, Skoda, Volkswagen and Volvo vehicles.

Product sizes: 5L, 20L, 60L, 200L and Bulk

PREMIUM MINERAL ATF FLUIDS

**ATF TYPE 95 LE**

Hi-Tec Type 95 ATF is the premium Automatic Transmission Fluid for the Ford 4 speed automatic transmissions made by BTR for the 95LE in V8 and the 85LE in 6-cylinder models.

Product sizes: 5L, 20L, 60L, 200L, 1000L and Bulk

**ATF DX3**

Hi-Tec ATF DX3 is an automatic transmission fluid for use in older automatic transmissions requiring GM Dexron® III or Ford Mercon® performance. It is also suitable for use in other transmissions, where the Allison C4 and TES-389 performance levels are called for as well as various power steering, pump and hydraulic applications.

Product sizes: 1L, 5L, 20L, 60L, 200L, 1000L and Bulk

FULL SYNTHETIC AUTOMOTIVE GEAR OILS

**SYNGEAR™ 75W/90 GL-5**

Hi-Tec Syngear 75W/90 GL-5 is a full synthetic limited slip gear oil which offers outstanding high temperature and high load performance properties combined with excellent low temperature fluidity and cold flow properties, exceptional corrosion protection and superior seal compatibility.

Product sizes: 1L, 4L, 20L, 60L, 200L, 1000L and Bulk

**SYNSHIFT 75W/140 GL-5**

Hi-Tec Synshift 75W/140 GL-5 is a full synthetic gear/limited slip differential oil which offers outstanding high temperature and high load carrying performance combined with exceptional low temperature fluidity, cold flow properties, superior corrosion protection and superior seal compatibility.

Product sizes: 1L, 4L, 20L, 60L, 200L, 1000L and Bulk

PREMIUM AUTOMOTIVE GEAR OILS

**GEAR OIL RX80**

Hi-Tec RX80 Gear Oil is a manual transmission fluid of advanced design especially developed to provide easier gear changes over a wide temperature range. RX80 Gear Oil is particularly versatile in cold weather. It reduces shift effort at start-up, as well as controlling transmission noise and idle rattle at operating temperatures.

Product sizes: 20L, 60L, 200L and Bulk

**ROAD RANGER SAE 50**

Hi-Tec Road Ranger SAE 50 is a mineral oil based gear lubricant blended for use in Road Ranger gearboxes and automotive and industrial applications where extreme pressure properties are not required. The high viscosity index and low pour point provide a tough, highly adhesive film to protect gear teeth and bearings against wear.

Product sizes: 20L, 60L, 200L, 1000L and Bulk

**GEAR OIL 75W/85 GL-4**

Hi-Tec Gear Oil 75W/85 GL-4 is an API GL-4 gear lubricant specially recommended for manual transmissions and transaxles, automotive axles with hypoid gears operating under low to moderate loads, and spiral bevel gears operating at moderate to severe loads.

Product sizes: 4L, 20L, 60L, 200L, 1000L and Bulk

**GEAR OIL 75W/90 GL-4 & GL-5**

Hi-Tec Gear Oils 75W/90 GL-4 and GL-5 are API GL-4/ GL-5 gear lubricants specially recommended for synchronised manual transmissions, front wheel drive transaxle gear boxes, automotive hypoid and spiral bevel axles operating at low to moderate loads.

Product sizes:

GL-4: 1L, 4L, 20L, 60L, 200L, 1000L and Bulk.

GL-5: 4L, 20L, 60L, 200L, 1000L and Bulk

PREMIUM AUTOMOTIVE GEAR OILS



GEAR OIL **80W/90 GL-5**

Hi-Tec Gear Oil 80W90 GL-5 is a superior GL-5 gear oil designed to provide excellent thermal stability, improved oil seal life, gear surface life and corrosion protection to yellow metals.

Gear Oil 80W90 GL-5 is recommended for initial and service fill and top-up of car, truck and tractor manual transmissions, differentials, final drives and transfer and steering gearboxes.

Product sizes: 1L, 4L, 20L, 60L, 200L, 1000L and Bulk



LIMITED SLIP GEAR OILS **LS90 & 85W/140**

Hi-Tec LS Gear Oils SAE 90 and SAE 85W/140 are premium gear oils with superior limited slip differential performance. LS Gear Oils SAE 90 and SAE 85W/140 are specifically designed to provide improved: oil seal life, durability (Gear surface life), and corrosion protection to yellow metals under both wet and dry conditions.

Product sizes: 1L, 20L, 60L, 200L, 1000L and Bulk (LS90). 20L, 60L, 200L, 1000L and Bulk (LS85W/140)

COOLANTS & BRAKE FLUIDS



LONG LIFE COOLANT **GREEN**

Hi-Tec Long Life Coolant Green is a general purpose ethylene glycol based antifreeze/coolant concentrate incorporating an advanced formula technology with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and heavy duty diesel and natural gas mobile and stationary engines.

Product sizes: 1L, 5L, 20L, 200L, 1000L and Bulk



HD COOLANT **HG 40**

Hi-Tec HD Coolant HG Forty is a heavy duty ethylene glycol based, silicated OAT, violet coloured coolant concentrate free of nitrites, amines and phosphates. It provides outstanding protection against frost, corrosion, overheating and deposits in modern engine cooling systems.

Product sizes: 20L, 200L and Bulk



LONG LIFE COOLANT **RED**

Hi-Tec Long Life Coolant Red is an ethylene glycol based antifreeze/coolant concentrate with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and can be used in heavy duty diesel engines.

Product sizes: 1L, 5L, 20L, 200L, 1000L and Bulk



LONG LIFE COOLANT **BLUE**

Hi-Tec Long Life Coolant Blue is an ethylene glycol based antifreeze/coolant concentrate containing no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It has an advanced formula with virtually non-depleting organic acid corrosion inhibitors and is silicate free for improved pump life. It is recommended for heavy duty diesel, natural gas mobile and stationary engines and also petrol automotive engines with alloy heads. For heavy duty trucks, it has a service life of 6 years/1,000,000 km; for passenger car/light duty commercial vehicles, 5 years/ 250,000 km.

Product sizes: 20L and 200L



ORGANIC PREMIX COOLANT **50% GREEN**

Hi-Tec Organic Premix 50 Coolant is a general purpose ethylene glycol based antifreeze/coolant premix incorporating an advanced formula technology with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and heavy duty diesel and natural gas mobile and stationary engines.

Product sizes: 20L, 200L, 1000L and Bulk



ORGANIC PREMIX COOLANT **50% RED**

Hi-Tec Organic Premix 50 Coolant is a general purpose ethylene glycol based antifreeze/coolant premix incorporating an advanced formula technology with virtually non-depleting organic acid corrosion inhibitors. It is silicate free for improved pump life and contains no environmentally harmful nitrates, borates, phosphates, amines or nitrites. It is recommended for use in aluminium alloy petrol powered automotive engines, and heavy duty diesel and natural gas mobile and stationary engines.

Product sizes: 20L, 200L, 1000L and Bulk

COOLANTS & BRAKE FLUIDS



BRAKE FLUID **DOT 3 & 4**

Hi-Tec Brake Fluid DOT 3 is a yellow premium quality brake fluid that meets or exceeds all the requirements of the DOT 3 specification. It is suitable for use in hydraulic brake and clutch systems.

Hi-Tec Brake Fluid DOT 4 is a premium quality, high boiling point Brake Fluid that meets or exceeds all the requirements of the DOT 4 specification. For help in identification it is dyed blue in colour.

Product sizes: 500ml, 4L, 20L and 200L

ADBLUE PRODUCT



BLUE **AIR**

Hi-Tec Blue Air is an aqueous urea solution, designed to be used with the Selective Catalytic Reduction technology (SCR) employed in heavy-duty diesel vehicles to reduce emissions of oxides of nitrogen (NOx) from the exhaust system.

Product sizes: 15L, 200L and 1000L

CLEANING DETERGENTS



FLEET WASH

Hi-Tec Fleetwash is a coconut oil based detergent formulation containing inorganic phosphates for the purpose of removing dirt, mud, oil film and road grime from all washable surfaces.

It can be used on all road, commercial and recreational vehicles, engines, and under bodies as well as on magnesium and alloy wheels, tyres and rubber inserts.

Product sizes: 5L, 20L, 200L and 1000L



WATER BASED DEGREASER

Hi-Tec Water Based (WB) Degreaser is a biodegradable, alkaline cleaner that can be used in a wide variety of industrial and commercial applications.

It is formulated to provide a powerful emulsifying action to remove dirt, greases and oils from a range of surfaces.

Product sizes: 5L, 20L, 200L and 1000L



SUPER SCRUBA HAND CLEANER

Hi-Tec Super Scruba Hand Cleaner is a yellow coloured, naturally formulated, citrus-based, waterless hand cleaner containing grit. It removes grease, oil, industrial grime and dirt.

Product sizes: 5L, 20L, 200L and 1000L



WINDSCREEN ADDITIVE

Hi-Tec Windscreen Additive is a clear blue liquid concentrate for use in automotive washer reservoirs. It is non-flammable.

Product sizes: 1L, 5L, 20L and 1000L



ULTRA MAGIC

Hi-Tec Ultra Magic is a concentrated multipurpose cleaner with no phosphates added. It effectively removes dirt, oil and grime from all washable surfaces. It is non-toxic and does not contain solvents or caustic chemicals. It is non-irritating to skin and completely safe to use on all washable surfaces.

Product sizes: 5L, 20L, 200L and 1000L



WINDOW CLEANER

Hi-Tec Window Cleaner is a non hazardous, light duty, biodegradable, slightly alkaline cleaner that can be used in a wide variety of industrial, commercial and household window cleaning applications. It is safe to use on most hard surfaces.

Product sizes: 5L, 20L and 1000L



ARMOR KOTE

Hi-Tec Armor Kote is a leather and vinyl protector. When applied to vinyl, leather and rubber surfaces it will produce a gloss leaving the surface looking as new. Hi-Tec Armor Kote is safe to use on hard surfaces such as bumpers, cover strips, dash boards and more.

Product sizes: 400ml, 4L, 20L and 200L

GLASS CLEANER

Hi-Tec Glass Cleaner leaves glass surfaces sparkling. This streak-proof formula removes smoke stains, grease and grime, fingerprints, smudges, dust, road film and surface smears. This fast-acting cleaner can be used on many hard surfaces.

Product size: 400ml

CLEANING ACCESSORIES



CLEANING RAGS

Hi-Tec cleaning rags can be used for many different services and applications. The product is ideal for wiping and cleaning excess oil and spills in the warehouse and workshop.

Product sizes: 10kg or 20kg bag



SUPER ZORB

Hi-Tec Super Zorb is a lightweight oil absorbent material. It will rapidly absorb liquid and retain the liquid against leaching. It does not break down and does not become slippery when wet as do some other absorbent materials.

Super Zorb is made from crushed zeolite rock containing no free crystalline silica. It is not carcinogenic.

The crushed rock retains the original sponge structure ensuring that it retains its lightweight, highly porous, super absorbent character.

Product size: 22L

SOLVENT BASED CHEMICALS



BRAKE CLEANER

Hi-Tec Brake Cleaner is a solvent based fluid for cleaning brakes, brake discs, drums, calipers, chains, wire ropes, bearings and other metal parts requiring the removal of heavy grease and contaminants.

Product sizes: 20L and 200



TYRE SHINE

Hi-Tec Tyre Shine is a silicone based tyre and bumper shine. It leaves surfaces looking glossy and new. Wash tyres and bumpers or any surface that requires treatment. Allow to dry, then simply spray on Tyre Shine. Some surfaces may need a wipe with a clean cloth after spraying.

Product sizes: 20L and 200L

SOLVENT BASED CHEMICALS



HEAVY DUTY *DEGREASER*

Hi-Tec Heavy Duty Degreaser is formulated with petroleum solvents and a detergent emulsifier. The cleaning action of the solvents is enhanced by the presence of aromatic components which improve penetration and solvency. It can be used for cleaning machinery, workshop floors and other surfaces heavily contaminated with grease and oil. Apply liberally, work in with a brush and simply hose off.

Product sizes: 5L, 20L, 200L and 1000L



PARTS WASH *SOLVENT*

Hi-Tec Parts Wash Solvent offers an effective solution for washing or soaking machine parts. Alternatively it can be sprayed onto oily and greasy surfaces. For heavy build up agitate with a brush and allow to penetrate for a few minutes and wash off.

Product sizes: 20L, 200L and 1000L



X55 *SOLVENT*

Hi-Tec X55 Solvent is a wide boiling range, rapidly evaporating, residue free solvent used for processing, cleaning and degreasing in many industries including printing, paints, adhesives and rubber manufacture.

Product sizes: 20L and 200L



DE-RUST *OIL*

Hi-Tec De-Rust Oil is a multi-functional water displacing fluid, possessing effective rust preventative, fingerprint suppressant, penetrating and lubricating properties.

De-Rust Oil is a very effective rust preventative for short-term indoor applications. It forms a protective film to inhibit rust and corrosion to many items, such as metal components, tools, sporting equipment, locks, hinges, lawn mowers, outboard motors to name a few.

Product sizes: 400g (Aerosol -HI8-3240-00004), 20L and 200L



KEROSENE

Hi-Tec Kerosene is a petroleum product miscible with many industrial liquids. Kerosene can be used as a solvent, able to remove other petroleum products, such as chain grease and also as a lubricant with less risk of combustion when compared to petrol.

It can also be used as a cooling agent in metal production and treatment (oxygen-free conditions).

Product sizes: 20L and 200L

FUEL TREATMENTS & CLEANERS



DIESEL FUEL *TREATMENT*

Hi-Tec Diesel Fuel Treatment is a multifunctional diesel fuel maintenance additive. It is specifically designed to give an overall improvement on most aspects of fuel efficiency.

Product sizes: 5L, 20L and 200L



BUG RID

Hi-Tec Bug Rid is a potent biocide for killing and preventing re-growth of most types of organisms which grow in fuels. Bug Rid also acts as a fuel tank corrosion inhibitor and fuel system lubricant improver.

Product sizes: 4L, 20L and 200L



PETROL INJECTOR CLEANER

Hi-Tec Petrol Injector Cleaner is an advanced gasoline performance additive specifically formulated to control port fuel injector, intake valve and combustion chamber deposits.

Product sizes: 20L and 200L

GREASES



LITHPLEX TAC EP-2 GREASE

Hi-Tec Lithplex TAC EP-2 Grease is a superior, multi-purpose grease possessing excellent lubrication characteristics for a wide range of anti-friction and plain bearings, gears and couplings in automotive, marine, agricultural and industrial applications.

Product sizes: 400g, 450g, 500g, 2.5kg, 20kg, 55kg and 180kg



PETROLEUM JELLY

Hi-Tec Petroleum Jelly meets the purity requirements of the 8th Edition of the European Pharmacopeia for white soft paraffin. Expected shelf life is three years provided the material is stored in closed containers and protected from heat, light and moisture.

Product sizes: 500g, 2.5kg and 19kg



RUBBER GREASE

Hi-Tec Rubber Grease is a premium quality clay thickened grease formulated with castor oil to provide outstanding performance in a wide range of automotive and industrial applications where contact with natural and/or synthetic rubber components is required or likely.

Product sizes: 500g, 2.5kg and 20kg



Hi-Tec Batteries offers the smallest portable batteries



AUTOMOTIVE BATTERIES

Hi-Tec Automotive range of batteries to suit every model.

Popular models include:
NS40ZL, NS60LS, 55D23LX, DIN55L, DIN66LH - Stop-start AGM and EFB



COMMERCIAL BATTERIES

Hi-Tec Commercial range of batteries are built tough to withstand extreme conditions.

Popular models include:
NS70, N70ZZ, N120, N150, N200



MARINE AND LEISURE BATTERIES

Hi-Tec Marine range includes, Maintenance Free, AGM, Gel and Lithium.

Popular models include:
M24, M27, N150, N200, Dual Purpose AGM



LAWN MOWER BATTERIES

Hi-Tec Lawn mower batteries to suit all mowers, key start and ride on.

Popular models include:
12V 7AH, U1-300, U1R-300



OPTIMA AGM BATTERIES

Hi-Tec OPTIMA range to suit all applications, Red, Yellow and Blue models available.

Applications include:
Red: Starting, Blue: Marine, Yellow: Dual purpose

s batteries for all applications ranging from
e batteries to the largest industrial batteries.

ODYSSEY AGM BATTERIES

Hi-Tec ODYSSEY range suitable for extreme applications. Applications include Racing, Marine, and Diesel Generators.

Popular models include:

PC1500, PC1700 , PC680, PC925, PC1200



BRILLE LITHIUM BATTERIES

The number 1 Motorsport battery in the world. Suitable for race applications including 16v drag cars. Available in both Lithium and AGM.

Popular Models include:

B128L, B168L, B3121, B2015



HI-POWER AGM BATTERIES

Hi-Tec Hi-power AGM is suitable for Motorhomes, Caravans, Generators, Fire pumps, Mobility scooters.

Popular models include:

12v85, 12v105, 12v125



HI-POWER LITHIUM BATTERIES

Hi-Tec Hi-Power Lithium is the latest technology suitable for Caravans, motorhomes, bass fishing boats, 4x4 aux, etc. 10 year+ life.

Popular models include:

12v100 & 24v200ah



BATTERY ACCESSORIES

Hi-Tec have a full range of battery accessories.

- Battery chargers
- Jump starters
- Testing equipment





www.hi-tecoils.com.au

Hi-Tec Oils (Head Office)

5 Tarlington Place Smithfield NSW 2164

Ph: 1300 796 009 | (02) 9616 5700

Fax: (02) 9604 1611



Hi-Tec Oils (Victoria)

1/ 41-45 Burns Road
Altona VIC 3018

Ph: (03) 9369 5512
Fax: (03) 9369 5682

Hi-Tec Oils (TAS Distributor)

125 Swanston Street
New Town TAS 7008

Ph: 1300 914 616

Hi-Tec Oils (Queensland)

37 Nealdon Drive
Meadowbrook QLD 4131

Ph: (07) 3200 3492
Fax: (07) 3200 7136

Hi-Tec Oils (ACT Distributor)

86 Bayldon Road
Queanbeyan NSW 2620

Ph: (02) 6232 9515
Fax: (02) 6232 9511

Hi-Tec Oils (Bohle Queensland)

Northern Logistics & Warehousing - Dealer
27-33 Toll Street
Bohle QLD 4818

Ph: (07) 4774 3507

Hi-Tec Oils (Newcastle)

1/ 71 Mitchell Road
Cardiff NSW 2285

Ph: (02) 4956 6000
Fax: (02) 4956 6888

Hi-Tec Oils (South Australia)

6-7/ 3A Newcastle Crescent
Cavan SA 5094

Ph: (08) 8162 5807
Fax: (08) 8359 7849

Hi-Tec Oils (Port Lincoln)

Pine Freezers Road
Port Lincoln SA 5606

Ph: 0409 162 582

Hi-Tec Oils (Western Australia)

1/ 46 Baile Road
Canning Vale WA 6155

Ph: (08) 9256 4528
Fax: (08) 9455 2129

Hi-Tec Oils (North Geelong)

M & R Distributors - Dealer
6 Freedman Street
North Geelong VIC 3215

Ph: (03) 5277 1107

Hi-Tec Oils (Northern Territory)

15 Bishop Street
Woolner NT 0820

Ph: (08) 8931 4857
Fax: (08) 8931 4981

Hi-Tec Oils (Wodonga)

North East Oil Distributors - Dealer
74 Church Street
Wodonga VIC 3690

Ph: (02) 6056 5055

Distributed By:

Quality Assurance Hi-Tec Oil Traders Pty Ltd has been assessed by QAS International and confirmed as meeting the quality management systems. The accreditation applies to the following: Manufacture of finished lubricants for automotive, commercial and industrial applications. These products also include mineral, semi-synthetic and full synthetic variants. Should you require a copy of our Quality Assurance certificate please don't hesitate to ask.

Hi-Tec Oils Oil Sampling - We offer clients an oil condition monitoring service. The benefits of this include extended drain intervals and equipment breakdown prevention.

Although every care is taken to ensure accuracy and completeness in compiling this data, no liability can be accepted by Hi-Tec Oils for damage or loss caused by any errors or omissions in the information given, directly or indirectly. Suitability of products referred to in this catalogue is the customers sole responsibility. Always refer to technical data to confirm suitability which is available on request from Hi-Tec Oils.

