CLEANING DETERGENTS





FLEET WASH

Hi-Tec Fleetwash is a coconut oil based detergent formulation containing inorganic phosphates for the purpose of removing dirt, mud, oil film and road grime from all washable surfaces.

It can be used on all road, commercial and recreational vehicles, engines, and under bodies as well as on magnesium and alloy wheels, tyres and rubber inserts

| SP | ECI | FI | CAT | IONS |
|----|------------|----|-----|------|

| Product Code | HI8-3170 |
|---------------|---|
| Dilution Rate | Up to 1:10 parts of water - Manual washing and low pressure cleaning; Up to 1:15 parts of water - High pressure cleaning |
| Performance | Biodegradable cleaning agent Water soluble and non-flammable pH in solution of 7.0 - 8.0 Heavy Duty Coconut oil based |
| Product Sizes | 5L, 20L, 200L and 1000L |



WATER BASED DEGREASER

Hi-Tec Water Based (WB) Degreaser is a biodegradable, alkaline cleaner that can be used in a wide variety of industrial and commercial applications.

It is formulated to provide a powerful emulsifying action to remove dirt, greases and oils from a range of surfaces.

Citrus Degreaser also available (HI8-9070

SPECIFICATIONS

| Product Code | HI8-3510 |
|---------------|---|
| Dilution Rate | 1:40 for general cleaning; 1:20 for motor bodies and painted surfaces |
| Performance | Water basedBiodegradable alkaline cleanerCost Effective |
| Product Sizes | 5L, 20L, 200L and 1000L |



SUPER SCRUBA HAND CLEANER

Hi-Tec Super Scruba Hand Cleaner is a yellow coloured naturally formulated citrus-based waterless hand cleaner containing grit. It removes grease, oil, industrial grime and dirt.

SPECIFICATIONS

| Product Code | HI8-3450 |
|---------------|---|
| Performance | Appearance: Yellow Cream with citrus odour Biodegradable: Can be disposed to sewerage systems |
| Product Sizes | 5L, 20L, 200L and 1000L |



ULTRA MAGIC

Hi-Tec Ultra Magic is a concentrated multipurpose cleaner with no phosphates added. It effectively removes dirt, oil and grime from all washable surfaces. It is non-toxic and does not contain solvents or caustic chemicals and is non-irritating to skin and completely safe to use on all washable surfaces.

SPECIFICATIONS

| Product Code | HI8-3490 |
|---------------|--|
| Performance | Water soluble Biodegradable Non flammable Neutral pH - no caustics Non irritant, non toxic |
| Product Sizes | 5L, 20L, 200L and 1000L |



WINDOW CLEANER

Hi-Tec Window Cleaner is a non hazardous, light duty, biodegradable, slightly alkaline cleaner that can be used in a wide variety of industrial, commercial and household window cleaning applications. It is safe to use on most hard surfaces.

SPECIFICATIONS

| Product Code | HI8-3550 |
|---------------|---|
| Performance | 100% soluble in water Fully Biodegradable Appearance: Clear blue liquid with slight ammonia smell pH: 9.4 - 10.0 Use straight or at dilution rates down to 2.5% |
| Product Sizes | 5L, 20L and 1000L |
| | |



WINDSCREEN ADDITIVE

Hi-Tec Windscreen Additive is a clear blue liquid concentrate for use in automotive washer reservoirs. It is non-flammable.

SPECIFICATIONS

| JI LOII IOATIONS | |
|------------------|---|
| Product Code | HI8-3560 |
| Performance | Water Soluble Non flammable pH 9.4-10.0 Use at 2%-10% dilution |
| Product Sizes | 1L, 5L, 20L and 1000L |
| | |





CLEANING RAGS

Hi-Tec cleaning rags can be used for many different services and applications. The product is ideal for wiping and cleaning excess oil and spills in the warehouse and workshop.

SPECIFICATIONS

| Product Code | HI8-3040-010 (10kg); HI8-3040-020 (20kg) |
|---------------|--|
| Application | Assorted fabric cleaning rags |
| Product Sizes | 10kg or 20kg bag |



SUPER ZORB

Hi-Tec Super Zorb is a lightweight oil absorbent material. It will rapidly absorb liquid and retain the liquid against leaching. It does not break down and does not become slippery when wet as do some other absorbent materials.

Hi-Tec Super Zorb is made from crushed zeolite rock containing no free crystalline silica. It is not carcinogenic.

The crushed rock retains the original sponge structure ensuring that it retains it's lightweight, highly porous, super absorbent character.

SPECIFICATIONS

| SPECIFICATIONS | |
|----------------|---|
| Product Code | HI8-3461 |
| Dilution Rate | Non toxicEnvironmentally friendlyFast absorptionMeets EPA guidelines |
| Product Sizes | 22L |

SCREEN WIPERS



MULTI FIT SOFT WIPER

Hi-Tec Multi Fit Soft Wipers are engineered for highly curved windshields, combining aerodynamic design with less windlift. They are manufactured for maximum performance and durability.

Hi-Tec Multi Fit Soft Wipers are lower profile and out-of-view. They are designed for all-weather and all-season performance with advanced visibility protection for European, American & Asian vehicles.

Refills are also available.



SOLVENT BASED CHEMICALS





HEAVY DUTY DEGREASER

Hi-Tec Heavy Duty Degreaser is formulated with petroleum solvents and a detergent emulsifier. The cleaning action of the solvents is enhanced by the presence of aromatic components which improve penetration and solvency. It can be used for cleaning machinery, workshop floors and other surfaces heavily contaminated with grease and oil. Apply liberally, work in with a brush and simply hose off.

SPECIFICATIONS

| Product Code | HI8-3200 |
|-----------------|---|
| Characteristics | Solvent based Flash Point: 40°C Boiling Point: Greater than 150°C Flammable Liquid |
| Product Sizes | 5L, 20L, 200L and 1000L |



PARTS WASH SOLVENT

Hi-Tec Parts Wash Solvent offers an effective solution for washing or soaking machine parts. Alternatively it can be sprayed onto oily and greasy surfaces. For heavy build up agitate with a brush and allow to penetrate for a few minutes and wash off.

SPECIFICATIONS

| Product Code | HI8-3350 |
|-----------------|--|
| Characteristics | Solvent based Appearance: Clear liquid Flash Point: Approximately 42°C Solubility in Water: Insoluble Flammable Liquid |
| Product Sizes | 20L, 200L and 1000L |



BRAKE CLEANER

Hi-Tec Brake Cleaner is a solvent based fluid for cleaning brakes, brake discs, drums, calipers, chains, wire ropes, bearings and other metal parts requiring the removal of heavy grease and contaminants.

SPECIFICATIONS

| Product Code | HI8-3050 |
|-----------------|--|
| Characteristics | Solvent based Appearance: Clear, colourless liquid Flash Point -20°C Solubility in Water: Insoluble Flammable Liquid |
| Product Sizes | 20L and 200L |



KEROSENE

Hi-Tec Kerosene is a petroleum product miscible with many industrial liquids. It can be used as a solvent, able to remove other petroleum products, such as chain grease and also as a lubricant with less risk of combustion when compared to petrol.

It can also be used as a cooling agent in metal production and treatment (oxygen-free conditions).

SPECIFICATIONS

| Product Code | HI8-3220 |
|-----------------|--|
| Characteristics | Clear Liquid Flash Point >38°C Insoluble in water Flammable Liquid |
| Product Sizes | 20L and 200L |
| | |



X55 SOLVENT

Hi-Tec X55 Solvent is a wide boiling range, rapidly evaporating, residue free solvent used for processing, cleaning and degreasing in many industries including printing, paints, adhesives and rubber manufacture.

SPECIFICATIONS

| Product Code | HI8-3570 |
|-----------------|---|
| Characteristics | Flash Point < -20°CFlammable Liquid |
| Product Sizes | 20L and 200L |
| | |



DE-RUST OIL

Hi-Tec De-Rust Oil is a multi-functional water displacing long term indoors & short term outdoor fluid, possessing effective rust preventative, fingerprint suppressant, penetrating and lubricating properties.

De-Rust 0il is a very effective rust preventative for short-term indoor applications. It forms a protective film to inhibit rust and corrosion to many items, such as metal components, tools, sporting equipment, locks, hinges, lawn mowers, outboard motors to name a few.

SPECIFICATIONS

| nt: >149°C ng : 36°C n water |
|---------------------------------------|
| - |
| L |





TYRE SHINE

Hi-Tec Tyre Shine is a silicone based tyre and bumper shine. It leaves surfaces looking glossy and new. Wash tyres and bumpers or any surface that requires treatment. Allow to dry, then simply spray on Tyre Shine. Some surfaces may need a wipe with a clean cloth after spraying.

SPECIFICATIONS

| Product Code | HI8-3480 |
|-----------------|--|
| Characteristics | Flash Point 30-60°CInsoluble in water |
| Product Sizes | 20L and 200L |



BUG RID

Hi-Tec Bug Rid is a potent biocide for killing and preventing re-growth of most types of organisms which grow in fuels. Bug Rid also acts as a fuel tank corrosion inhibitor and fuel system lubricant improver.

SPECIFICATIONS

| Product Code | HI8-3060 |
|-----------------|--|
| Characteristics | Hydrocarbon petroleum solvent Appearance: Clear amber liquid Shelf Life: 24 months if stored in closed drum Flash point > 61°C. Immiscible in water Dangerous Goods |
| Product Sizes | 4L, 20L and 200L |

FUEL TREATMENTS & CLEANERS



DIESEL FUEL TREATMENT

Hi-Tec Diesel Fuel Treatment is a multifunctional diesel fuel maintenance additive. It is specifically designed to give an overall improvement on most aspects of fuel efficiency.

SPECIFICATIONS

| Product Code | HI8-3120 |
|-----------------|--|
| Characteristics | Appearance: Clear light brown coloured liquid Flash Point > 61°C Hazardous Goods, Non Dangerous Goods |
| Product Sizes | 5L, 20L and 200L |



PETROL INJECTOR CLEANER

Hi-Tec Petrol Injector Cleaner is an advanced gasoline performance additive specifically formulated to control port fuel injector, intake valve and combustion chamber deposits.

SPECIFICATIONS

| Product Code | HI8-3360 |
|-----------------|--|
| Characteristics | Fuel injection system is cleaned Corrosion protection Improves engine performance Flash Point > 61°C Hazardous Goods, Non Dangerous Goods |
| Application | 250ml is sufficient to treat the entire tank of 60 litres. It is suitable for all petrol engines and all grades of petrol. |
| Product Sizes | 20L and 200L |

AD BLUE



BLUE AIR

Hi-Tec Blue Air is an aqueous urea solution, designed to be used with the Selective Catalytic Reduction technology (SCR) employed in heavy-duty diesel vehicles to reduce emissions of oxides of nitrogen (NOx) from the exhaust system.

SPECIFICATIONS

| HI8-3015 | |
|--|--|
| For SCR exhaust systems to absorb NOx emissions Blended by certified Ad Blue manufacturer to ISO 22241 and DIN 70070 quality standards. Ideal for Volvo, Scania, DAF, Iveco, Mercedes Benz, AllRig, Alliance | |
| 15L, 200L and 1000L | |
| | |