

Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

PRODUCT DATA SHEET

ATF TYPE 95 LE

PRODUCT DESCRIPTION

ATF Type 95 LE is the premium Automatic Transmission Fluid for use in the 95LE (V8) and the 85LE (6-cylinder) Ford 4 speed automatic transmissions made by BTR. It is made from a specially balanced combination of HVI base oils and additives which produce a high performance Automatic Transmission Fluid that gives gear durability second to none.

CHARACTERISTICS

ATF Type 95 LE is shear-stable and it will perform extremely well for the life of the transmission. Additionally, the thermal and chemical stability of **ATF Type 95 LE** makes it ideal for long distance towing in hot weather.

RECOMMENDATIONS

ATF Type 95 LE is recommended for Ford 4 Speed automatics using the BTR Engineering 85LE/95LE transmissions. **ATF Type 95 LE** is also recommended for use in other transmissions requiring the following fluids:

- Type A Suffix A (TASA)
- Ford Mercon
- GM Dexron II
- Volvo 97325
- Caterpillar TO-2

Always consult your vehicle owner's manual for the manufacturer's lubricant recommendations.

TYPICAL PROPERTIES ASTM Method Property Results Appearance Visual Clear & Bright Colour Visual Red Density (kg/Lt) @ 15°C D-1298 0.857 Viscosity (cSt) @ 40°C D-445 37.4 @ 100°C D-445 7.5 cP @ -40°C D-2983 19,600 Viscosity Index D-2270 170 Pour Point (°C) D-97 -41 Flash Point (°C) D-93 200 Copper Strip Corrosion -3 hours at 100°C D-130 1b









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

PRODUCT DATA SHEET

Available in: 200 Litres, 60 Litres, 20 Litres, 5 Litres, 1 Litre

"Hi-Tec Oil Traders Pty Ltd (Hi-Tec Oils) has endeavoured to ensure that all information, representations and specifications contained in this product data sheet are accurate at the time of publication. This general information should be used in conjunction with appropriate inquiries by users of the product including consultation with the vehicle or equipment manufacturers published information.

It is the responsibility of users of the product to use the product safely. Users should consult the safety data sheets for each product at www.hi-tecoils.com.au. Hi-Tec Oils takes no responsibility for injury or damage if the product is used in an inappropriate or unsafe manner.

Our product warranty and product quality statement can be viewed at www.hi-tecoils.com.au"

Item Code: HI3-2685

Effective: February 2020

MR022041/1



