

PRODUCT DATA SHEET

SLC HV 00 P GREASE

PRODUCT DESCRIPTION

SLC HV 00 P is a premium, state-of-the-art lithium complex grease formulated with synthetic hydrocarbon fluids. **SLC HV 00 P** exhibits excellent low temperature performance to temperatures of -40°C. This product has been formulated with a special additive package which insures high film strength, extreme pressure (EP) and anti-wear properties. **SLC HV 00 P** also provides excellent corrosion protection. Typical physical properties are listed below.

TYPICAL PROPERTIES

Property	ASTM Method	Results
NLGI Grade	-	00
Thickener Type	-	Lithium Complex
Texture	-	Smooth
Colour	-	Purple
Worked Penetration	-	
60 strokes @ 25°C	D-217	400-430
Oxidation Stability (PSI)	-	
Drop/100hrs. (max)	D-942	5
Rust & Corrosion	D-1743	Pass
Timken (OK Load, min)	D-2509	50
4 Ball EP Weld Pt. (min kg)	D-2596	250
4 Ball Wear Scar Diameter (mm)	D-2266	0.60
Viscosity Index (min)	-	150
Viscosity (cSt) @ 100°C	D-445	44.5-48.5
@ 40°C	D-445	420-500

Available in: 180kg, 20kg and 16kg.

"Hi-Tec Oil Traders Pty Ltd (Hi-Tec Oils) has endeavoured to ensure that all information, representations and specifications contained in this product data sheet are accurate at the time of publication. This general information should be used in conjunction with appropriate inquiries by users of the product including consultation with the vehicle or equipment manufacturers published information.

It is the responsibility of users of the product to use the product safely. Users should consult the safety data sheets for each product at <u>www.hi-tecoils.com.au</u>. Hi-Tec Oils takes no responsibility for injury or damage if the product is used in an inappropriate or unsafe manner.

Our product warranty and product quality statement can be viewed at www.hi-tecoils.com.au"

Item code:	HI7-1040	

Effective: June 2020

KH026042/1





SAFETY DATA SHEET

Page 1 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

Product name: SLC HV 00 P Grease 1. COMPANY DETAILS AND PRODUCT IDENTIFICATION COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362) ADDRESS: PO Box 322 Castle Hill NSW 1765 5 Tarlington Place, Smithfield NSW 2164 **TELEPHONE NUMBER:** 1300 796 009 FAX NUMBER: (02) 9604 1611 EMERGENCY TELEPHONE NUMBER: 1300 796 009 **PRODUCT NAME:** SLC HV 00 P Grease **OTHER NAMES:** None MANUFACTURER'S PRODUCT CODE: HI7-1040 USE: High performance, semi synthetic lithium complex grease. ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information. OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION:	NON-HAZARDOUS NON-DANGEROUS GOODS Hazard classification according to GHS Classification. Dangerous goods classification according to Australian Dangerous Goods Code.
SIGNAL WORD (S):	None
IRRITANCY OF PRODUCT:	Not classified as an irritant.
SENSITISATION OF PRODUCT:	Not known to be a sensitiser.
TERATOGENICITY:	No teratogenic effects known.
OTHER INFORMATION:	Used greases may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and skin contact avoided as far as possible.





SAFETY DATA SHEET

Page 2 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTICS:

INGREDIENTS:-

CHEMICAL ENTITY	CAS NO	PROPORTION
Distillates (petroleum), hydrotreated heavy napthenic	64742-52-5	40-50%
Ingredients determined to be non-hazardous	-	To 100%

Grease

4. FIRST AID MEASURES

GENERAL INFORMATION:	You should call the Poisons Information Centre on 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) if you feel that you may have been poisoned, burned or irritated by this product. Have this SDS with you when you call.	
INHALATION:	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues.	
INGESTION:	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues.	
SKIN CONTACT:	No specific recommendations. Rinse with water. Get medical attention if any discomfort continues.	
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.	
FIRST AIDERS:	Use protective equipment appropriate for surrounding materials.	
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		
GENERAL INFORMATION:	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
INHALATION:	No specific symptoms known. Spray/mists may cause respiratory tract irritation.	
INGESTION:	No specific symptoms known. May cause discomfort if swallowed.	
SKIN CONTACT:	No specific symptoms known. May cause discomfort.	
EYE CONTACT:	No specific symptoms known. May be slightly irritating to eyes.	







SAFETY DATA SHEET

Page 3 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

4. FIRST AID MEASURES (CONT)

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NOTES TO PHYSICIAN:

SPECIAL TREATMENTS:

Treat symptomatically.

No special treatment required.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
UNSUITABLE EXTINGUISHING MEDIA:	Do not use water jet as an extinguisher, as this will spread the fire.
SPECIFIC HAZARDS:	Containers can burst violently or explode when heated, due to excessive pressure build-up.
HAZARDOUS COMBUSTION PRODUCTS:	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Carbon dioxide (CO ₂). Carbon monoxide (CO). Oxides of carbon. Oxides of nitrogen. Oxides of phosphorus. Oxides of sulphur. Metal oxide(s).
ADVICE FOR FIREFIGHTERS	
PROTECTIVE ACTIONS:	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.
SPECIAL PROTECTIVE EQUIPMENT:	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	No specific recommendations. For personal protection, see Section 8.
ENVIRONMENTAL PRECAUTIONS:	Avoid discharge into drains or watercourses or onto the ground.
METHODS FOR CONTAINMENT broom & CLEANING UP:	Reuse or recycle products wherever possible. Collect spillage with a shovel and or similar and reuse if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
REFERENCE TO OTHER SECTIONS:	For personal protection, see Section 8. For waste disposal, see Section 13.







SAFETY DATA SHEET

Page 4 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

7. HANDLING AND STORAGE ADVICE ON GENERAL OCCUPATIONAL Read and follow manufacturer's recommendations. Wear protective clothing as HYGIENE: described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed when not in use. Avoid the formation of mists. HYGIENE MEASURES: Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. STORAGE PRECAUTIONS: Store away from incompatible materials (see Section 10). No specific recommendations. STORAGE CLASS: Unspecified storage. SPECIFIC END USES: The identified uses for this product are detailed in Section 1.2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS Distillates (petroleum), hydrotreated heavy naphthenic: Short-term exposure limit (15-minute): WEL 10 mg/m³ mist

WEL = Workplace Exposure Limit

EXPOSURE CONTROLS	
ENGINEERING CONTROLS:	No specific ventilation requirements.
EYE/FACE PROTECTION:	No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
HAND PROTECTION:	No specific hand protection recommended. Large Spillages: Wear protective gloves.
SKIN/BODY PROTECTION:	Wear appropriate clothing to prevent repeated or prolonged skin contact.
HYGIENE MEASURES:	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
RESPIRATORY PROTECTION:	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
ENVIRONMENTAL EXPOSURE CONTROLS:	Not regarded as dangerous for the environment.







SAFETY DATA SHEET

Page 5 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Grease
COLOUR:	Red
ODOUR:	Almost odourless
ODOUR THRESHOLD:	No information available
pH:	Not applicable
MELTING POINT:	No information available
INITIAL BOILING POINT AND RANGE:	No information available
FLASH POINT:	>200°C Pensky-Martens closed cup. Information given is applicable to the major ingredient
EVAPORATION RATE:	No information available
EVAPORATION FACTOR:	No information available
FLAMMABILITY (SOLID, GAS):	No information available
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No information available
OTHER FLAMMABILITY:	No information available
VAPOUR PRESSURE:	No information available
VAPOUR DENSITY:	No information available
RELATIVE DENSITY:	No information available
BULK DENSITY:	No information available
SOLUBILITY(IES):	Insoluble in water.
PARTITION COEFFICIENT:	No information available
AUTO-IGNITION TEMPERATURE:	No information available
VISCOSITY:	460 cSt @ 40°C. Information given is applicable to the major ingredient
EXPLOSIVE PROPERTIES:	Not considered to be explosive
EXPLOSIVE UNDER THE INFLUENCE OF A FLAME:	Not considered to be explosive





SAFETY DATA SHEET

Page 6 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

9. PHYSICAL AND CHEMICAL PROPERTIES (CONT)

OXIDISING PROPERTIES:

Not applicable

10. STABILITY AND REACTIVITY

REACTIVITY:	No test data specifically related to reactivity available for this product or its ingredients.
CHEMICAL STABILITY:	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
HAZARDOUS REACTIONS:	Under normal conditions of storage and use, no hazardous will occur.
CONDITIONS TO AVOID:	Avoid excessive heat for prolonged periods of time.
INCOMPATIBLE MATERIALS:	Avoid contact with the following materials: Strong oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS:	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY - ORAL Notes (oral LD₅₀):

<u>ACUTE TOXICITY - DERMAL</u> Notes (dermal LD₅₀):

<u>ACUTE TOXICITY - INHALATION</u> Notes (inhalation LC₅₀):

SKIN CORROSION/IRRITATION Animal data:

<u>SERIOUS EYE DAMAGE/IRRITATION</u> Serious eye damage/irritation:

<u>RESPIRATORY SENSITISATION</u> Respiratory sensitisation:

SKIN SENSITISATION Skin sensitisation: Not regarded as a health hazard under current legislation.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.







SAFETY DATA SHEET

Page 7 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

11. TOXICOLOGICAL INFORMATION (CONT)

GERM CELL MUTAGENICITY	
Genotoxicity - in vitro:	Based on available data the classification criteria are not met.
CARCINOGENICITY	
Carcinogenicity:	Based on available data the classification criteria are not met.
IARC carcinogenicity:	None of the ingredients are listed or exempted.
REPRODUCTIVE TOXICITY	
Reproductive toxicity – fertility:	Based on available data the classification criteria are not met.
Reproductive toxicity – development:	Based on available data the classification criteria are not met.
SPECIFIC TARGET ORGAN TOXICITY - SINGL	E EXPOSURE
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
SPECIFIC TARGET ORGAN TOXICITY - REPEA	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
ASPIRATION HAZARD	
Aspiration hazard:	Based on available data the classification criteria are not met.
GENERAL INFORMATION:	The severity of the symptoms described will vary dependent on the concentration and
	the length of exposure.
INHALATION:	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
INGESTION:	No specific symptoms known. May cause discomfort if swallowed.
SKIN CONTACT:	No specific symptoms known. May cause discomfort.
EYE CONTACT:	No specific symptoms known. May be slightly irritating to eyes.
TARGET ORGANS:	No specific target organs known.
TAROLI URUANS.	tio specific target organs known.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
TOXICITY:	Based on available data the classification criteria are not met.
PERSISTENCE AND DEGRADABILITY:	The degradability of the product is not known.
BIOACCUMULATIVE POTENTIAL:	No data available on bioaccumulation.





SAFETY DATA SHEET

Page 8 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

12. ECOLOGICAL INFORMATION (CONT)

PARTITION COEFFICIENT:

MOBILITY IN SOIL:

RESULTS OF PBT & vPvB ASSESSMENT: No data available

OTHER ADVERSE EFFECTS:

13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION:

DISPOSAL METHODS:

recycle products wherever possible. This material and its container must be disposed of in a safe way.

The generation of waste should be minimised or avoided wherever possible. Reuse or

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT: ADG REQUIREMENT	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
MARITIME TRANSPORT: IMO/IMDG REQUIREMENT	Not classified as a Dangerous Good according to the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
AIR TRANSPORT: ICAO/IATA REQUIREMENT	Not classified as a Dangerous Good according to the criteria of the International Maritime Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

No information available.

No data available.

None known.

15. REGULATORY INFORMATION

POISON SCHEDULE:	Not scheduled.
PACKING & LABELLING:	No special packaging or labelling requirements.
AUSTRALIAN INVENTORY STATUS:	All components are listed or exempted.







SAFETY DATA SHEET

Page 9 of 9 Issue Date: 8 April 2022 SLC HV 00 P Grease Version: 3

16. OTHER INFORMATION

CONTACT PERSON/POINT:	General Manager 1300 796 009
	This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.
	If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.
	Safety Data Sheets are updated frequently. Please ensure you have a current copy.
LITERATURE REFERENCES:	
	 * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets. * Safework Australia: 2016 Code of Practice for the Preparation of Safety Data Sheets
	 for Hazardous Chemicals. * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances. * NOHSC: 10005 List of Designated Hazardous Substances.
	* NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
	* NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
	* NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the
	Occupational Environment, National Exposure Standards.
	* NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the
	Occupational Environment, Guidance Note. * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
	* NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
	* SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
	* ADG: Australian Dangerous Goods Code
	* MSDS of component materials.
LAST CHANGE:	Supercedes document issued: 29 May 2018
	Reason/s for revision: Minor editorial adjustments to comply with GHS requirements.
MR224080/1	
END OF SDS	

