



SAFETY DATA SHEET

Page 1 of 8

Issue Date: 26 August 2020 Fire Resistant Hydraulic Fluid ISO 46

Version: 1

Product Identifier: Fire Resistant Hydraulic Fluid ISO 46

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765

5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Fire Resistant Hydraulic Fluid ISO 46

OTHER NAMES: FR Hydraulic Fluid ISO 46

MANUFACTURER'S PRODUCT CODE: HI5-2924

USE: Polyol ester based fire resistant hydraulic fluid

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information

OTHER INFORMATION: Visit our website: <u>www.hi-tecoils.com.au</u>

Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION: NON-HAZARDOUS

NON-DANGEROUS GOODS

Hazard classification according to GHS Classification.

Dangerous goods classification according to Australian Dangerous Goods Code.

SIGNAL WORD (S): None

IRRITANCY OF PRODUCT: Not classified as an irritant.

SENSITISATION OF PRODUCT: Not known to be a sensitiser.

TERATOGENICITY: No teratogenic effects known.

OTHER INFORMATION: Used oils may contain harmful impurities that have accumulated during use. The

concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and

skin contact avoided as far as possible.











Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 2 of 8

Issue Date: 26 August 2020

Fire Resistant Hydraulic Fluid ISO 46

Version: 1

3. IDENTIFICATION / COMPOSITION OF INGREDIENTS

CHEMICAL CHARACTERISTICS: Liquid

INGREDIENTS:-

CHEMICAL ENTITY: CAS No. PROPORTION

Ingredients determined not to be hazardous Mixture To 100%

OTHER INFORMATION: The petroleum oils in this product contain less than 3% DMSO extract as measured by

IP 346 test method.

4. FIRST AID MEASURES

GENERAL INFORMATION: If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia

13 11 26, New Zealand 0800 764 766).

INHALATION: Remove to fresh air. Treat symptomatically. In case of accident or if you feel unwell,

seek medical advice immediately (show the label where possible).

SKIN CONTACT: Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Treat symptomatically. In case of accident or if you feel unwell,

seek medical advice immediately (show the label where possible).

EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor. Treat symptomatically. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If easy to

do, remove contact lenses.

INGESTION: Clean mouth with water and drink afterwards plenty of water. Treat symptomatically.

In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible). Do NOT induce vomiting.

SYMPTOMS & EFFECTS: No information available.

(BOTH ACUTE & DELAYED)

NOTES TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jetstream.









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 3 of 8

Issue Date: 26 August 2020 Fire Resistant Hydraulic Fluid ISO 46

Version: 1

5. FIRE FIGHTING MEASURES (CONT.)

HAZARDS ARISING FROM THE CHEMICAL: Thermal decomposition can lead to release of irritating and toxic gases and vapours.

FIRE-FIGHTING RECOMMENDATIONS: Wear self-contained breathing apparatus and protective suit. Use personal protective

equipment as required.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Ensure adequate ventilation, especially in confined areas.

EMERGENCY RESPONDERS: Use personal protection recommended in Section 8.

ENVIRONMENTAL PRECAUTIONS: Collect spillage.

METHODS FOR CONTAINMENT: Prevent further leakage or spillage if safe to do so.

METHODS FOR CLEANING UP: Take up mechanically, placing in appropriate containers for disposal.

PREVENTION OF SECONDARY HAZARDS: Clean contaminated objects and areas thoroughly observing environmental

regulations.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Ensure adequate ventilation, especially in confined areas.

GENERAL HYGIENE CONSIDERATIONS: Handle in accordance with good industrial hygiene and safety practice.

STORAGE CONDITIONS: Keep containers tightly closed in a dry, cool and well-ventilated place.

INCOMPATIBLE MATERIALS: None known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

EYE/FACE PROTECTION: Tight sealing safety goggles.

SKIN & BODY PROTECTION: Suitable protective clothing.

RESPIRATORY PROTECTION: Where respiratory protection is required, use a respirator selected and in accordance

with AS/NZS 1715 and AS/NZS 1716.

ENVIRONMENTAL EXPOSURE CONTROLS: No information available.











ODOUR THRESHOLD:

Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Not available

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

SAFETY DATA SHEET

Page 4 of 8

Issue Date: 26 August 2020 Fire Resistant Hydraulic Fluid ISO 46

Version: 1

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Liquid

APPEARANCE: Clear

COLOUR: Amber

ODOUR: Characteristic

pH: Not available

MELTING/FREEZING POINT: Not available

BOILING POINT/RANGE: Not available

FLASHPOINT (Cleveland Open Cup): 300°C

EVAPORATION RATE: Not available

FLAMMABILITY (solid, gas): Not available

FLAMMABILITY LIMITS -LOWER: Not available

FLAMMABILITY LIMITS -UPPER: Not available

VAPOUR PRESSURE: Not available

VAPOUR DENSITY: Not available

RELATIVE DENSITY @ 25°C: 0.915 typical

WATER SOLUBILITY: Insoluble.

SOLUBILITY (ies): Not available

PARTITION COEFFICIENT: Not available

AUTO-IGNITION TEMPERATURE: Not available

DECOMPOSITION TEMPERATURE: Not available

KINEMATIC VISCOSITY @ 40°C: Approximately 48 cSt

DYNAMIC VISCOSITY: Not available









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

Y DATA SH

Page 5 of 8

Issue Date: 26 August 2020 Fire Resistant Hydraulic Fluid ISO 46

Version: 1

9. PHYSICAL AND CHEMICAL PROPERTIES (CONT.)

EXPLOSIVE PROPERTIES: Not available

OXIDISING PROPERTIES: Not available

VOC CONTENT (%): Not available

DENSITY: Not available

10. STABILITY AND REACTIVITY

REACTIVITY: No data available.

CHEMICAL STABILITY: Stable under normal conditions.

EXPLOSION DATA: Sensitivity to Mechanical Impact - None.

Sensitivity to Static Discharge - None.

HAZARDOUS REACTIONS: None under normal processing.

INCOMPATIBLE MATERIALS: No information available.

HAZARDOUS DECOMPOSITION PRODUCTS: None under normal use conditions.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY - NUMERICAL MEASURES OF TOXICITY

0% of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

SKIN CORROSION/IRRITATION: No information available.

SERIOUS EYE DAMAGE/EYE IRRITATION: No information available.

SENSITISATION: May cause sensitisation by skin contact.

GERM CELL MUTAGENICITY: No information available.

CARCINOGENICITY: No information available.









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

ETY DATA SH

Page 6 of 8

Issue Date: 26 August 2020 Fire Resistant Hydraulic Fluid ISO 46

Version: 1

11. TOXICOLOGICAL INFORMATION (CONT)

REPRODUCTIVE TOXICITY: No information available.

STOT - SINGLE EXPOSURE: No information available.

STOT - REPEATED EXPOSURE: No information available.

ASPIRATION HAZARD: No information available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY

UNKNOWN AQUATIC TOXICITY: 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

PERSISTENCE AND DEGRADABILITY: No information available.

BIOACCUMULATIVE POTENTIAL: No information available.

MOBILITY IN SOIL: No information available.

MOBILITY: No information available.

OTHER ADVERSE EFFECTS: No information available.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

WASTE FROM RESIDUES/UNUSED Disposal should be in accordance with applicable regional, national and

PRODUCTS: local laws and regulations. Since empty containers retain product residue, follow label

warnings even after container is emptied.

CONTAMINATED PACKAGING: Disposal should be in accordance with applicable regional, national and

local laws and regulations. Observe all label precautions until container is cleaned, reconditioned or destroyed. Refer to all federal, state and local regulations prior to

disposal of container and unused contents by re-use, recycle or disposal.





www.hi-tecoils.com.au



ETY DATA SH

Page 7 of 8

Issue Date: 26 August 2020 Fire Resistant Hydraulic Fluid ISO 46

Version: 1

14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT:

ADG REOUIREMENT Not classified as a Dangerous Good according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

MARITIME TRANSPORT:

IMO/IMDG REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT:

ICAO/IATA REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International

Maritime Air Transport Association (IATA) Dangerous Goods Regulations for

transport by air.

15. REGULATORY INFORMATION

POISON SCHEDULE: Not scheduled.

PACKING & LABELLING: No special packaging or labelling requirements.

AUSTRALIAN INVENTORY STATUS: All components are listed or exempted.

16. OTHER INFORMATION

CONTACT PERSON/POINT: General Manager 1300 796 009

> This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised

use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should

be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.







Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

'Y data sh

Page 8 of 8

Issue Date: 26 August 2020 Fire Resistant Hydraulic Fluid ISO 46

Version: 1

16. OTHER INFORMATION (CONT.)

LITERATURE REFERENCES:

- * Safework Australia: 2016 Code of Practice for the Preparation of Safety Data Sheets for Hazardous
- * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- * NOHSC: 10005 List of Designated Hazardous Substances.
- * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- * NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons.
- * ADG: Australian Dangerous Goods Code.
- * MSDS of component materials.

LAST CHANGE:

Supersedes document issued: New Document.

Reason/s for revision: Compliance with GHS requirements.

MR028062/1

END OF SDS



