



5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# ETY DATA SH

Page 1 of 9 Issue Date: 1 February 2017

Narocut Parts Wash

Version: 2

**Narocut Parts Wash Product name:** 

## 1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765

5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Narocut Parts Wash

OTHER NAMES: None

HI8-3305 MANUFACTURER'S PRODUCT CODE:

USE: Solvent

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au Email: hitecoils@hi-tecoils.com.au

## 2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE:

Classified as Hazardous according to the criteria of NOHSC, and GHS Classification. This product is classified as:

> Not Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of

Dangerous Goods on Land".

POISON SCHEDULE: S5. Caution



SIGNAL WORD: DANGER









**Hi-Tec Oil Traders Pty Ltd** ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

## **SAFETY DATA SHEET**

Page 2 of 9 Issue Date: 1 February 2017 Narocut Parts Wash

Version: 2

## 2. HAZARDS IDENTIFICATION (CONT)

#### **GHS HAZARD CLSSSIFICATIONS**

FLAMMABLE LIQUIDS: Category 4
ASPIRATION HAZRAD: Category 1
CARCINOGENICITY: Category 2

CHRONIC HAZARD TO THE AQUATIC

ENVIRONMENT: Category 3

HAZARD STATEMENTS: H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

PREVENTION PRECAUTIONARY STATEMENTS: P102 Keep out of reach of children.

P103 Read label before use.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

RESPONSE PRECAUTIONARY STATEMENTS: P101 If medical advice is needed, have product container or label at hand.

P301+P310 IF SWALLOWED: Immediately call the POISON INFORMATION CENTER on 13 11 26 or doctor/physician. P308+P313 If exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use carbon dioxide, dry chemical or foam for

extinction.

STORAGE PRECAUTIONARY STATEMENTS: P403+P233 + 235 Store in a well-ventilated place. Keep container tightly

closed. Keep cool. P405 Store locked up.

DISPOSAL PRECAUTIONARY STATEMENT: P501 Dispose of contents/container in accordance with local, regional,

national and international regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL ENTITY
CAS NO
PROPORTION
Kerosine, petroleum, hydrodesulfurized
64742-81-0
Napthalene
91-20-3
Salva (w/w)
Balance









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# **SAFETY DATA SHEET**

Page 3 of 9 Issue Date: 1 February 2017 Narocut Parts Wash

Version: 2

### 4. FIRST AID MEASURES

GENERAL: If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26, New

Zealand 0800 764 766).

INHALATION: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and

loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at

rest until fully recovered. Seek medical advice if effects persist.

SKIN CONTACT: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross

contamination, immediately drench with water and remove clothing. Continue to flush skin and hair

with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness,

blistering, or irritation occurs seek medical assistance.

EYE CONTACT: If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution

to seek medical advice.

INGESTION: Immediately rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to

drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further

water. Immediately call poisons centre or Doctor.

NOTES TO PHYSICIAN: Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

HAZCHEM CODE: Not Applicable

SUITABLE EXTINGUISHING MEDIA: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol

resistant foam, standard foam or dry agent (carbon dioxide, dry chemical powder).

SPECIFIC HAZARDS: Combustible liquid.

FIRE FIGHTING FURTHER ADVICE: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained

breathing apparatus and suitable protective clothing if risk of exposure to vapour or products

of combustion or decomposition.

### 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS: Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of

vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in

properly labelled containers or drums for disposal.









**Hi-Tec Oil Traders Pty Ltd** ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

## SAFETY DATA SHEET

Page 4 of 9
Issue Date: 1 February 2017
Narocut Parts Wash
Version: 2

### 6. ACCIDENTAL RELEASE MEASURES (CONT)

LARGE SPILLS: If safe to do so, shut off all possible sources of ignition. Clear area of all unprotected

personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Use a spark-free shovel. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has

occurred advise local emergency services.

#### DANGEROUS GOODS - INITIAL EMERGENCY RESPONSE GUIDE NO: NOT APPLICABLE

### 7. HANDLING AND STORAGE

HANDLING: Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or

aerosols.

STORAGE: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from

foodstuffs. Store away from incompatible materials described in Section 10. Store away from

sources of heat and/or ignition.

Store locked up. Keep container standing upright. Keep containers closed when not in use -

check regularly for leaks.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and hadling, in accordance with the requirements of AS 1940. Refer to state regulations for storage and

transport requirements.

This material is a Scheduled Poison Schedule 5 (Caution) and must be stored, maintained and

used in accordance with the relevant regultions.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### NATIONAL OCCUPATIONAL EXPOSURE LIMITS:

TWA STEL NOTICES ppm mg/m3 ppm mg/m3

Naphthalene 10 52 15 79

As published by Safe Work Australia.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-

day working week over an entire working life.

STEL (Short Term Exposure Limit) - The average airborne concentration over a 15 minute period which should not be exceeded at

any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmosphericcontamination should be kept too as low a level as is workable. These









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

## ETY DATA SH

Page 5 of 9 Issue Date: 1 February 2017 Narocut Parts Wash Version: 2

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT)

exposure standards should not be used asfine dividing lines between safe and dangerous

concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are

routinely, potentially exposed during product manufacture.

**BIOLOGICAL LIMIT VALUES:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances

(Safe Work Australia)" the ingredients in this material do not have a Biological Limit

Allocated.

**ENGINEERING MEASURES:** Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use

only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate

respirator.

PERSONAL PROTECTION EQUIPMENT: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES, RESPIRATOR.

Wear safety shoes, overalls, gloves, chemical goggles, respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from Neoprene or PVC should be suitable for intermittent contact and Nitrile for prolonged or frequent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective

equipment before storing or re-using.

HYGIENE MEASURES: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or

smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or

aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Liquid

COLOUR: Colourless

ODOUR: Paraffinic

DENSITY:  $800 - 830 \text{ kg/m}^3 (15^{\circ}\text{C})$ 

RELATIVE VAPOUR DENSITY (AIR = 1) Not available.

FLASH POINT (°C): 77°C (Pensky Martens) (Typical)

FLAMMABILITY LIMITS (%): Not available









# SAFETY DATA SHEET

Page 6 of 9 Issue Date: 1 February 2017 Narocut Parts Wash

Version: 2

## 9. PHYSICAL AND CHEMICAL PROPERTIES (CONT)

AUTOIGNITION TEMPERATURE (°C): Not available

BOILING POINT/RANGE (°C): 200 - 240°C

pH Not available

EVAPORATION RATE (N-BUTYL ACETATE=1): 0.01 (ASTM D 3539, nBuAc=1)

### 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: This material is thermally stable when stored and used as directed.

CONDITIONS TO AVOID: Elevated temperatures and sources of ignition.

INCOMPATIBLE MATERIALS: Oxidising agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and nitrogen, smoke and other toxic fumes.

HAZARDOUS REACTIONS: No known hazardous reactions.

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

#### ACUTE EFFECTS

INHALATION: Material may be an irritant to mucous membranes and respiratory tract.

SKIN CONTACT: Contact with skin may result in irritation.

INGESTION: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

May cause lung damage if swallowed. Small amounts of liquid aspirated into the respiratory system during ingestion or vomiting may cause bronchopneumonia or

pulmonary oedema.

EYE CONTACT: May be an eye irritant.

**ACUTE TOXICITY** 

INHALATION: This material has been classified as non-hazardous. Acute toxicity estimate (based on

ingredients):>20 mg/L

SKIN CONTACT: This material has been classified as non-hazardous. Acute toxicity estimate (based on

ingredients): >2,000 mg/Kg









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: BO Box 222 Costle Hill NSW

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# **SAFETY DATA SHEET**

Page 7 of 9 Issue Date: 1 February 2017

Narocut Parts Wash Version: 2

### 11. TOXICOLOGICAL INFORMATION (CONT)

INGESTION: This material has been classified as non-hazardous. Acute toxicity estimate (based on

ingredients): >2,000 mg/Kg

INGESTION: This material has been classified as non-hazardous. Acute toxicity estimate (based on

ingredients): >2,000 mg/Kg

CORROSION/IRRITANCY: Eye: this material has been classified as not corrosive or irritating to eyes.

Skin: this material has been classified as not corrosive or irritating to skin.

SENSITISATION: Inhalation: this material has been classified as not a respiratory sensitiser.

Skin: this material has been classified as not a skin sensitiser.

ASPIRATION HAZARD: This material has been classified as Aspiration Hazard – Category 1.

SPECIFIC TARGET ORGAN TOXICITY

(SINGLE EXPOSURE): This material has been classified as non-hazardous.

CHRONIC TOXICITY

MUTAGENICITY: This material has been classified as non-hazardous.

CARCINOGENICITY: This material has been classified as a Category 2 Hazard.

REPRODUCTIVE TOXICITY

(INCLUDING VIA LACTATION): This material has been classified as non-hazardous.

SPECIFIC TARGET ORGAN

TOXICITY (REPEAT EXPOSURE): This material has been classified as non-hazardous.

### 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

ACUTE AQUATIC HAZARD: This material has been classified as non-hazardous. Acute toxicity estimate (based on

ingredients): >100 mg/L

LONG-TERM AQUATIC HAZARD: This material has been classified as Category Chronic 3 Hazard. Non-rapidly or rapidly

degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): 10 - 100 mg/L, where the substance is not rapidly degradable and/or BCF  $\geq$ 500 and/or log Kow  $\geq$  4.

ECOTOXICITY: No information available.

PERSISTENCE AND DEGRADABILITY: No information available.

BIOACCUMULATIVE POTENTIAL: No information available.









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# Y DATA SH

Page 8 of 9 Issue Date: 1 February 2017 Narocut Parts Wash Version: 2

## 12. ECOLOGICAL INFORMATION (CONT)

MOBILITY: No information available.

### 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

### 14. TRANSPORT INFORMATION

**ROAD & RAIL TRANSPORT:** 

ADG REQUIREMENT Not classified as a Dangerous Good according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

MARITIME TRANSPORT:

IMO/IMDG REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT:

ICAO/IATA REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International

Maritime Air Transport Association (IATA) Dangerous Goods Regulations for

transport by air.

### 15. REGULATORY INFORMATION

#### This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

International Convention for the Prevention of Pollution from Ships (MARPOL)

#### This material is subject to the following international agreements:

Basel Convention (Hazardous Waste)

• Wastes from the production, formulation and use of organic solvents

#### This material/constituent(s) is covered by the following requirements:

- The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth).
- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).









**Hi-Tec Oil Traders Pty Ltd** ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# **SAFETY DATA SHEET**

Page 9 of 9 Issue Date: 1 February 2017 Narocut Parts Wash Version: 2

### 16. OTHER INFORMATION

CONTACT PERSON/POINT: General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES:

- \* NOHSC:2011 National Code of Practice for the preparation of Safety Data Sheets.
- \* NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- \* NOHSC: 10005 List of Designated Hazardous Substances.
- \* NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice. \* NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- \* NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- \* NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- \* NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- \* NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- \* SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- \* ADG: Australian Dangerous Goods Code
- \* SDS of component materials.

LAST CHANGE:

Supercedes document issued: 23 September 2013

Reason/s for revision: Minor editorial changes to comply with GHS requirements.

MR712010/1

**END OF SDS** 



