



Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# SAFETY DATA SHEET

Page 1 of 8 Issue Date: 22 May 2017 Neat Drawing Oil QDraw 6130 FE

Version: 1

Product name: Neat Drawing Oil QDraw 6130 FE

# 1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765

5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Neat Drawing Oil QDraw 6130 FE

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: HI6-2940

USE: Drawing lubricant for light to medium duty stamping and pressing operations.

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: <a href="www.hi-tecoils.com.au">www.hi-tecoils.com.au</a>
Email: hitecoils@hi-tecoils.com.au

# 2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE: NON-HAZARDOUS SUBSTANCE

**NON-DANGEROUS GOODS** 

Hazard classification according to criteria of NOHSC and GHS.

Dangerous goods classification according to the Australian Dangerous Goods.

SIGNAL WORD (S): None

POISON SCHEDULE: S5

PREVENTION STATEMENT (S): Wear protective gloves/protective clothing/eye protection.

RESPONSE STATEMENT (S): Call a POISON CENTRE on 13 11 26 (Australia Wide) or doctor/physician if you feel

unwell.

OTHER HAZARDS: No hazard identified.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# SAFETY DATA SHEET

Page 2 of 8 Issue Date: 22 May 2017 Neat Drawing Oil QDraw 6130 FE

Version: 1

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTICS: Liquid

**INGREDIENTS:-**

CHEMICAL ENTITY CAS NO PROPORTION
Ingredients determined to be non-hazardous To 100%

#### 4. FIRST AID MEASURES

GENERAL INFORMATION: You should call the POISONS INFORMATION CENTRE if you feel that you may

have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times.

Have this SDS with you when you call.

INHALATION: Remove to fresh air. Treat symptomatically. In case of accident or if you feel unwell,

seek medical advice immediately (show the label where possible).

SKIN CONTACT: Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Treat symptomatically. In case of accident or if you feel unwell,

seek medical advice immediately (show the label where possible).

EYE CONTACT: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor. Treat symptomatically. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If easy to

do, remove contact lenses.

INGESTION: Clean mouth with water and drink afterwards plenty of water. Treat symptomatically.

In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible). Do NOT induce vomiting.

NOTES TO PHYSICIAN: Treat symptomatically.

SYMPTOMS & EFFECTS: No information available.

(BOTH ACUTE & DELAYED)

#### 5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jetstream.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# **SAFETY DATA SHEET**

Page 3 of 8 Issue Date: 22 May 2017 Neat Drawing Oil QDraw 6130 FE

Version: 1

### 5. FIRE FIGHTING MEASURES (CONT)

SPECIFIC HAZARDS ARISING: Thermal decomposition can lead to release of irritating and toxic gases and vapours.

FIRE FIGHTING: Wear self-contained breathing apparatus and protective suit. Use personal protective

equipment as required.

#### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Ensure adequate ventilation, especially in confined areas.

EMERGENCY RESPONDERS: Use personal protection recommended in Section 8.

ENVIRONMENTAL PRECAUTIONS: Collect spillage.

METHODS OF CONTAINMENT: Prevent further leakage or spillage if safe to do so.

METHODS OF CLEANING UP: Take up mechanically, placing in appropriate containers for disposal.

PRECAUTIONS TO PREVENT

SECONDARY HAZARDS: Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 7. HANDLING AND STORAGE

SAFE HANDLING: Ensure adequate ventilation, especially in confined areas.

GENERAL HYGIENE: Handle in accordance with good industrial hygiene and safety practice.

SAFE STORAGE: Keep containers tightly closed in a dry, cool and well-ventilated place.

INCOMPATIBLE MATERIALS: None known based on information supplied.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS: This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

EYE/FACE PROTECTION: Tight sealing safety goggles.

SKIN & BODY PROTECTION: Suitable protective clothing.

RESPIRATORY PROTECTION: Where respiratory protection is required, use a respirator selected and in accordance

with AS/NZS 1715 and AS/NZS 1716.

ENVIRONMENTAL EXPOSURE CONTROLS: No information available.









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

Page 4 of 8 Issue Date: 22 May 2017 Neat Drawing Oil QDraw 6130 FE

Version: 1

### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL: Liquid APPEARANCE: Clear

COLOUR: Brown

ODOUR: Not available

ODOUR THRESHOLD: Not available

Not available pH:

BOILING POINT/RANGE (°C): >160°C

MELTING POINT/FREEZING POINT (°C): Not available

Not available FLASH POINT (°C):

**EVAPORATION RATE:** Not available

FLAMMABILITY (SOLID, GAS): Not available

FLAMMABILITY LIMIT (UPPER): Not available

FLAMMABILITY LIMIT (LOWER): Not available

VAPOUR PRESSURE: Not available

VAPOUR DENSITY:

Not available

0.92 @25°C

SOLUBILITY (WATER): Insoluble

Not available SOLUBILITY (IES)

PARTITION COEFFICIENT: Not available

AUTO-IGNITION TEMPERATURE (°C): Not available

DECOMPOSITION TEMPERATURE: Not available

KINEMATIC VISCOSITY: Not available



**RELATIVE DENSITY:** 







Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# SAFETY DATA SHEET

Page 5 of 8 Issue Date: 22 May 2017

Neat Drawing Oil QDraw 6130 FE

Version: 1

### 9. PHYSICAL AND CHEMICAL PROPERTIES (CONT)

DYNAMIC VISCOSITY: Not available

OXIDISING PROPERTIES: Not available

EXPLOSIVE PROPERTIES: Not available

VOC CONTENT (%) Not available

DENSITY: \*Not available

\* This information may be derived from the components in the preparation.

#### 10. STABILITY AND REACTIVITY

REACTIVITY: Not available.

CHEMICAL STABILITY: Stable under normal conditions.

EXPLOSION DATA: Sensitivity to mechanical impact – None.

Sensitvity to static discharge - None.

INCOMPATIBLE MATERIALS: Not available.

HAZARDOUS DECOMPOSITION PRODUCTS: None under nomal use conditions.

HAZARDOUS REACTIONS:

None under normal processing.

## 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY

NUMERICAL MEASURES OF TOXICITY: 0% of the mixture consists of ingredient(s) of unknown toxicity

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

SKIN CORROSION/IRRITATION: No information available.

SERIOUS EYE DAMAGE/IRRITATION: No information available.

SENSITISATION: No information available.

GERM CELL MUTAGENICITY: No information available.









# SAFETY DATA SHEET

Page 6 of 8 Issue Date: 22 May 2017 Neat Drawing Oil QDraw 6130 FE

Version: 1

# 11. TOXICOLOGICAL INFORMATION (CONT)

REPRODUCTIVE: No information available.

STOT – SINGLE / REPEATED EXPOSURE: No information available.

CARCINOGENICITY: No information available.

ASPIRATION: No information available.

### 12. ECOLOGICAL INFORMATION

ECOTOXICITY: Unknown aquatic toxicity.

0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

PERSISTENCE AND DEGRADABILITY: No information available.

BIOACCUMULATIVE POTENTIAL: No information available.

MOBILITY IN SOIL: No information available.

MOBILITY: No information available.

OTHER ADVERSE EFFECTS: No information available.

#### 13. DISPOSAL CONSIDERATIONS

WASTE FROM RESIDUES/UNUSED

PRODUCTS:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Since empty containers retain product residue, follow label warnings

even after container is emptied.

CONTAMINATED PACKAGING: Disposal should be in accordance with applicable regional, national and local laws and

regulations. Observe all label precautions until container is cleaned, reconditioned or destroyed. Refer to all federal, state and local regulations prior to disposal of container

and unused contents by reuse, recycle or disposal.









Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

# SAFETY DATA SHEET

Page 7 of 8 Issue Date: 22 May 2017 Neat Drawing Oil QDraw 6130 FE

Version: 1

# 14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT:

ADG REQUIREMENT Not classified as a Dangerous Good according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

MARITIME TRANSPORT:

IMO/IMDG REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT:

ICAO/IATA REQUIREMENT

Not classified as a Dangerous Good according to the criteria of the International

Maritime Air Transport Association (IATA) Dangerous Goods Regulations for

transport by air.

## 15. REGULATORY INFORMATION

POISON SCHEDULE: S5

PACKING & LABELLING: No special packaging or labelling requirements.

AUSTRALIAN INVENTORY STATUS: All components are listed or exempted.

## 16. OTHER INFORMATION

CONTACT PERSON/POINT: General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.









Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362 5 Tarlington Place Smithfield NSW 2164 Correspondence: P.O Box 322 Castle Hill NSW 1765 Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

Page 8 of 8 Issue Date: 22 May 2017 Neat Drawing Oil QDraw 6130 FE

#### Version: 1

### 16. OTHER INFORMATION (CONT)

LITERATURE REFERENCES:

- \* NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- \* NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- \* NOHSC: 10005 List of Designated Hazardous Substances.
- \* NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- \* NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- \* NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- \* NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- \* NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- \* NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- \* SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- \* ADG: Australian Dangerous Goods Code
- \* MSDS of component materials.

LAST CHANGE: Supercedes document issued: New Document

Reason/s for revision: Minor editorial changes to comply with GHS requirements.

TN715022/1

**END OF SDS** 



