



SAFETY DATA SHEET

Page 1 of 14
Issue Date: 20 December 2021
Ultralife EPM 2 Grease
Version: 3

Product name: Ultralife EPM 2 Grease

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765
5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Ultralife EPM 2 Grease

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: HI7-1031

USE: Calcium Sulphonate, multipurpose grease

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au
Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE: HAZARDOUS SUBSTANCE
NON DANGEROUS GOODS
Hazard classification according to criteria of NOHSC and GHS.
Dangerous Goods classification according to the Australian Dangerous Goods.

POISON SCHEDULE: Not scheduled

GHS LABEL ELEMENTS:



SIGNAL WORD: **WARNING**



SAFETY DATA SHEET

2. HAZARDS IDENTIFICATION (CONT)

PHYSICAL HAZARDS:	Not classified.
HEALTH HAZARDS:	Skin Sensitiser Category 1
ENVIRONMENTAL HAZARDS:	Not classified
HAZARD STATEMENTS:	H317 May cause an allergic skin reaction.
PRECAUTIONARY STATEMENTS:	P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
OTHER HAZARDS:	This product does not contain any substances classified as PBT or vPvB.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTICS: Grease

INGREDIENTS:-

CHEMICAL ENTITY	CAS NO	PROPORTION
Residual oils (petroleum), hydrotreated	64742-57-0	40 - 70%
Calcium Carbonate	1317-65-3	10 - 25%
Dilithium Sebacate	19370-86-6	2.5 - 5.0%
Molybdenum Disulphide	1317-33-5	2.5 - 5.0%
Graphite	7782-42-5	2.5 - 5.0%
Naphthenic acids, zinc salts	84418-50-8	1 - 2.5%
Ingredients determined to be non-hazardous	-	To 100%

4. FIRST AID MEASURES

GENERAL INFORMATION:	You should call the Poisons Information Centre on 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) if you feel that you may have been poisoned, burned or irritated by this product. Have this SDS with you when you call.
INHALATION:	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
INGESTION:	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.



SAFETY DATA SHEET

Page 3 of 14

Issue Date: 20 December 2021

Ultralife EPM 2 Grease

Version: 3

4. FIRST AID MEASURES (CONT)

SKIN CONTACT: It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.

FIRST AIDERS: First aid personnel should wear appropriate protective equipment during any rescue.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

GENERAL INFORMATION: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

INHALATION: No specific symptoms known.

INGESTION: May cause sensitisation or allergic reactions in sensitive individuals.

SKIN CONTACT: May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged contact may cause dryness of the skin.

EYE CONTACT: No specific symptoms known. May be slightly irritating to eyes.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NOTES TO PHYSICIAN: Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.

SPECIAL TREATMENTS: No special treatment required.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

SPECIFIC HAZARDS: None known.

HAZARDOUS COMBUSTION PRODUCTS: Thermal decomposition or combustion products may include the following substances:
Harmful gases or vapours.

ADVICE FOR FIREFIGHTERS

PROTECTIVE ACTIONS: Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.





SAFETY DATA SHEET

Page 4 of 14

Issue Date: 20 December 2021

Ultralife EPM 2 Grease

Version: 3

5. FIRE FIGHTING MEASURES (CONT)

Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

SPECIAL PROTECTIVE EQUIPMENT:

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid contact with skin and eyes.

ENVIRONMENTAL PRECAUTIONS:

Avoid discharge into drains or watercourses or onto the ground.

METHODS FOR CLEANING UP:

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with spillage. For waste disposal, see Section 13

REFERENCE TO OTHER SECTIONS:

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. HANDLING AND STORAGE

ADVICE ON GENERAL OCCUPATIONAL

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

HYGIENE MEASURES:

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

STORAGE PRECAUTIONS:

Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

STORAGE CLASS:

Chemical storage.

SPECIFIC END USES:

The identified uses for this product are detailed in Section 1



SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

Residual oils (petroleum), hydrotreated:

Short-term exposure limit (15-minute): WEL 10 mg/m³ mist

Calcium Carbonate

Long-term exposure limit (8 hour TWA): WEL 10 mg/m³ inhalable dust

Long-term exposure limit (8 hour TWA): WEL 4 mg/m³ respirable dust

Molybdenum Disulphide

Long-term exposure limit (8 hour TWA): WEL 10 mg/m³

Long-term exposure limit (15-minute): WEL 20 mg/m³

Graphite

Long-term exposure limit (8 hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8 hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit

ENGINEERING CONTROLS:

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

EYE/FACE PROTECTION:

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

HAND PROTECTION:

It is recommended that chemical-resistant, impervious gloves are worn. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

SKIN/BODY PROTECTION:

May cause skin sensitisation or allergic reactions in sensitive individuals. Wear appropriate clothing to prevent repeated or prolonged skin contact.

HYGIENE MEASURES:

Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

RESPIRATORY PROTECTION:

Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

ENVIRONMENTAL EXPOSURE CONTROLS:

Keep container tightly sealed when not in use.



SAFETY DATA SHEET

Page 6 of 14
Issue Date: 20 December 2021
Ultralife EPM 2 Grease
Version: 3

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Grease
COLOUR:	Grey to black
ODOUR:	mild
ODOUR THRESHOLD:	No information available
pH:	Not applicable
MELTING POINT:	>200°C
INITIAL BOILING POINT AND RANGE:	No information available
FLASH POINT:	>250°C Pensky-Martens closed cup. Information given is applicable to the major ingredient
EVAPORATION RATE:	No information available
EVAPORATION FACTOR:	No information available
FLAMMABILITY (SOLID, GAS):	No information available
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No information available
OTHER FLAMMABILITY:	No information available
VAPOUR PRESSURE:	No information available
VAPOUR DENSITY:	No information available
RELATIVE DENSITY:	No information available
BULK DENSITY:	No information available
SOLUBILITY(IES):	Insoluble in water.
PARTITION COEFFICIENT:	No information available
AUTO-IGNITION TEMPERATURE:	No information available
DECOMPOSITION TEMPERATURE:	No information available
VISCOSITY:	460 cSt @ 40°C. Information given is applicable to the major ingredient
EXPLOSIVE PROPERTIES:	Not considered to be explosive
EXPLOSIVE UNDER THE INFLUENCE OF	



SAFETY DATA SHEET

Page 7 of 14
Issue Date: 20 December 2021
Ultralife EPM 2 Grease
Version: 3

9. PHYSICAL AND CHEMICAL PROPERTIES (CONT)

A FLAME: Not considered to be explosive
OXIDISING PROPERTIES: Not applicable

10. STABILITY AND REACTIVITY

REACTIVITY: No test data specifically related to reactivity available for this product or its ingredients.
CHEMICAL STABILITY: Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
HAZARDOUS REACTIONS: Under normal conditions of storage and use, no hazardous will occur.
CONDITIONS TO AVOID: Avoid excessive heat for prolonged periods of time.
INCOMPATIBLE MATERIALS: Avoid contact with the following materials: Strong oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS: Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL EFFECTS: Not regarded as a health hazard under current legislation.
ACUTE TOXICITY - ORAL
Notes (oral LD₅₀): Based on available data the classification criteria are not met.
ATE oral (mg/kg): 16,666.67
ACUTE TOXICITY - DERMAL
Notes (dermal LD₅₀): Based on available data the classification criteria are not met.
ACUTE TOXICITY - INHALATION
Notes (inhalation LC₅₀): Based on available data the classification criteria are not met.
SKIN CORROSION/IRRITATION
Animal data: Based on available data the classification criteria are not met.
SERIOUS EYE DAMAGE/IRRITATION
Serious eye damage/irritation: Based on available data the classification criteria are not met.
RESPIRATORY SENSITISATION
Respiratory sensitisation: Based on available data the classification criteria are not met.



SAFETY DATA SHEET

Page 8 of 14
Issue Date: 20 December 2021
Ultralife EPM 2 Grease
Version: 3

11. TOXICOLOGICAL INFORMATION (CONT)

SKIN SENSITISATION

Skin sensitisation: Based on available data the classification criteria are not met.

GERM CELL MUTAGENICITY

Genotoxicity - in vitro: Based on available data the classification criteria are not met.

CARCINOGENICITY

Carcinogenicity: Based on available data the classification criteria are not met.

IARC carcinogenicity:

None of the ingredients are listed or exempted.

REPRODUCTIVE TOXICITY

Reproductive toxicity – fertility: Based on available data the classification criteria are not met.

Reproductive toxicity – development:

Based on available data the classification criteria are not met.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

ASPIRATION HAZARD

Aspiration hazard: Not relevant. Solid.

GENERAL INFORMATION:

No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

INHALATION:

No specific symptoms known.

INGESTION:

May cause sensitisation or allergic reactions in sensitive individuals.

SKIN CONTACT:

May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged contact may cause dryness of the skin.

EYE CONTACT:

No specific symptoms known.

ROUTE OF ENTRY:

Ingestion, Inhalation, Skin and/or eye contact

TARGET ORGANS:

No specific target organs known.

MEDICAL CONSIDERATIONS:

skin disorders and allergies.



SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION (CONT)

TOXICOLOGICAL INFORMATION ON INGREDIENTS

Calcium Carbonate

ACUTE TOXICITY - ORAL

Notes (oral LD₅₀): LD₅₀ >5000 mg/kg, Oral, Rat.

ATE oral (mg/kg): 5000.0

ACUTE TOXICITY - DERMAL

Notes (dermal LD₅₀): LD₅₀ >5000 mg/kg, Dermal, Rat.

SKIN CORROSION/IRRITATION

Animal data: Not irritating.

SERIOUS EYE DAMAGE/IRRITATION

Serious eye damage/irritation: Not irritating.

RESPIRATORY SENSITISATION

Respiratory sensitisation: No data available.

Dilithium Sebacate

ACUTE TOXICITY - ORAL

Notes (oral LD₅₀): Acute Tox. 4 – H302 Harmful if swallowed.

ATE oral (mg/kg): 500.0

ACUTE TOXICITY - DERMAL

Notes (dermal LD₅₀): Based on available data the classification criteria are not met.

ACUTE TOXICITY - INHALATION

Notes (inhalation LC₅₀): Based on available data the classification criteria are not met.

SKIN CORROSION/IRRITATION

Animal data: Based on available data the classification criteria are not met.

SERIOUS EYE DAMAGE/IRRITATION

Serious eye damage/irritation: Based on available data the classification criteria are not met.

RESPIRATORY SENSITISATION

Respiratory sensitisation: Based on available data the classification criteria are not met.

SKIN SENSITISATION

Skin sensitisation: Based on available data the classification criteria are not met.

GERM CELL MUTAGENICITY

Genotoxicity - in vitro: Based on available data the classification criteria are not met.



SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION (CONT)

CARCINOGENICITY

Carcinogenicity: Based on available data the classification criteria are not met.

IARC carcinogenicity: None of the ingredients are listed or exempted.

REPRODUCTIVE TOXICITY

Reproductive toxicity – fertility: Based on available data the classification criteria are not met.

Reproductive toxicity – development: Based on available data the classification criteria are not met.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

ASPIRATION HAZARD

Aspiration hazard: Not relevant. Solid.

GENERAL INFORMATION:

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

INHALATION: No specific symptoms known.

INGESTION: May cause discomfort if swallowed. Stomach pain. Nausea, vomiting

SKIN CONTACT: Prolonged contact may cause dryness of the skin.

EYE CONTACT: No specific symptoms known.

ROUTE OF ENTRY: Ingestion Inhalation Skin and/or eye contact

TARGET ORGANS: No specific target organs known.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

TOXICITY: Based on available data the classification criteria are not met.

ECOLOGICAL INFORMATION ON INGREDIENTS:

Calcium Carbonate

ACUTE AQUATIC TOXICITY:

Acute Toxicity – Fish LC₅₀, 96 hours: >10000 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute Toxicity – Aquatic Invertebrates EC₅₀, 48 hours: >1000 mg/l, Daphnia magna
Acute Toxicity – Aquatic Plants EC₅₀, 72 hours: >200 mg/l, Scenedesmus subspicatus



SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION (CONT)

Dilithium Sebacate

TOXICITY: Based on available data the classification criteria are not met.

ACUTE AQUATIC TOXICITY:

Acute Toxicity – Fish	LC ₅₀ , 96 hours: >100 mg/l, Cyprinus Carpio (Common Carp)
Acute Toxicity – Aquatic Invertebrates	EC ₅₀ , 48 hours: >100 mg/l, Daphnia magna
Acute Toxicity – Aquatic Plants	EC ₅₀ , 75 hours: >100 mg/l, Pseudokirchneriella subcapitata
	NOEC, 72 hours: >10 mg/l, Pseudokirchneriella subcapitata

PERSISTENCE AND DEGRADABILITY:

Persistence and degradability The degradability of the product is not known.

Calcium Carbonate

Persistence and degradability The product contains only inorganic substances which are not biodegradable.

Dilithium Sebacate

Persistence and degradability The product is readily biodegradable.

BIOACCUMULATIVE POTENTIAL: No data available on bioaccumulation.

PARTITION COEFFICIENT: No information available

ECOLOGICAL INFORMATION ON INGREDIENTS:

Calcium Carbonate

Partition coefficient: Not applicable

Dilithium Sebacate

Bioaccumulative potential No data available on bioaccumulation.

MOBILITY IN SOIL: No data available.

ECOLOGICAL INFORMATION ON INGREDIENTS:

Dilithium Sebacate

Mobility: No data available

RESULTS OF PBT & vPvB ASSESSMENT

ECOLOGICAL INFORMATION ON INGREDIENTS:



SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION (CONT)

Calcium Carbonate

Results of PBT and vPvB assessment: This product does not contain any substances that are classified as PBT or vPvB.

OTHER ADVERSE EFFECTS: None known.

ECOLOGICAL INFORMATION ON INGREDIENTS

Dilithium Sebacate

Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION: The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

DISPOSAL METHODS: Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT:
ADG REQUIREMENT Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

MARITIME TRANSPORT:
IMO/IMDG REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT:
ICAO/IATA REQUIREMENT Not classified as a Dangerous Good according to the criteria of the International Maritime Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.



SAFETY DATA SHEET

Page 13 of 14

Issue Date: 20 December 2021

Ultralife EPM 2 Grease

Version: 3

15. REGULATORY INFORMATION

POISON SCHEDULE:	Not scheduled.
PACKING & LABELLING:	No special packaging or labelling requirements.
AUSTRALIAN INVENTORY STATUS:	All ingredients are listed or exempt.

16. OTHER INFORMATION

CONTACT PERSON/POINT: General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES:

- * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- * Safework Australia: 2016 Code of Practice for the Preparation of Safety Data Sheets for Hazardous Substances.
- * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- * NOHSC: 10005 List of Designated Hazardous Substances.
- * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- * NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- * ADG: Australian Dangerous Goods Code
- * MSDS of component materials.



Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362
5 Tarlington Place Smithfield NSW 2164
Correspondence: P.O Box 322 Castle Hill NSW 1765
Ph: 1300 796 009 | **Fax:** (02) 9604 1611 | **Email:** hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 14 of 14
Issue Date: 20 December 2021
Ultralife EPM 2 Grease
Version: 3

16. OTHER INFORMATION (CONT)

LAST CHANGE:

Supercedes document issued: 28 July 2017

Reason/s for revision: Minor editorial adjustments to comply with GHS requirements.

MR122102/1

END OF SDS



AUSTRALIAN FAMILY OWNED SINCE 1989

