



Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 1 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

Product name: Zinc Oxide Grease

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765
5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Zinc Oxide Grease

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: HI7-1013

USE: Multi purpose, water resistant, NLGI 3 grease.

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: www.hi-tecoils.com.au
Email: hitecoils@hi-tecoils.com.au

2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE: HAZARDOUS SUBSTANCE
DANGEROUS GOODS
Hazard classification according to criteria of NOHSC and GHS.
Dangerous Goods classification according to the Australian Dangerous Goods.

POISON SCHEDULE: Not scheduled

GHS LABEL ELEMENTS:



SIGNAL WORD: WARNING



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 2 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

2. HAZARDS IDENTIFICATION (CONT)

PHYSICAL HAZARDS:	Not classified.
HEALTH HAZARDS:	Not classified.
ENVIRONMENTAL HAZARDS:	Aquatic Chronic – Category 2
HAZARD STATEMENTS:	H411: Toxic to aquatic life with long lasting effects.
PRECAUTIONARY STATEMENTS:	P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of contents/ container in accordance with national regulations.
OTHER HAZARDS:	This product does not contain any substances classified as PBT or vPvB.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTICS: Grease

INGREDIENTS:-

CHEMICAL ENTITY	CAS NO	PROPORTION
Distillates (petroleum), hydrotreated heavy napthenic	64742-52-5	70-100%
Zinc Oxide	1314-13-2	5 - 10%
Ingredients determined to be non-hazardous	-	To 100%

4. FIRST AID MEASURES

GENERAL INFORMATION:	You should call the Poisons Information Centre on 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) if you feel that you may have been poisoned, burned or irritated by this product. Have this SDS with you when you call.
INHALATION:	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
INGESTION:	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
SKIN CONTACT:	Rinse with water.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
FIRST AIDERS:	First aid personnel should wear appropriate protective equipment during any rescue.



AUSTRALIAN FAMILY OWNED SINCE 1989





SAFETY DATA SHEET

Page 3 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

4. FIRST AID MEASURES (CONT)

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

GENERAL INFORMATION:

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

INHALATION:

No specific symptoms known.

INGESTION:

No specific symptoms known.

SKIN CONTACT:

Prolonged contact may cause dryness of the skin.

EYE CONTACT:

No specific symptoms known. May be slightly irritating to eyes.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NOTES TO PHYSICIAN:

Treat symptomatically.

SPECIAL TREATMENTS:

No special treatment required.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

UNSUITABLE EXTINGUISHING MEDIA:

Do not use water jet as an extinguisher, as this will spread the fire.

SPECIFIC HAZARDS:

None known.

HAZARDOUS COMBUSTION PRODUCTS:

Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

ADVICE FOR FIREFIGHTERS

PROTECTIVE ACTIONS:

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

SPECIAL PROTECTIVE EQUIPMENT:

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.



SAFETY DATA SHEET

Page 4 of 14
Issue Date: 20 December 2021
Zinc Oxide Grease
Version: 2

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.

ENVIRONMENTAL PRECAUTIONS:

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

METHODS FOR CONTAINMENT

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

REFERENCE TO OTHER SECTIONS:

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. HANDLING AND STORAGE

ADVICE ON GENERAL OCCUPATIONAL HYGIENE:

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.

HYGIENE MEASURES:

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

STORAGE PRECAUTIONS:

Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

STORAGE CLASS:

Miscellaneous hazardous material storage.

SPECIFIC END USES:

The identified uses for this product are detailed in Section 1.2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

Distillates (petroleum), hydrotreated heavy naphthenic:
Short-term exposure limit (15-minute): WEL 10 mg/m³ mist

Zinc Oxide

Long-term exposure limit (8 hour TWA): WEL 4 mg/m³ respirable dust
Long-term exposure limit (8 hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit



AUSTRALIAN FAMILY OWNED SINCE 1989





SAFETY DATA SHEET

Page 5 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION (CONT)

Zinc Oxide

DNEL: Workers - Dermal; Long term systemic effects: 83 mg/kg/day
Workers - Inhalation; Long term systemic effects: 5 mg/m³
Consumer - Oral; Long term systemic effects: 0.83 mg/kg/day
Consumer - Dermal; Long term systemic effects: 83 mg/kg/day
Consumer - Inhalation; Long term systemic effects: 2.5 mg/m³

PNEC: Fresh water; Long term 20.6 µg/l
Marine water; Long term 6.1 µg/l
Sediment (Freshwater); Long term 117.8 mg/kg
Sediment (Marinewater); Long term 56.5 mg/kg
Soil; Long term 35.6 mg/kg
STP; Long term 100 µg/l

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

EYE/FACE PROTECTION: Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

HAND PROTECTION: No specific hand protection recommended. Avoid contact with skin.

SKIN/BODY PROTECTION: Wear appropriate clothing to prevent repeated or prolonged skin contact.

HYGIENE MEASURES: Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

RESPIRATORY PROTECTION: Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

ENVIRONMENTAL EXPOSURE CONTROLS: Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



SAFETY DATA SHEET

Page 6 of 14
Issue Date: 20 December 2021
Zinc Oxide Grease
Version: 2

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Grease
COLOUR:	White/off-white
ODOUR:	Almost odourless
ODOUR THRESHOLD:	No information available
pH:	Not applicable
MELTING POINT:	>140°C
INITIAL BOILING POINT AND RANGE:	No information available
FLASH POINT:	>200°C Information given is applicable to the major ingredient
EVAPORATION RATE:	No information available
EVAPORATION FACTOR:	No information available
FLAMMABILITY (SOLID, GAS):	No information available
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No information available
OTHER FLAMMABILITY:	No information available
VAPOUR PRESSURE:	No information available
VAPOUR DENSITY:	No information available
RELATIVE DENSITY:	No information available
BULK DENSITY:	No information available
SOLUBILITY(IES):	Insoluble in water.
PARTITION COEFFICIENT:	No information available
AUTO-IGNITION TEMPERATURE:	No information available
VISCOSITY:	100 cSt @ 40°C. Information given is applicable to the major ingredient
EXPLOSIVE PROPERTIES:	Not considered to be explosive
EXPLOSIVE UNDER THE INFLUENCE OF A FLAME:	Not considered to be explosive



SAFETY DATA SHEET

Page 7 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

9. PHYSICAL AND CHEMICAL PROPERTIES (CONT)

OXIDISING PROPERTIES: Not applicable

10. STABILITY AND REACTIVITY

REACTIVITY: See the other subsections of this section for further details.

CHEMICAL STABILITY: Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

HAZARDOUS REACTIONS: No potentially hazardous reactions known.

CONDITIONS TO AVOID: Avoid excessive heat for prolonged periods of time.

INCOMPATIBLE MATERIALS: No specific material or group of materials is likely to react with the product to produce a hazardous situation.

HAZARDOUS DECOMPOSITION PRODUCTS: Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL EFFECTS: Not regarded as a health hazard under current legislation.

ACUTE TOXICITY - ORAL

Notes (oral LD₅₀):

Based on available data the classification criteria are not met.

ACUTE TOXICITY - DERMAL

Notes (dermal LD₅₀):

Based on available data the classification criteria are not met.

ACUTE TOXICITY - INHALATION

Notes (inhalation LC₅₀):

Based on available data the classification criteria are not met.

SKIN CORROSION/IRRITATION

Animal data:

Based on available data the classification criteria are not met.

SERIOUS EYE DAMAGE/IRRITATION

Serious eye damage/irritation:

Based on available data the classification criteria are not met.

RESPIRATORY SENSITISATION

Respiratory sensitisation:

Based on available data the classification criteria are not met.

SKIN SENSITISATION

Skin sensitisation:

Based on available data the classification criteria are not met.



SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION (CONT)

GERM CELL MUTAGENICITY

Genotoxicity - in vitro:

Based on available data the classification criteria are not met.

CARCINOGENICITY

Carcinogenicity:

Based on available data the classification criteria are not met.

IARC carcinogenicity:

None of the ingredients are listed or exempted.

REPRODUCTIVE TOXICITY

Reproductive toxicity – fertility:

Based on available data the classification criteria are not met.

Reproductive toxicity – development:

Based on available data the classification criteria are not met.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

STOT - single exposure

Not classified as a specific target organ toxicant after a single exposure.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

STOT - repeated exposure

Not classified as a specific target organ toxicant after repeated exposure.

ASPIRATION HAZARD

Aspiration hazard:

Not relevant. Solid.

GENERAL INFORMATION:

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

INHALATION:

No specific symptoms known.

INGESTION:

No specific symptoms known.

SKIN CONTACT:

Prolonged contact may cause dryness of the skin.

EYE CONTACT:

No specific symptoms known.

ROUTE OF ENTRY:

Ingestion, Inhalation, Skin and/or eye contact

TARGET ORGANS:

No specific target organs known.

TOXICOLOGICAL INFORMATION ON INGREDIENTS

Distillates (petroleum), hydrotreated heavy naphthenic

ACUTE TOXICITY - ORAL

Notes (oral LD₅₀):

OECD 401 > 5000 mg/kg, Oral, Rat.

ACUTE TOXICITY - DERMAL

Notes (dermal LD₅₀):

OECD 402 > 5000 mg/kg, Dermal, Rabbit.



SAFETY DATA SHEET

Page 9 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

11. TOXICOLOGICAL INFORMATION (CONT)

ACUTE TOXICITY - INHALATION

Notes (dermal LC₅₀):

OECD 403 > 5.53 mg/l, 4 hours, Dust/Mist, Rat.

SKIN CORROSION/IRRITATION

Skin corrosion/irritation:

Not irritating.

SERIOUS EYE DAMAGE/IRRITATION

Serious eye damage/irritation:

Not irritating.

SKIN SENSITISATION

Skin sensitisation:

Not sensitising.

CARCINOGENICITY

Carcinogenicity:

Based on available data the classification criteria are not met.

Zinc Oxide

ACUTE TOXICITY - ORAL

Notes (oral LD₅₀):

LD₅₀ > 5000 mg/kg, Oral, Rat, OECD 401.

ATE oral (mg/kg):

5000.0

ACUTE TOXICITY - DERMAL

Notes (dermal LD₅₀):

No information available.

ACUTE TOXICITY - INHALATION

Notes (inhalation LC₅₀):

LC₅₀ > 5.7 mg/l, 4 hours, Dust/Mist Rat OECD 403

ATE inhalation (dusts/mists mg/l):

5.7

SKIN CORROSION/IRRITATION

Animal data:

Not irritating. Rabbit OECD 404

SERIOUS EYE DAMAGE/IRRITATION

Serious eye damage/irritation:

Not irritating. Rabbit OECD 405

RESPIRATORY SENSITISATION

Respiratory sensitisation:

Not sensitising. Based on available data the classification criteria are not met.

SKIN SENSITISATION

Skin sensitisation:

Not sensitising. Based on available data the classification criteria are not met.
Guinea pig OECD 406.



SAFETY DATA SHEET

Page 10 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

12. ECOLOGICAL INFORMATION

TOXICITY: Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

ECOLOGICAL INFORMATION ON INGREDIENTS:

Distillates (petroleum), hydrotreated heavy naphthenic

ACUTE AQUATIC TOXICITY:

Acute Toxicity – Fish	LC ₅₀ , 96 hours: >100 mg/l
Acute Toxicity – Aquatic Invertebrates	EC ₅₀ , 96 hours: >10,000 mg/l
Acute Toxicity – Aquatic Plants	EC ₅₀ , 72 hours: >100 mg/l

CHRONIC AQUATIC TOXICITY:

Chronic Toxicity – Aquatic Invertebrates	NOEC, 21 days: 10 mg/l
--	------------------------

Zinc Oxide

ACUTE AQUATIC TOXICITY:

LE(C) ₅₀	0.1 < LEC ₅₀ ≤ 1
Acute Toxicity – Aquatic Invertebrates	EC ₅₀ , 48 hours: >0.413 mg/l, Daphnia magna
Acute Toxicity – Aquatic Plants	EC ₅₀ , 72 hours: >0.137 mg/l, Sclerodaphnia capricornutum

CHRONIC AQUATIC TOXICITY:

M factor (Chronic)	1
Chronic Toxicity – Aquatic Invertebrates	NOEC, 7 days: 82 ug/l, Daphnia magna

PERSISTENCE AND DEGRADABILITY:

Persistence and degradability	The degradability of the product is not known.
-------------------------------	--

Distillates (petroleum), hydrotreated heavy naphthenic

Biodegradation	Inherently biodegradable.
----------------	---------------------------

Zinc Oxide

Persistence and degradability	No data available.
-------------------------------	--------------------

BIOACCUMULATIVE POTENTIAL:

Bioaccumulative Potential:	No data available on bioaccumulation.
Partition Coefficient:	No information available



Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 11 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

12. ECOLOGICAL INFORMATION (CONT)

ECOLOGICAL INFORMATION ON INGREDIENTS:

Distillates (petroleum), hydrotreated heavy naphthenic

Bioaccumulative potential

Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

Partition coefficient

log Pow: 2 to 6

Zinc Oxide

Partition coefficient:

No data available

MOBILITY IN SOIL:

Mobility:

No data available.

ECOLOGICAL INFORMATION ON INGREDIENTS:

Distillates (petroleum), hydrotreated heavy naphthenic

Mobility:

Mobile

Zinc Oxide

Mobility:

No data available

RESULTS OF PBT & vPvB ASSESSMENT

ECOLOGICAL INFORMATION ON INGREDIENTS:

Zinc Oxide

Results of PBT and vPvB assessment:

This substance is not classified as PBT or vPvB according to current EU criteria assessment.

OTHER ADVERSE EFFECTS:

None known.

13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION:

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 12 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

13. DISPOSAL CONSIDERATIONS (CONT)

DISPOSAL METHODS:

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

14. TRANSPORT INFORMATION

GENERAL:

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

ROAD AND RAIL TRANSPORT

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road and Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land"



UN No:

3077

UN PROPER SHIPPING NAME:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

TRANSPORT HAZARD CLASS/LABEL:

Class & Label – 9
Classification code – M7

PACKING GROUP:

III

MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.



UN No:

3077

UN PROPER SHIPPING NAME:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

TRANSPORT HAZARD CLASS/LABEL:

9

PACKING GROUP:

III



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 13 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

14. TRANSPORT INFORMATION (CONT)

AIR TRANSPORT

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.



UN No: 3077

UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

TRANSPORT HAZARD CLASS/LABEL: 9

PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Environmentally hazardous substance/marine pollutant.



SPECIAL PRECAUTIONS FOR USER:

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS: F-A, S-F

ADR TRANSPORT CATEGORY: 3

EMERGENCY ACTION CODE: 2Z

HAZARD IDENTIFICATION NUMBER (ADR/RID): 90

TUNNEL RESTRICTION CODE: (-)

Transport in bulk according to Annex II of MARPOL and the IBC Code

15. REGULATORY INFORMATION

POISON SCHEDULE: Not scheduled.

PACKING & LABELLING: No special packaging or labelling requirements.



AUSTRALIAN FAMILY OWNED SINCE 1989





Hi-Tec Oil Traders Pty Ltd ABN 28 053 837 362

5 Tarlington Place Smithfield NSW 2164

Correspondence: P.O Box 322 Castle Hill NSW 1765

Ph: 1300 796 009 | Fax: (02) 9604 1611 | Email: hitecoils@hi-tecoils.com.au

www.hi-tecoils.com.au

SAFETY DATA SHEET

Page 14 of 14

Issue Date: 20 December 2021

Zinc Oxide Grease

Version: 2

15. REGULATORY INFORMATION (CONT)

AUSTRALIAN INVENTORY STATUS:

All components are listed or exempted.

16. OTHER INFORMATION

CONTACT PERSON/POINT:

General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES:

- * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- * Safework Australia: 2016 Code of Practice for the Preparation of Safety Data Sheets for Hazardous Substances.
- * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- * NOHSC: 10005 List of Designated Hazardous Substances.
- * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- * NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- * NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- * SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- * ADG: Australian Dangerous Goods Code
- * MSDS of component materials.

LAST CHANGE:

Supersedes document issued: 26 May 2017

Reason/s for revision: Minor editorial adjustments to comply with GHS requirements.

MR122102/1

END OF SDS



AUSTRALIAN FAMILY OWNED SINCE 1989

